DOCUMENT RESUME

ED 080 721

VT 021 043

AUTHOR

Lerner, Philip R., Comp.

TITLE

Social Security Disability Applicant Statistics,

INSTITUTION

Social Security Administration (DHEW), Washington,

D.C. Office of Research and Statistics.

REPORT NO

DHEW-SSA-73-11911

PUB DATE

Jun 72

NOTE

105p.

EDRS PRICE

MF-\$0.65 HC-\$6.58

DESCRIPTORS

Employment Experience: *Federal Programs:

*Handicapped; *Insurance Programs; *Participant

Characteristics: *Physically Handicapped; Statistical


IDENTIFIERS

Social Security Act

ABSTRACT

About one of every 10 dollars in social security benefits under the old-age, survivors, and disability insurance program (OASDI) goes to disabled workers or their families. By the end of 1969, nearly 2,500,000 workers and dependents and 40,000 widows and widowers were receiving some form of social security disability compensation, while another 260,000 adults were beneficiaries under the childhood disability provision of OASDI. This report, based on a sample of disability records, examines the basic characteristics and employment experience of applicants for OASDI disability benefits for whom determinations were made during calendar year 1968. This series of data has been published annually since 1957. (Author)

Social **Security Disability** Applicant Statistics



U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELLARE SOCIAL SECURITY ADMINISTRATION OFFICE OF RESEARCH AND STATISTICS OHEW PUB NO. (SSA) 73-1911

Social Security Disability Applicant **Statistics** 1968

US DEPARTMENT OF HEALTH
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION
THIS DOCUMENT HAS BEFA REPRO
DUCED EXACTLY AS RECEIVED FROM
THE PERSON OR ORGANIZAY ON ORIGIN
ATING IT POINTS OF VIEW OR OPINIONS
STATED DO NOT IN CESSARILY REPRE
SENT OF FICIAL NATIONAL INSTITUTE OF
EDUCATION POSITION OR POLICY

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE SOCIAL SECURITY ADMINISTRATION Office of Research and Statistics DHEW (SSA) 73-11911



NOTE

ABOUT 1 OF EVERY 10 dollars in social security benefits under the old-age, survivors, and disability insurance program (OASDI) goes to disabled workers or their families. By the end of 1969, nearly 2,500,000 workers and dependents and 40,000 widows and widowers were receiving some form of social security disability compensation, while another 260,000 adults were beneficiaries under the childhood disability provision of OASDI.

This report, based on a sample of disability records, examines the basic characteristics of applicants for OASDI disability benefits for whom determinations were made during calendar year 1968. This series of data has been published annually since 1957.

The planning, development, and preparation of the current report was primarily the responsibility of Philip R. Lerner, Statistician of the Claims and Benefit Statistics Branch, OASDI Statistics Division. The processing of data was carried out by David Clagett and Livous Coe, Statistical Systems Analysts of the Statistical Operations Branch.

IDA C. MERRIAM,
Assistant Commissioner
for Research and Statistics.

JUNE 1972.

ERIC Full Text Provided by ERIC

CONTENTS

t

TTT/	CHI LOUMS DROSE 1000	Pe							
	GHLIGHTS FROM 1969								
	LECTED CHARACTERISTICS OF NEW DISABILITY								
ł	BENEFICIARIES: Women in the Work Force								
	Education								
	Occupation								
	Diabetes Mellitus								
	Statistical Methods								
CONTRACT	FOMED DAMA DOD 1000.								
ЭE)	LECTED DATA FOR 1968: Worker Disability Allowance								
	Childhood Disability Allowances								
	•								
DE	FINITIONS OF DISABILITY	:							
	CLASSIFIED LIST OF TABLES								
Table		P							
1	Allowances and denials, by year								
	Worker Disability Allowances								
2	Age and sex								
3	Race, age, and sex								
4	Age in year of onset and sex								
5	Mobility, age, and sex								
6	Mobility and race								
7	Year of onset of disability by age and sex-number								
8	Year of onset of disability by age and sex-percent								
9 10	Diagnostic group by age and sex Diagnostic group, primary diagnosis by age and sex								
10 11	Leading diseases in rank order by sex and race								
11 12	Fifteen most frequent diagnoses by sex								
13	Ten most frequent diagnoses by age								
14	Leading causes by primary diagnosis and sex, 1957-68								
1 4 15	Diagnostic group by race and sex								
16	Leading causes by race and sex								
17	Mobility by diagnostic group								
18	Education by age and sex								
19	Education by race and sex								
20	Visual impairment by age and sex								
	,								



21	Auditory impairment by age and sex	59
22	Disability rates by State	60
23	Circulatory system rates by State	61
24	Emphysema rates by State	62
25	Schizophrenia rates by State	63
26	Diabetes rates by State	64 65
27	Diagnostic group and State-number	66
28	Diagnostic group and State-percent	67
29	Ten most frequent diagnoses by State	68
30	State by sex and race-number	69
31	State by sex and race-percent	70
32	Occupation by age and sex	73
33	Occupation and sex	74
34	Occupation and education	75
35	Selective occupations by education and sex	76
36		77
37	Occupation by diagnostic group Leading causes by occupation and sex	78
38	Occupation by State	
39 40	Occupation by StateOccupation by primary diagnosis and sex	82
40	Occupation by primary diagnosis and sex	02
	Worker Denials	
41	Reason for denial and age	85
42	Reason for denial by race and sex	
43	Mobility and race	
44	Age, sex and race	
45	Diagnostic group by race and sex	_
	Diagnostic Broup of Tacc and Box 2-22-1-22-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2	-
	Childhood Disability Allowances	
	Chance District Photocolog	
46	Age and sex	90
47	Education and sex	91
48	Mobility and age	
49	Diagnostic group by age and sex	
50	Diagnostic group and primary diagnosis by sex	
51	Ten most frequent diagnoses by sex	
52	Ten most frequent diagnoses by age	
53	• • •	
54	Diagnostic group and State-percent	. 98
	Childhood Denials	
55		
56	Reason for denial by race and sex	100
	Widow(er) Disability Allowances	
	madicial Described Automices	
57	Diagnostic group by age and race	_ 101
58	0 1 0 0	102
	• •	



HIGHLIGHTS FROM 1969*

Disabled Worker Benefits

The number of disabled workers and their dependents receiving monthly benefits from the disability insurance trust fund increased about 6 percent during 1969 to nearly 2,500,000 by the end of the year. Nearly 1.400,000 were disabled workers, about 265,000 were wives and husbands, and 830,000 were children, including some students aged 18-21 and some childhood disability beneficiaries (adults who became disabled in childhood). The monthly benefit amount payable to the disabled workers and dependents reached nearly \$200 million at the end of December 1969-about \$14 million more than a year earlier. The average monthly benefit amount for disabled workers-\$113-was about the same as at the end of 1968.1 Benefit payments to disabled workers and dependents amounted to \$2.5 billion in 1969, up 11 percent over the previous year. For every \$100 paid out of the disability insurance trust fund, \$79 went to disabled workers, \$6 to wives and husbands, and \$15 to children.

- · About 10 percent of all monthly benefits paid from the old-age and survivors insurance (OASI) and disability insurance (DI) trust funds went to disabled workers and dependents.
- · Disabled workers and dependents represented more than 30 percent of all beneficiaries under age 65.
- · One of every five social security benefit awards went to disabled workers and their dependents.
- Of benefit awards to children, about 28 percent went to a disabled worker's child

- About 95 percent of all childhood disability beneficiaries were dependents of retired or deceased workers-5 percent were dependents of disabled workers.
- One disabled worker out of every 13 died during the year.
- · For every disabled worker who recovered, 3 died.
- About 35 percent of all disabled workers were aged 60-64.
- · Nearly 7 percent of the disabled workers attained age 65 during the year.
- Close to 30 percent of the new beneficiaries had completed high school, but 11 percent had 4 years or less of schooling, including 1.8 percent who had never attended school.
- For about 70 percent of the disabled beneficiaries, the worker alone received benefits:
 - -For 15 percent, the worker, his spouse and children all received benefits on the worker's earnings record:
 - -- For 10 percent, the worker and a child received benefits; and
 - -For 3 percent, just the worker and his spouse received benefits.

Childhood Disability Benefits

At the end of December 1969, about 260,000 persons were receiving monthly childhood disability benefits. In addition, about 27,000 wives and widowed mothers were receiving benefits solely because they had at least one childhood disability beneficiary in their care. The corresponding monthly amounts were \$16.2 million for disabled children and \$1.7 million for wives and widowed mothers.

Disabled Widows (ers)

Effective March 1968, reduced monthly bene-



However, in January 1970 the 15-percent benefit increase raised the average to \$130.

* Data from Social Security Bulletin, Annual Statisti-

cal Supplement.

fits have been payable from the OASI trust fund to a new category of beneficiaries—disabled widows and widowers—beginning at age 50. More than 28,000 widows and widowers were allowed disability benefits in 1968. Disabled widowers represented less than 1 percent of the total. The number of disabled widows and widowers increased to nearly

40,000 by the end of 1969. The average monthly benefit amount in current-payment status was \$71. One out of every five disabled widows and widowers were aged 50-54. Nearly 7 percent of the disabled widows were either institutionalized or hospitalized, generally indicating that they were incapable of managing their own activities.



SELECTED CHARACTERISTICS OF NEW DISABILITY BENEFICIARIES*

Women in the Work Force

Characteristics of the work force in the United States have changed over the years. In 1940 when retirement benefits were first payable, somewhat more than 1 in every 4 workers with taxable earnings were women. Since then, women have been coming into the labor force at a higher rate than men, so that the proportion of women workers gradually increased. By 1957, when benefits under the disability insurance program began, 1 of every 3 workers in the labor force was a woman. While women workers were finding greater employment opportunities, they were nevertheless employed in only a handful of job categóries. The disabled female worker was most likely holding a clerical, sales, or service job. In 1968 about 3 out of 5 disabled women beneficiaries were employed in such traditional jobs as office clerks, bookkeepers, secretaries, sales persons, maids, and waitresses, compared with only 1 of every 5 men. Yet, a higher percentage of disabled women than men (6.7 percent compared with 2.4 percent) were employed in professional occupations. Men were more predominant in manufacturing (61 percent), particularly in the skilled occupations. About 52 percent of the women in manufacturing worked in semiskilled jobs compared with only 27 percent of the men. Only 1 of every 4 women worked in manufacturing.

Along with increased participation in the labor force, the incidence of disability among women has also climbed steadily. During 1957, when the social security disability program began paying benefits, about 18 percent—30,000—of all disabled worker beneficiaries were women. By 1968, the proportion increased to 25 percent as the number of disabled women allowed benefits during the year rose to nearly

85,000. Men generally became disabled at an earlier age than women. Among all persons allowed disability benefits, a larger proportion of men (16 percent) than women (11 percent) were under age 40.

In general, the average monthly benefit amount was less for disabled women than for disabled men at all ages. Nevertheless, the difference in the average amount was smaller for those under age 40 than for those aged 40 and over. For those under 40, the average benefit amount for disabled women was only \$13 less than for disabled men; while for those aged 40 and over, the difference was \$28. Among disabled women workers under age 40, the average benefit amount was \$3 more than the average amount for those aged 40 and over. Among disabled men, on the other hand, the average amount for the younger beneficiaries was \$12 less than the average amount for those aged 40 and over.

The female work force has assumed significant new patterns. In 1920, the average working girl was 28 years old, single, and most likely worked in a factory. Only one in five had finished high school. By 1950 the average age had risen to 32 years, and by 1960, to 38 years. In 1969, the typical working woman was 35 years old, married and most apt to be working in a clerical, sales, or personal service job. About 37 percent had completed high school; among those under age 40, about 62 percent had completed high school The slight drop in the median age of women workers in 1969 was due to the recent surge of young women pouring in to the labor market.

Leading causes of disability varied among female workers of different ages. For women under 40, schizophrenic disorders were the primary causes of disability, accounting for 23 percent. Multiple sclerosis and displacement of intervertebral disc followed as other important



^{*} Data in this section is for the 330,783 worker disability beneficiaries who were allowed benefits in 1968.

causes of disability. Schizophrenic disorders were also an important cause of disability among women aged 40-49, though representing only 11 percent of the total. Other important causes were arteriosclerotic heart disease and rheumatoid arthritis. Among women aged 50 and over arteriosclerotic heart disease was a frequent cause of disability, occurring at twice the rate of either rheumatoid arthritis or osteoarthritis. For women aged 60-65 important causes were arteriosclerotic heart disease, osteoarthritis, and hypertensive heart disease.

The incidence of some disabling diseases va among disabled men and women. For instance, the incidence of emphysema and tuberculosis was much higher for men than women, 8.6 percent compared with 3.1 percent. On the other hand, arterioscleratic heart disease was the leading cause of disability for both men and women.

Education

The educational level of the disabled worker, measured by the highest grade of schooling completed, is particularly useful in evaluating occupational differences between workers and vocational rehabilitation potential. The level of education among the disabled population coming on the rolls in 1968 shows that 1.8 percent had never attended school, and about 11 percent could be classed as functionally illiterate, having completed 5 or less years of schooling. About 21 percent of the newly disabled workers had completed high school but did not continue their education; an additional 9 percent had gone on to college but only 3 percent had graduated. Thus, 2 out of every 3 who entered college failed to graduate.

By sex.—In general, men tended to be less educated than women. The percentage of men with 8 years of elementary school or less was substantially higher than the corresponding percentage for women—50.8 percent compared with 38.3 percent.

The percentage of college graduates among males is 3.0 percent and 3.7 percent for females.

By race.—Young white women had more formal education than young Negro women.

This is not surprising since historically the school enrollment ratio of Negroes has been lower than that of whites. While about 40 percent of the white women graduated from high school, about 20 percent of the Negro women did. The percentage of women entering college was 11.9 percent for whites and 5.6 percent for negroes.

The proportion of women of other races, including Indians, Chinese, and Japanese, with an eighth grade education or less was 46.6 percent. For whites the proportion was 34.9 percent; for negroes, 57.1 percent. Approximately the same proportion of this group as of white women were high school graduates (only 28.7 percent and 28.5 percent, respectively), but the proportion entering college was 11.9 percent for white women and 9.2 percent for women of other races.

The 1968 disabled Negro workers had much less education than the white workers. There was a very substantial proportion of functional illiteracy among the Negro workers-approximately 28 percent had 4 years of schooling or less, including about 5 percent with no schooling at all. In comparison, only about 8 percent of the white workers had 4 years of schooling or less, including about 1 percent who had no schooling at all. The percentage of Negroes who had completed college was less than that for whites. Negro women had far more education than Negro men. Nineteen percent of Negro women and 13 percent of Negro men had graduated from high school and gone on to college. Also, relatively fewer Negro women (16 percent) than men (33 percent) were in the lowest educational group—fourth grade or less. The rate of high school and college completions among Negroes was considerably lower than the rate for whites.

By age.—The improvement in the ieve' of education among workers over the years is apparent. This can be highlighted by comparing the younger disabled workers with the older workers: only 40 percent of the men aged 60 and over attended high school with 21 percent graduating, whereas 85 percent of the men under age 30 went to high school and 57 percent graduated. The same is true for the women: 53 percent of the older ones went to



high school with 31 percent graduating, compared with 90 and 71 percent of the younger.

Data on educational attrinment from the 1960 decennial census show that among persons aged 18-29, 58 percent of the men and 60 percent of the women had a high school education or more.

The data on education reveals not only different patterns between men and women but also between generations. The differences in the educational levels between the age groups reflect the growing exposure to education which the young have experienced over the years. The older worker had fewer opportunities in his youth to go to school than did the younger worker.

In summary, proportionately more of the disabled women workers than men had completed high school. The young disabled worker was considerably more educated than the older disabled worker. About 3 out of every 5 disabled workers under 30 had at least a high school education. The Negro worker had less education than the white worker. Negro women were better educated than Negro men.

Occupation

A distribution of disability allowances in 1968 by race and occupation prior to the onset of the disability indicates considerable differences between white workers and workers of other races. The differences show up both in the proportions of each racial group with certain work experience and in the proportions of each race in the various levels of skill within the occupation.

The greatest difference is seen in the proportion of whites and Negroes with work experience in the professional and managerial occupations, clerical and sales occupations, and service occupations. For example, 28 percent of the white workers have worked in either the professional and managerial or clerical and sales occupations, but only 7 percent of the Negroes have this work experience. On the other hand, only 14 percent of the white workers have experience in service occupations compared with 33 percent of the Negroes. The greater percentage of Negroes in the service

occupations is primarily due to the proportion working as domestics (11 percent—generally female) and as porters and janitors (8 percent—mostly male).

The second type of difference between the races is illustrated by work experience in the manufacturing occupations. The proportion of whites working in the major manufacturing occupations does not differ much from that of Negroes (52 and 55 percent). In terms of skill levels within manufacturing, however, the picture is different. The proportion of whites in the skilled manufacturing occupations is about two and a half times as large as the proportion of Negroes, 25 percent of the whites and only 10 percent of the Negroes. On the other hand, the proportion of Negroes in the unskilled manufacturing occupations is two and one half times as large as the proportion of whites in those occupations. The proportions of whites and Negroes in the semiskilled manufacturing occupations is about the same—16 percent.

The sample information for workers of other races seems to indicate an occupational pattern that is somewhere between the occupational distribution of white workers and Negro workers. However, the pattern is inconclusive because the size of the sample is not large enough. Thus, the proportion of workers of other races with experience in the professional and managerial and clerical and sales occupations is about 15.5 percent. Similarly, the proportion in service occupations is 25.7 percent. The workers of other races with experience in the skilled manufacturing occupations represent 16 percent

There is no difference between whites and Negroes in the proportion with work experience in agricultural occupations—6 percent for both. However, about 13 percent of workers of other races were employed in agriculture.

Diabetes Mellitus

Diabetes has been one of the leading causes of disability in the United States. It is estimated by the Public Health Service that 4.4 million persons in this country have diabetes. About 1.6 million of those affected don't know that they have the disease. In 1968, about 7,800



workers were allowed a disability under the social security program because of diabetes. Like that of most chronic diseases, disability from diabetes increases with age. Nearly 60 percent of the diabetics were 55 years of age and over compared with 53 percent of all 1968 disabled worker beneficiaries. Only 15 percent of the diabetics were under age 45.

Diabetes is one of the 10 leading cause of disability; a leading cause among men and women aged 55 and over. The percentage of diabetics was larger among women than among men and larger among Negroes than among whites. Though women numbered about 25 percent of the diabetic disabled. Moreover, 26 percent of the diabetic women were Negroes though Negro women comprised only 15 percent of all disabled women. The overall disability rate for diabetes was 15 for every 100,000 workers insured in the event of disability. The rates for individual States ranged from 37 per 100,000 in Mississippi to 7 in both Hawaii and Nevada.

The employment experience of workers disabled by diabetes indicates that the largest percentage of the diabetic men held jobs in clerical and sales positions and the women, in agriculture and the service trades. Moreover, diabetes, arteriosclerotic heart disease, and hypertensive heart disease were important causes of disability for women working in agriculture.

Statistical Methods

The disability applicant statistical program reflects disability decisions taken during the year. Three categories of applicants for benefits and two types of decisions are involved. The benefit applicant categories are disabled workers, adults with childhood disabilities, and

disabled widows and widowers. The two types of Chisions are allowances and denials.

The source of the data for the disability applicant statistical program is the disability determination form. Selected characteristics from the determination form such as age, sex, race, education, and occupation of the applicant as well as medical information underlying the disability and other relevant items are coded and the information is processed to produce the desired tabulations.

In this report, data on disabled-worker allowances and on denials for all three applicant categories were based on information derived from samples of actions taken during the year. On the other hand, data on childhood disability allowances and on disabled widow or widower allowances were based on all actions taken during the year. The sampling rate for denial actions was a uniform 10 percent for all three applicant categories. The sampling rate for disabled-worker allowance actions varied by State and depended on the number of allowance actions in the State during the year. The relationship between the number of allowances and the sampling rate was as follows:

Number of	Sampling rate
allowances	(percent)
Under 1,000	100
1,000-3,499	50
3,500-5,999	25
6,000-9,999	20
10,000 and over	10

A computer operation is used to inflate sample data to established universe totals. The data are, of course, subject to processing errors as well as to sampling variability. Since the data are based on sampling, caution should be exercised in interpreting figures—especially small cells and percentages with small bases.



SELECTED DATA FOR 1968

Worker Disability Allowances

s	EX	
	Number	Percent
Total	330,783 246,442 84,341	100 75 25

AGE												Percent						
									19	968	1967							
•	60 an	d	0	V	81											•	29	32
	55-59																24	24
	50-54																15	16
•	40-49	į.												į.		•	18	18
•	Under	a	Ø	e	4	C	Ì									•	14	10

INCIDENCE BY PRIMARY DIAGNOSIS AND SEX

Male	Female
1. Arteriosclerotic heart 41,599 2. Schizophrenic disorders . 15,082 3. Emphysema 14,546	1. Arteriosclerotic heart 9,874 2. Schizophrenic disorders 5,442 3. Osteo-arthritis 4,542

	LEADING :	SIAIES	
	-	Number	Percent
١.	California	38,338	12
2.	New York	38,338 31,774	10
3.	Pennsylvania	20,170	6
١.	Texas	20,170 15,494	5
5.	Illinoie .	15,148 14,353	5
B.	Ohic	14.353	4

AG	E AT	ONSET	OF DISABIL	_ITY
• 40-49				19

	VISUAL	UK	AUDI	U	IM	P	W	V IV	ı	:N	12
											Number
1.	Statutory Industrial	blir	dness				٠.				3,019
2.	Industrial	blii	ndness	•		٠ م				4	1,310
	Defective Deafness										603 632

INCIDENCE BY PRIMARY DIAGNOSIS		
1. Arteriosclerotic heart 2. Schizophrenic disorders 3. Emphysema 4. Osteo-arthritis 5. Displacement of intervertebral disc	Number 51,473 20,524 16,305 13,123 10,051	Percent 16 6 5 4 3

INCIDENCE BY	PRIMARY	DIAGNOSIS AND AGE
Under 30 Schizophrenic disorders Fracture with spinal curd lesion Fractures of femur Aged 30-39	4,159 817 656	 Aged 50-54 1. Arteriosclerotic heart
Schizophrenic disorders Displacement of intervertebral disc Pulmonary tuberculosis Aged 40-49	6,102 1,739 1,177	1. Arteriosclerotic heart
Schizophrenic disorders	6,229 6,041 2,875	1. Arteriosclerotic heart



Worker Disability Allowances-Continued

Diseases of the circulatory system The set of the bones and organs of movement It, reconstruction, and personality disorders The nervous system and sense organs Neuplassis Accidents, poisonings, and violence	
es of the bones and organs of movement the phoneurotic, and personality disorders he phoneurous system and sense organs he plasses Accidents, poisonings, and violence	Perce
thoneurotic, and personality disorders	. 24
Neuplassis	. 13
Accidents, poisonings, and violence	. 13
Accidents, poisonings, and violence	. 13
	. !!
Diseases of the respiratory system	. 4
Allergic, endocrine system, inclaudic, and nutricular diseases	, 3
Allergic, endocrine system, metabolic, and nutritional diseases Infective and parasitic diseases Diseases of the digestive system	. 3
Other	. 3

OCCUPATION BY MAJOR GROUPS		
Professional and managerial Clerical and sales Service Agricultural, fishery, and forestry Manufacturing and related activities Skilled Semiskilled Unskilled	Number 32,657 40,747 47,943 18,470 152,927 67,099 46,294 39,534	Percent 11 14 16 6 52 23 16

	LEADING CAUSES BY RA	CE
White Arteriosclerotic heart 46,441 Schizophrenic disorders 16,883 Emphysema 15,247 Osteo-arthritis 11,076 Displ. intervertebral disc 8,825 Rheumatoid arthritis 7,693	 Hypertensive heart Schizophrenic d sorders Pulmonary tuberculosis 	Other Races 4,727 • Arteriosclerotic heart 305 3,446 • Schizophrenic disorders 296 3,345 • Osteo-arthritis 177 2,330 • Pulmonary tuberculosis 140 1,978 • Displ. intervertebral disc 133 1,870 • Diabetes mellitus 118

	L	EADING CAUSES BY RACE	AND SE	X	
White		Negro Male		Other Races	
 Arteriosclerotic heart Emphysema Schizophrenic disorders Osteo-arthritis Displ. intervertebral disc Cerebral haemorrhage 	38,073 13,588 12,292 7,261 8,854 5,976	 Arteriosclerotic heart Schizophrenic disorders Hypertensive heart Pulmonary tuberculosis Cerebral haemorrhage Osteo-arthritis 	3,255 2,535 2,088 2,002 1,566 1,182	 Arteriosclerotic heart Schizophrenic disorders Osteo-arthritis Pulmonary tuberculosis Displ. intervertebral disc Diabetes mellitus 	271 255 138 123 110 93
		Female			
 Arteriosclerotic heart Schizophrenic disorders Osteo-arthritis Rheumatoid arthritis Malignant breast neoplas Displ. intervertebral disc 	8,368 4,591 3,815 3,420 m 2,340 1,971	 Arteriosclerotic heart Hypertensive heart Schizophrenic disorders Osteo-arthritis Diabetes mellitus Rheumatoid arthritis 	1,472 1,358 810 688 646 422	 Schizophrenic disorders Osteo-arthritis Arteriosclerotic heart Cerebral haemorrhage Diabetes mellitus Paralysis agitans 	41 39 34 27 25 24



Childhood Disability Allowances

SEX								
Total		Number	Percent 100					
• Male .		12,295	56					
Female		9,768	44					

_	AGE	Per	cent
•		1968	1967
• 18-29		. 62	64
• 30-39		23	22
• 40 and over			14

LEADING STATES

						Number	Percent
1.	New York .					1.892	9
	California .						7
	Pennsylvani						6
	Michigan .						5
	Texas						5
	Ohio						5

INCIDENCE BY DIAGNOSTIC GROUP

Mental, psychoneurotic, and personality disorders Diseases of the nervous system and sense organs Congenital malformations Infective and parasitic diseases Diseases of the bones and organs of movement Other	cent 69 22 2	Cumulative percent 69 90 93 95 96 100
Viner	7	100

INCIDENCE BY PRIMARY DIAGNOSIS

	Per- Cumulative cent percent
1. Mental deficiency	55 55
2. Cerebral spastic infantile paralysis	
3. Schizophrenic disorders	<u>7</u> <u>71</u>
4. Epilepsy	7 77
5. Mental deterioration	3 81
6. Chronic brain syndrome	2 83

MOBILITY

- 27 percent were confined in an institution. The proportion of persons in the different age-groups who were confined in an institution ranged from 38 percent for persons aged 45 and over to 25 percent for persons aged 18-24.
- 8 parcent were housebound (bedridden, chairfast, etc.).
 65 percent were capable of some activity outside the home. Of these 38 percent needed help of some kind.

EDUCATION

- 38 percent had not attended a regular school.
 18 percent completed the 5th grade or a higher grade of elementary school but did not attend high school.
 13 percent attended elementary school for 1 or more years but did not advance beyond the 4th grade.
 19 percent completed 1 or more years of high school.
 11 percent attended ungraded special classes.



DEFINITIONS OF DISABILITY

The Social Security Act provides five basic types of disability protection under the old-age, survivors, disability, and health insurance program:

- 1. Monthly benefits for disabled workers under age 65 and their dependents.
- 2. The preservation of old-age and survivors insurance benefit rights for disabled workers—the disability freeze which protects the disabled worker against loss of or reduction in the amount of retirement, disability, or survivor benefits by providing that the period of disability will not be counted in determining either insured status or the amount of benefits.
- Monthly benefits (child's) for adults disabled in childhood, i.e., before attaining age
 18, provided they are dependent sons and
 daughters of disabled or retired worker
 beneficiaries or of deceased insured workers.
- 4. Monthly benefits for disabled widows, surviving divorced disabled wives, and disabled widowers effective February 1968.
- Vocational rehabilitation services to social security disability beneficiaries who have the potential to be restored to productive activity.

Monthly benefits are payable to dependents of disabled worker beneficiaries—namely, wives, divorced wives, and dependent husbands who have reached age 62, wives of any age who have entitled children in their care, and children—minors under age 18, students aged 18–21, and adults disabled prior to age 18.

Amount of Benefit

The disability rate for a disabled worker is equal to the worker's primary insurance amount and is calculated as if the disabled worker were of retirement age. Disability benefits are payable after a 6-month waiting period,

provided the disability has occurred prior to the worker's attainment of age 65.

Upon attainment of age 65 a disabled worker's benefit is converted to a retirement benefit. The amount of the converted retirement benefit or the amount of benefits payable to survivors upon the death of the disabled worker will not be reduced because of the years before age 65 or death in which the worker was unable to work because of his disability.

Disability Defined

A person to be considered disabled for social security purposes must be unable to engage in any substantial gainful work due to a medical condition. The law in effect prior to the 1965 amendments required that the person's impairment be of long-continued and indefinite duration or be expected to result in death. Under the 1965 amendments this requirement was changed so that the claimant's impairment must last or be expected to last for a continuous period of at least 12 months. Thus, disability benefits can be paid even if the individual is expected to recover. There is, however, a 6month waiting period—no payments can be made for the first 6 months a person is disabled. However, under both the previous and present law a person is considered disabled if he cannot work because of a severe physical or mental impairment so as to prevent the individual from working not only in his usual occupation but also in any other kind of substantial gainful work considering his age, education, training and work experience.

Insured Status for Disability Benefits

Monthly disability insurance benefits are payable to insured disabled workers under age 65. To be insured, an individual must (1) have worked in covered employment for at least 5 years out of the 10 immediately preceding the



beginning of his disability and (2) be fully insured.

To get disability benefits, it used to be that an individual needed credits for at least 5 of the 10 years before he became disabled unless he became disabled before age 31 because of blindness. The younger worker normally had not had a chance to work long enough to meet this requirement. Under the 1967 amendments an individual between ages 24 and 31 needs to have worked under social security for only half the time between 21 and the time he became disabled. Those disabled before they reach 24 need only 11/2 years of work under social security out of the 3-year period ending when their disability began. Service in the military is counted in these "years of work." Those disabled at age 31 or later still must have credit for at least 5 years of work during the 10 years before they become disabled.

Definition of Blindness

Blindness, as a disabling condition, is defined as a central visual acuity of 5/200 or less. The 1967 amendments provide a less restrictive definition of blindness for disability freeze purposes—a visual acuity of 20/200 or less, commonly called industrial blindness. The less restrictive definition of blindness also applies for benefit purposes to a blind worker aged 55 or over who is unable to engage in substantial gainful activity requiring skills or abilities comparable to those of any gainful activity in which he has previously engaged with some regularity and over a substantial period of time. The worker under age 55 who is industrially blind and therefore able to establish disability for freeze purposes still must meet the regular definition of disability-inability to engage in any substantial gainful activity for benefit purposes.

Disability Freeze

The disability freeze provision results in the disabled worker having his insured status and his average monthly wage for benefit purposes maintained as they were when he became disabled. Since the enactment of the 1960 amendments, which eliminated the requirement of age 50 for monthly benefits, virtually all persons

who qualify for the disability freeze also qualify for monthly benefits (an exception being certain blind persons).

Benefits to Adults Disabled in Childhood

Monthly benefits are payable to disabled persons aged 18 or over—dependent sons and daughters of retired, disabled, and deceased insured workers—whose disability began before age 18 (child's benefit). Disability for this category of beneficiaries is defined in the same way as it is for disabled workers. The disability must be present at the time the application is filed and must have continued since before the child reached age 18.

Disability Protection for Young Workers

Under the regular provisions of the Social Security Act a worker is insured if he has at least 20 quarters of coverage in the last 40 calendar quarters. The 1967 change in the law provides that a worker disabled before age 31 needs only half the number of quarters elapsing after age 21. Before this amendment, this provision applied only to workers who were disabled by blindness before reaching age 31.

Benefits for Disabled Widows and Widowers

A widow, surviving divorced wife, or widower must have, to meet the disability requirements of the law, a medical condition that is so severe as to ordinarily prevent a person from working. The 1967 amendments provide monthly cash benefits for disabled widows aged 50-59 and for surviving divorced wives and dependent widowers aged 50-61. In addition, the disability must have lasted or be expected to last for a period of at least 12 months. The disability must have begun within a specified 7-year period. The disablement must keep the widow or widower from performing any gainful activity (rather than substantial gainful activity).

Armed Services

Men and women in the Armed Forces, like other insured workers, have been eligible for disability benefits since 1957. The amount of a soldier's monthly disability payment is based



on his average earnings under social security. These earnings include the extra allowances for overseas duty, combat duty, flight duty, etc. For social security purposes, a serviceman receives credit for an additional \$100 earnings each month over and above his base pay. This is because base pay does not reflect such items as housing, food, and clothing. No additional social security contribution is deducted for the extra credit. The serviceman and his dependents can receive disability payments even though his service status and pay continue.

Amendments of 1967

The 1967 amendments to the Social Security Act included several provisions relating to disability which qualified additional persons for monthly cash benefits. These provisions provide the following:

- (1) a more liberal insured-status requirement for young workers disabled before age 31;
- (2) benefits for the disabled widows and widowers; and
- (3) a liberalized definition of blindness.

Disability Ends

Disability benefits end for a disabled worker when the person is no longer disabled within the meaning of the law. If a person works while still under a disability, the law continues his benefit payments during 9 months of work. Then, if it is determined after the 9 months that he has demonstrated his ability to do substantial gainful work and therefore is no longer disabled, his benefits are paid for 3 more months. Disability ends for a disabled widow, surviving divorced wife or widower where the conditions are no longer met. The law continues benefits for 2 months after the person's condition improved to the extent that it no longer meets the disability requirements of the law.

Vocational Rehabilitation

The Social Security Act provides for reimbursement from the trust funds for the cost of vocational rehabilitation services furnished to disabled persons receiving benefits because of their disability. The total amount of funds that may be made available for purposes of reimbursement for such services may not, in any fiscal year, exceed 1 percent of the benefits certified for payment to these types of beneficiaries in the preceding year.

Other Disability Programs

Definitions of disability are not the same in all government and private disability programs. Government agencies must follow the particular laws which apply to their disability programs. Therefore, a finding by a private organization or another government agency that a person is disabled would not necessarily mean that he meets the disability requirements of the Social Security Act.

Contents

The following tables contain selected data on the characteristics of applicants for benefits or for a period of disability under the disability provisions of the old-age, survivors, disability, and health insurance program for whom determinations were made during calendar year 1968. Tables 2 through 43 contain data with respect to workers and tables 44 through 56 contain data on childhood disability. Tables 57 and 58 contain data on widows and widowers.

The nomenclature used for diagnostic groups has been taken from the 7th revision of the Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death published by the World Health Organization. Certain medical diagnoses within the diagnostic groups-hay fever, tonsillitis, and influenza, for example—would not be a basis for allowing a period of disability and therefore are not represented in the allowed claims. Data on occupational classifications were obt. from the Dictionary of Occupational vives, published in 1949 by the United States Employment Service. The job titles defined in the Dictionary were developed and prepared primarily for public employment offices concerned with the use of occupational information in vocational and personnel activities.

DHEW (SSA) 73-11911

Disability Allowances and Denials, 1955-68

Table 1.--Summary data on the disability program

Year	Worker allow- ances	Worker deńials	Child- hood allow- ances	Child- hood denials	Widow (er) allow- ances	Widow (er) denials
Total	3,059,073	2,198,703	286,517	64,385	28,285	31,279
1955	57,221	36,310	****			
1956	149,823	155,875				
1957	165,003	125,720	36,267	4.873	l	
1958	184,476	204,110	21,273	5,544		
1959	178,952	146,325	34,718	5,745		
1960	179,419	113,195	22,352	4,405		
1961	241,060	192,435	23,233	4,395		
1962	286,434	146,640	27,569	4.965		
1963	224,229	146,325	22,398	5,755		
1964	209,475	175,815	17,244	5,460		
1965	267,738	201,477	19,973	5,947		
1966	273,513	204,938	19,027	5,567		
1967	310,947	157,672	20,400	5.764		
1968	330,783	191,866	22,063	5,965	28,285	31,279

Table 2.--Age and sex

	Total			e	Female		
Age	Number	Per- cent	Number	Per- cent	Number	Per- cent	
Total	330,783	100.0	246,442	100.0	84,341	100.0	
Under 25	9,549	2.9	8,392	3.4	1,157	1.4	
25-29	10,810	3.3	8,513	3.5	2,297	2.7	
30-34	11,682	3.5	9,215	3.7	2,467	2.9	
35-39	15,420	4.7	12,106	4.9	3,314	3.9	
40-44	23,686	7.2	17,460	7.1	6,226	7.4	
45–49	35,507	10.7	25,805	10.5	9,702	11.5	
50-54	51,012	15.4	36,211	14.7	14,801	17.5	
55-59	77,947	. 23.6	55,512	22.5	22,435	26.6	
60-64	88,164	26.7	67,428	27.4	20,736	24.6	
65 and Over	7,006	2.1	5,800	2.4	1,206	1.4	



Table 3.--Race, age, and sex

,	Tot	al	Whi	te	Neg	ro	Oth	er
Age	Number	Per- cent	Number	Per- cent	Number	Per- cent	Number	Per- cent
		<u> </u>		Tota	1	1		
Total	330,783	100.0	283,533	100.0	43,954	100.0	3,296	100.0
Under 25	9,549	2.9	8,074	2.8	1,29,	2.9	179	5.4
25-29	10,810	3.3	8,930	3.1	1,713	3.9	169	5.1
30-34	11,683	3.5	9,532	3.4	2,004	4.6	147	4.5
35-39	15,419	4.7	12,456	4.4	2,740	6.2	223	6.8
40-44	23,686	7.2	19,640	6.9	3,766	8.6	280	8.5
45-49	35,507:	10.7	29,477	10.4	5,724	i3.0	306	9.3
50-54	51,012	15.4	43,505	15.3	7,056	16.1	451	13.7
55-59	77,947	23.6	67,083	23.7	10,177	23.2	687	20.8
60 and over	95,170	28.8	84,836	29.9	9,480	21.6	854	25.9
		l	<u> </u>	l Mal	<u>L</u> e	<u></u>	<u> </u>	<u> </u>
Total	246 ,442	100.0	212,061	100.0	31,663	100.0	2,718	100.0
Under 25	8,392	3.4	7,087	3.3	1,138	3.6	167	6.1
25-29	8,513	3.5	6,949	3.3	1,443	4.6	121	4.5
30-34	9,216	3.7	7,388	3.5	1,694	5.4	134	4.9
35-39	12,105	4.9	9,725	4.6	2,187	6.9	193	7.1
40-44	17,460	7.1	14,438	6.8	2,808	8.9	, 214	7.9
45-49	25,805	10.5	21,588	10.2	3,990	12.6	227	8.4
50-54	36,211	14.7	30,963	14.6	4,884	15.4	364	13.4
55-59	55,512	22.5	48,111	22.7	6,853	21.6	548	20.2
60 and over	73,228	29.7	65,812	31.0	6,666	21.1	750	27.6
		<u>.</u>	<u> </u>	Fema	l le	<u> </u>	<u></u>	<u> </u>
Total	84,341	100.0	71,472	100.0	12,291	100.0	578	100.0
Under 25	1,157	1.4	987	1.4	158	1.3	12	2.1
25-29	2,297	2.7	1,981	2.8	268	2.2	48	8.3
30-34	2,467	2.9	2,144	3.0	310	2.5	13	2.2
35-39	3,314	3.9	2,731	3.8	553	4.5	30	5.2
40-44	6,226	7.4	5,202	7.3	958	7.8	66	11.4
45-49	9,702	11.5	7,889	11.0	1,734	14.1	79	13.7
50-54	14,801	17.5	12,542	17.5	2,172	17.7	87	15.1
55-59	22,435	26.6	18,972	26.5	3,324	27.0	139	24.0
JJ~JY	,							

Table 4.--Age in year of onset by sex

Age in year of		Number		Percent			
onset Of disability	Total	Male	Female	Total	Male	Female	
Total	330,783	246,442	84,341	100.0	100.0	100.0	
Under 25	20,821	16,882	3,939	6.3	6.9	4.7	
25-29	11,475	8,738	2,737	3.5	3.5	3.2	
30-34	11,152	8,583	2,569	3.4	3.5	3.0	
35-39	15,984	12,362	3,622	4.8	5.0	4.3	
40-44	25,559	18,804	6,755	7.7	7.6	8.0	
45-49	38,215	27,142	11,073	11.6	11.0	13.1	
50-54	55,982	39,608	16,374	16.9	16.1	19.4	
55-59	83,627	60,430	23,197	25.3	24.5	27.5	
60-65	67,968	53,893	14,075	20.5	21.9	16.7	



Worker Disability Allowances, 1968

Table 5 .-- Hobility status by age and sex

			Numb	er					Per	cent		
Mobility status	Total	Inder 40	40-49	50-54	55-59	60 and over	Total	Under 40	40-49	50-54	55-59	60 and over
						Total						•
Total	330,783	47,461	59,193	51,012	77,947	95,170	100.0	100.0	100.0	100.0	100.0	100.0
Institutionalized	30,064	10,837	8,128	3,922	3,773	3,404	9.1	22.8	13.7	7.7	4.8	3,6
ospitalized	19.054	4.436	3,751	2.869	3,848	4,150	5.8	9.3	6.3	5.6	4.9	4.4
iousebound	23,705	3,572	3,997	3,742	5.422	6,972	7.2	7.5	6.8	7.3	7.0	7.3
the home:	53,705	8,471	10,123	8,157	12.677	14,277	16.2	17.8	17.1	16.0	16.3	15.0
With help	204,255	20,145	33,194	32,322	52,227	66,367	61.7	42.4	56.1	63.3	67.0	69.7
						Hale		·			<u></u> -	
Total	246,442	38,226	43,265	36,211	55,510	73,230	100.0	100.0	100.0	100.0	100.0	100.0
Institutionalized	24,971	9,281	6,678	3,179	3.088	2.745	10.1	24.3	15.4	8.8	5.6	3.7
ospitalized	16.048	4,078	3,293	2,330	2,999	3,348	6.5	10.7	7.6	6.4	5.4	4.6
ouseboundubulatory outside	16,242	2,753	2,366	2,421	3,727	4,975	6.6	7.2	5.5	6.7	6.7	6.8
the home: With help	37,408	6,517	6,937	5,491	8.164	10,299	15.2	17.0	16.0	15.2	14.7	14.1
By self	151,773	15,597	23,991	22,790	37,532	51,863	61.6	40.8	55.5	62.9	67.6	70.8
						Female						
Total	84,341	9,235	15,928	14,801	22,437	21,940	100.0	100.0	100.0	100.0	100.0	100.0
Institutionalised	5,093	1,556	1,450	743	685	659	6.0	16.8	9.1	5.0	3.1	3.0
iospitalized	3,006	358	458	539	849	802	3.6	3.9	2.9	3.6	3.8	3.7
lousebound	7,463	819	1,631	1,321	1,695	1,997	8.8	8.9	10.2	8.9	7.6	9.1
the home: With help	16,297	1,954	3,186	2,666	4,513	3,978	19.3	21.2	20.0	18.0	20.1	18.1
By self	52,482	4,548	9,203	9,532	14,695	14,504	62.2	49.2	57.8	64.4	65.5	66.

Table 6.--Race and mobility status

Mobility status	Total	White	Negro	Other
		Numbe	er	
Total	330,783	283,533	43,954	3,296
Institutionalized	30,063 19,054 23,705	24,657 16,740 21,376	5,076 2,086 2,205	330 228 124
Ambulatory outside the home: With help By self	53,705 204,256	45,959 174,801	7,244 27,343	502 2,112
	Perce	nt distribu	tion by ra	ce
Total	100.0	85.7	13.3	1.0
Institutionalized	100.0 100.0 100.0	82.0 87.9 90.2	16.9 10.9 9.3	1.1 1.2 .5
Ambulatory outside the home: With help By self	100.0 100.0	85.6 85.6	13.5 13.4	.9 1.0
	Percent di	stribution	by mobilit	y status
Total	100.0	100.0	100.0	100.0
Institutionalized Hospitalized Housebound	9.1 5.8 7.2	8.7 5.9 7.5	11.5 4.7 5.0	10.0 6.9 3.8
Ambulatory outside the home: With help By self	16.2 61.7	16.2 61.7	16.5 62.2	15.2 64.1



Table 7.--Age in year of onset by sex

Year I				A	ge in year	of onset			
of onset	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60-65
		· · · · · · · · · · · · · · · · · · ·			Total				
Total	330,783	32,297	11,152	15,984	25,559	38,215	55,980	83,650	67,946
1968	87,647	4,716	2,351	3,399	6,067	9,234	14,353	23,925	23,602
1967	173,480	10,641	5,403	8,314	13,159	20,664	30,905	46,621	37,773
1966	34,730	3,565	1,349	2,055	3,315	4,528	6,246	8,415	5,257
1965	10,541	1,406	340	626	1,039	1,524	1,918	2,682	1,006
1964	4,623	939	224	301	441	673	911	883	251
1963	3,253	796	204	213	343	414	616	616	51
1962 and earlier	16,509	10,234	1,281	1,076	1,195	1,178	1,031	508	6
		1	L	L	Male		·	<u>. </u>	
Total	246,442	25,621	8,583	12,362	18,804	27,142	39,606	60,441	53,883
1968	68,468	4,101	1,955	2,909	4,782	7,105	10,801	17,860	18,955
1967	131,145	8,925	4,344	6,569	9,858	14,940	22,385	34,104	30,020
1966	24,392	2,900	1,072	1,499	2,356	2,966	4,051	5,603	3,945
1965	6,621	1,053	207	430	619	894	1,013	1,651	754
1964	2,756	692	139	162	274	301	452	562	174
1963	1,965	532	145	134	193	228	352	351	30
1962 and	-	[{	1		Ì			ł
earlier	11,095	7,418	721	659	722	708	552	310	j 5
				<u>. </u>	Female	· · · · · · · · · · · · · · · · · · ·	•		
Total	84,341	6,676	2,569	3,622	6,755	11,073	16,374	23,209	14,063
1968	19,179	615	396	490	1,285	2,129	3,552	6,065	4,647
1967	42,335	1,716	1,059	1,745	3,301	5,724	8,520	12,517	7,753
1966	10,338	665	277	556	959	1,562	2,195	2,812	1,312
1965	3,920	353	133	196	420	630	905	1,031	252
1964	1,867	247	85	139	167	372	459	321	77
1963 1962 and	1,288	264	59	79	150	186	264	265	21
earlier	5,414	2,816	560	417	473	470	479	198	1

Table 8.--Age in year of onset by sex

Year of onset	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60-65
				<u> </u>	Total	_			
Total	100.0	9.8	3.4	4.8	7.7	11.6	16.9	25.3	20.5
1968	100.0	5.4	2.7	3.9	6.9	10.5	16.4	27.3	26.9
1967	100.0	6.1	3.1	4.8	7.6	11.9	17.8	26.9	21.8
1966	100.0	10.3	3.9	5.9	9.5	13.0	18.0	24.2	15.1
1 9 65	100.0	13.3	3.2	5.9	9.9	14.5	18.2	25.4	9.5
1964	100.0	20.3	4.8	6.5	9.5	14.6	19.7	19.1	5.4
1963 1962 and	100.0	24.5	6.3	6.5	10.5	12.7	18.9	18.9	1.6
eiglier	110.0	62.1	7.8	6.5	7.2	7.1	6.3	2.9	1/
		1		<u> </u>	Male	,		I	<u> </u>
Total	100.0	10.4	3.5	5.0	7.6	11.0	16.1	24.5	21.9
1968	100.0	6.0	2.9	4.2	7.0	10.4	15.8	26.1	27.7
1967	100.0	6.8	3.3	5.0	7.5	11.4	17.1	26.0	22.9
1966	100.0	11.9	4.4	6.1	9.7	12.2	16.6	23.0	16.2
1965	100.0	15.9	3.1	6.5	9.3	13.5	15.3	24.9	11.4
1964	100.0	25.1	5.0	5.9	9.9	10.9	16.4	20.4	6.3
1963 1962 and	100.0	27.1	7.4	6.8	9.8	11.6	17.9	17.9	1.5
earlier	100.0	66.9	6.5	5.9	6.5	6.4	5.0	2.8	1/
			L	 	Female	l <u> </u>	l- — —	L	'-
Total	100.0	7.9	3.0	4.3	8.0	13.1	19.4	27.5	16.7
1968	100.0	3.2	'2.1	2.6	6.7	11.1	18.5	31.6	24.2
1967	100.0	4.1	2.5	4.1	7.8	13.5	20.1	29.6	18.3
1966	100.0	6.4	2.7	5.4	9.3	15.1	21.2	27.2	12.7
1965	100.0	9.0	3.4	5.0	10.7	16.1	23.1	26.3	6.4
1964	100.0	13.2	4.6	7.4	8.9	19.9	24.6	17.2	4.1
1963	100.0	20.5	4.6	6.1	11.6	14.4	20.5	20.6	1.6
1962 and earlier	100.0	52.1	10.4	7.7	8.8	8.7	8.9	3.4	1/

^{1/} Less than .05 percent.

Table 5.- Diagnostic group by age and sax

Diagnostic group	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Tota	1			
Total	330,783	20,359	27,102	23,686	35,507	51,012	77,947	95,170
Infactive and parasitic diseases	10,360	812	1,614	1,286	1,672	1,629	1,935	1,412
deoplasms	36,560	1,026	1,678	2,443	4,028	6,285	9,736	11,364
Allergic, endocrine system, metabolic, and nutritional diseases	11.359	343	688	647	, ,,,,	1		
ental, psychoneurotic, and personality	11,339	343	000	04/	1,204	1,901	3,337	3,239
disorders	41,894	5,678	8,376	5,327	5.783	5.731	6,150	4,849
Disesses of the -	12,054	2,0.0	0,3.0	3,32.	3,763	3,731	0,130	7,047
ervous system and sense organs	41,758	2,496	3,337	2,797	4,315	6,530	9.646	12,637
irculatory system	80,906	540	2,037	3,406	6,869	12,818	23.149	32.087
spiratory system	22,635	60	391	699	1,717	3,524	6,743	9,501
igestive system	7,806	196	473	709	1,036	1,551	1,824	2,017
enito-urinary system	2,926	277	248	278	355	429	581	758
onea and organs of movement	43,677	1,721	3,822	3,286	5,023	7,023	10,412	12,390
ongenital malformations	2,670	256	426	274	437	442	452	383
ccidents, poisonings, and violence	25,319	6,813	3,744	2,329	2,627	2,724	3,310	3,772
ther	2,913	141	268	205	441	425	672	761
	-		<u> </u>	Perce	nt	<u> </u>		
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
nfective and parasitic diseases	3.1	4.0	6.0	5.4	4.7	3.2	2.5	1.5
eoplasms	11.1	5.0	6.2	10.3	11.3	12.3	12.5	11.9
llergic, endocrine system, metabolic,	_						İ	
and nutritional diseases	3.4	1.7	2.5	2.7	3.4	3.7	4.3	3.4
ental, psychoneurotic, and personality			١			l		١.
disorders	12.7	27.9	30.9	22.5	16.3	11.2	7.9	5.1
ervous system and sense organs	12.6	12.3	12.3	11.8	12.2	12.8	12.4	13.3
irculatory system	24.5	2.7	7.5	14.4	19.3	25.1	29.7	33.7
espiratory system	6.8	.3	1.4	3.0	4.8	6.9	8.7	10.0
	2.4	1.0	1.7	3.0	2.9	3.0	2.3	2.1
leestive system		1.4	.9	1.2	1.0	.8	.7	
igestive system	.9	1 1.4						
lgestive system	.9 13.2	8.5	14.1	13.9	14.1	13.8	13.4	13.0
igestive systemenito-urinsry systemones and organs of movement					14.1	13.8	13.4	
Digestive system	13.2	8.5	14.1	13.9				13.0 .4 4.0



Worker Disability Allowances, 1968 Table 9.--Diagnostic group by age and sex--Continued

Total	246,442 8,628 25,702 7,080 29,963 31,458 61,836 19,201 5,795 2,122	16,905 556 792 224 4,587 1,830 344 40	21,321 1,351 1,185 498 6,396 2,393 1,572	17,460 1,070 1,643 448 3,695 2,002	25,805 1,431 2,639 647 4,212 3,059	36,211 1,428 4,170 1,245 3,714	55,512 1,5/1 6,725 1,904 3,990	73,228 1,221 8,548 2,114 3,369
infective and parasitic diseases	8,628 25,702 7,080 29,963 31,458 61,836 19,201 5,795	556 792 224 4,587 1,830 344 40	1,351 1,185 498 6,396 2,393	1,070 1,643 448 3,695	1,431 2,639 647 4,212	1,428 4,170 1,245 3,714	1,5/1 6,725 1,904	1,221 8,548 2,114
Allergic, endocrine system, metabolic, and nutritional diseases	25,702 7,080 29,963 31,458 61,836 19,201 5,795	792 224 4,587 1,830 344 40	1,185 498 6,396 2,393	1,643 448 3,695	2,639 647 4,212	4,170 1,245 3,714	6,725 1,904	8,548 2,114
Allergic, endocrine system, metabolic, and nutritional diseases	7,080 29,963 31,458 61,836 19,201 5,795	224 4,587 1,830 344 40	498 6,396 2,393	448 3,695	647 4,212	1,245 3,714	1,904	2,114
and nutritional diseases	29,963 31,458 61,836 19,201 5,795	4,587 1,830 344 40	6,396 2,393	3,695	4,212	3,714	,	
Mental, psychoneurotic, and personality disorders	29,963 31,458 61,836 19,201 5,795	4,587 1,830 344 40	6,396 2,393	3,695	4,212	3,714	,	
disorders Diseases of the - ervous system and sense organs irculatory system	31,458 61,836 19,201 5,795	1,830 344 40	2,393	,	• "	,	3,990	3,369
Diseases of the - ervous system and sense organs irculatory system	31,458 61,836 19,201 5,795	1,830 344 40	2,393	,	• "	,	3,990	3,369
ervous system and sense organs	61,836 19,201 5,795	344 40		2,002	3.050	1		1
irculatory system	61,836 19,201 5,795	344 40		1 2.002				
	19,201 5,795	40	1 1.572		-,	4,738	7,208	10,228
espiratory system	5,795			2,662	5,311	9,513	17,092	25,342
			278	533	1,371	2,860	5,772	8,347
igestive system	2 122	1 32	343	516	845	1,085	1,317	1,557
enito-urinary system	4,144	230	190	225	252	277	436	512
ones and organs of movement	29,851	1,438	3,242	2,336	3,467	4,455	6,497	8,416
ongenital malformations	1.898	189	326	188	328	295	286	286
ccidents, poisonings, and violence	21,056	6,441	3,381	2.039	1,972	2,160	2,316	2,747
Other	1,852	102	166	103	271	271	398	541
			1	Perce	nt		l	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Infective and parasitic diseases	3.5	3.3	6.3	6.1	5.5	3.9	2.8	1.7
eoplasms	10.4	4.7	5.6	9.4	10.2	11.5	12.1	11.7
llergic, endocrine system, metabolic,		•			1	1	ļ	
and nutritional diseases	2.9	1.3	2.3	2.6	2.5	3.4	3.4	2.9
ental, psychoneurotic, and personality		1]		1	1
disorders	12.2	27.1	30.0	21.2	16.3	10.3	7.2	4.6
ervous system and sense organs	12.8	10.8	11.2	11.5	11.9	13.1	13.0	14.0
Circulatory system	25.1	2.0	7.4	15.2	20.6	26.3	30.8	34.6
Respiratory system	7.8	.2	1.3	3.1	5.3	7.9	10.4	11.4
Digestive system	2.4	.3	1.6	3.0	3.3	3.0	2.4	2.1
enito-urinary system	.9	1.4	.9	1.3	1.0	.8	.8	.7
ones and organs of movement	12.1	8.5	15.2	13.4	13.4	12.3	11.7	11.5
Congenital malformations	.8	1.1	1.5	1.1	1.3	.8	.5	.4
Accidents, poisonings, and violence	8.5	38.1	15.9	11.7	7.6	6.0	4.2	3.8
Other	.8	.6	.8	.6	1.1	.7	.7	.7

Worker Disability Allowances, 1968 Table 9.--Diagnostic group by age and sex--Continued

Total	Diagnostic group	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
Infective and parasitic diseases					Femal	e			
Neoplasms 10,858 234 493 800 1,389 2,115 3,011	Total	84,341	3,454	5,781	6,226	9,702	14,801	22,435	21,942
Allergic, endocrine system, metabolic, and nutritional diseases									191
and nutritional diseases		10,858	234	493	800	1,389	2,115	3,011	2,816
			l .		1		1		1
11,931 1,991 1,980 1,632 1,571 2,017 2,160		4,279	119	190	199	557	656	1,433	1,125
Diseases of the ervous system and sense organs. 10,300 666 944 795 1,256 1,792 2,43b dirculatory system. 19,070 196 465 744 1,558 3,305 6,057 despiratory system. 2,011 64 130 193 191 466 507 despiratory system. 804 47 58 53 103 152 145 dones and organs of movement. 13,826 283 580 950 1,556 2,568 3,915 dones and organs of movement. 13,826 283 580 950 1,556 2,568 3,915 dones and organs of movement. 100.0 10			1	1					1
19,070 196 465 744 1,558 3,305 6,057		11,931	1,091	1,980	1,632	1,571	2,017	2,160	1,480
Respiratory system	rvous system and sense organs	10,300	666	944	795	1,256	1,792	2,430	2,409
Respiratory system	rculatory system	19,070	196	465	744	1,558	3,305	6,057	6,745
Senito-urinary system	spiratory system	3,434	20	113	166	346	664	971	1.154
Senito-urinary system	gestive system	2.011	64	130	193	191	466	507	460
13,826 283 580 950 1,556 2,568 3,915	•		47		53	103	152	145	246
Total		13,826	283	580	950	1,556	2,568	3,915	3,974
Total									97
Total	cidents, poisonings, and violence							4	1,025
Total	her	1,061	39	102	102	170	154	274	220
Infective and parasitic diseases					Perce	nt			
12.9 6.8 8.5 12.8 14.3 14.3 13.4	Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Allergic, endocrine system, metabolic, and nutritional diseases	fective and parasitic diseases	2.1		4.5	3.5	2.5	1.4	1.6	.9
and nutritional diseases		12.9	6.8	8.5	12.8	14.3	14.3	13.4	12.8
disorders	and nutritional diseases	5.1	3.4	3.3	3.2	5.7	4.4	6.4	5.1
12.2 19.3 16.3 12.8 12.9 12.1 10.9 21	disorders	14.1	31.6	34.3	26.2	16.2	13.6	9.6	6.7
22.6 5.7 8.0 11.9 16.1 22.3 27.0		122	10 2	16.3	12 0	12 0	1 12 1	10.0	11.0
despiratory system									30.7
Digestive system			1	9					5.3
ienito-urinary system	•		E .					1	2.1
Congenital malformations .9 1.9 1.7 1.4 1.1 1.0 .7	•		1	1	1 .	1	1	1	1.1
			I .		1		,		18.1
	ngenital malformations	.9	1.9	1.7	1.4	1.1	1.0	.7	.4
								I .	4.7
)ther	· • • · · · · · · · · · · · · · · · · ·		1	1 .				,	1.0



Worker Disability Allowances, 1968 Table 10.--Primary disgnosis by age and sex

[Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group	Inter-		<u> </u>			Age			
and primary diagnosis	netional code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	over
					Total				
Total		330,783	70,359	27,102	23,686	35,507	51,012	77,947	95,17
Infactive and parasitic diseases	001-138	10,360	812	1,614	1,286	1,672	1,629	1,935	1,41
ulmonery tuberculosis	002	7,484	625	1,177	976	1,271	1,177	1,349	90
uberculosis of bones and joints. sctive or unspecified	012	184	15	17	21	35	28	44	2
abea dorsalia	024	118	0	0	1	17	22	33	· '
ertain syphilis of central nervous	026	171	1	2	15	31	31	59	
system te affects of scute poliomyelitis	081	1,112	41	209	168	109	174	240	1
ertain fungus intections	134	110	0	2	10	31	17	18	ł
ertain infective and parasitic		1		89	21	29	34	15	
diseaser	138	254 927	56 74	118	74	149	146	177	1
[Ner		1	''			1	j		١
Neoplasms Malignant neoplasm of -	140-239	36,560	1,026	1,678	2,443	4,028	6,285	9,736 88	11,3
ongue	141	398 159	8	5 2	14	49	31	49	•
loor of mouthther parts of mouth, and of mouth	143	1,77	"	1 -	-	i -		1	
unspecified	144	274	0	4	10	29	64	93	
rel mesopherynx	145	178	Į į	0 2	25 5	5 24	36 30	71	}
asopherynx	146 148	151 214	5 0	10	19	6	58	67	1
erynx, unspecified	150	624	Ö	39	46	37	92	150	1 3
onach	151	998	11	16	57	100	152	314	
rgs intastine, except rectum	153	1,973	26 15	94 38	108 65	173	301	565 396	1
ctum	154 155	247	1 2	30	32	12	50	76	
iver	156	352	11	15	11	26	71	101	
MCF888	157	801	0	4	73	110	136	269	
ose, nasal cavities, middle sar, and accessory sinuses	160	113	. 0	0	6	6	14	41	
ITYNX	161	1,126	0	13	81	88	186	316	1
conchus and traches, and of lung		2 804	١,,	59	153	285	618	786	1
specified 88 primary	1,62	2,806	13	, "	1 22	207	***	""	1
primary or secondary	163	4,938	6	134	316	556	926	1,332	1,
horacic organa	165	203	0	6	7	43	48	755	1
reast	170 171	2,782 776	10	92	233	150	633	195	
ervix uteri	172	106] 6	1 70	10	4	25	28	1
terus, unapecified	174	146	0	5	1	,	31	33	1
very, fellopian tube, and broad			l .,	41	١,,,	94	103	224	ŀ
ligament	175 177	1,309	11	1 4	33	38	116	399	
rostse	178	176	46	83	15	15	2	15	1
idney	180	795	5	45	39	80	87	182 229	
ladder and other urinary organs	181 190	839 356	21	34	23	57	111 82	89	
alignant melanoma of skin	150	1 370	**		}				i
kin excluding malignant melanoma	191	312	1	14	4	47	67	56	
rain and other parts of nervous system.	193	1,706	159	190	181	240 35	216	451 26	}
hyroid gland	194 196	136 341	91	36	20	43	36	68	1
onactive tissue}	197	259	24	36	20	10	28	63	1
ertain and unapecified sites	199	2,951	82	103	258	350 117	436 196	853 167	ł
ymphosercome and reticulosercome	200 201	1,008	179	56 149	89 101	130	64	100	1
odgkin's diserse	201	190	1 70	17	10	23	19	39	ļ
ultiple mysloma	203	621	8	29	29	62	125	191	1
eukaemia and slaukaemia	274	1,086	94	113	84	70	144	241	
Benign neoplasm of brain and other	222	446	32	54	32	54	111	75	1
parts of nervous system	223	440	32	, ,	, ,,,	^*	""		
and certain parts of nervous system	237	375	30	20	27	35	95	103	
Other		1,322	56	74	95	190	153	336	1



Worker Disability Allowances, 1968 Table 10.--Primary diagnosis by age and sex--Gontinued

Diagnostic group	Inter-					Age			
and primary diagnosis	netional code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Tot	alContin	nued			
Allergic, endocrine system,									
metabolic, and nutritional diseases	240-289	11,359	343	688	647	1,204	1,901	3,337	3,239
Thyrotoxicosis with or without goitre	252	229	îi	13	2	23	46	49	85
Myxoedems and cretinism	253	128	10		4	8	20	36	45
Diabetes mellitus	260	7,822	248	499	404	787	1,231	2,279	2,374
deficiency states	286	320	2	13	29	31	54	103	88
Obesity, not of an endocrine origin	287	1,608	20	42	110	211	330	565	330
Gout	288 289	494 355	0 27	5 51	8 38	49 65	94 48	168 66	170 60
Other		403	25	60	52	30	78	71	87
Diseases of the blood and			4.5						
blood-forming organs	290-299 292	1,037 296	63 43	105 20	50 18	115 19	142 22	258 79	304 95
Ansemia of unspecified type	293	233	8	16	13	22	36	51	87
Polycythsemia	294	151	0	0	10	16	11	48	66
Other		357	12	69	9	58	73	80	56
Mentsl, psychoneurotic, and personality disorders	300-329	41,894	5,678	8,376	5,327	5,783	5,731	6,150	4.849
Schizophrenic disordere (dementis					-			-	-
praecox)	300	20,524 857	4,159	6,102	3.264	2,965	2.028	1,374 201	6 32 150
Manic-depressive reaction	301 302	1,509	23	124 5	98 29	111 144	150 402	482	446
Paranois and paranoid states	303	168	6	10	30	21	52	26	23
Presentle psychosis	305	246	0	0	11	25	24	120	66
Alcoholic psychosis	307	281	11	28	36	41	64	64	37
injury of brain	308	304	47	47	42	53	35	26	54
Mental ceteriorstion and certain other psychoses of unspecified etiology	309	1,978	217	365	241	300	270	283	302
Anxiety reaction without mention of somatic symptoms	310	2,497	38	264	271	423	461	626	414
Hysterical reaction without mention		1							
of anxiety reaction	311 313	672 132	33 21	67 37	87 19	97 10	193 3	133 29	62 13
Neurotic-depressive reaction	314	2,715	120	209	306	361	479	704	536
Psychoneurosis with equatic symptoms affecting ~									
Circulatory system	315	110	1	2	10	9	35	34	19
Digestive system	316	169	2	14	40	29	34	15 67	35 43
Certain systems	317	337	2	69	42	73	41	"	43
mixed, and unspecified types	318	780	45	118	101	102	161	154	99
Pathological personality	320	443	59	67	70	74	57	75	41
Personality disorders	321 322	246 1,248	22 0	39 47	37 98	52 224	50 307	32 332	14 240
Mentsl deficiency	325	1,833	386	348	249	258	222	214	156
Chronic brain syndrome	328	4,425 420	423 62	396 18	218 28	390 21	579 84	1,078 81	1,341 126
Diseases of the nervous system									
and sense organs	330-398	41,758	2,496	3,337	2,797	4,315	6,530	9.646	12,637
Subsrachnoid haemorrhage	330	627	116	65	67	87	181	111	114
Cerebral embolism and thrombosis	331 332	9,544 4,564	116 26	204 89	342 137	773 454	1,715 720	2,657 1,370	3,737 1,768
Cerebral palsy	334	2,757	17	50	44	119	284	671	1,572
Late effects of intracranial abscess	۱ ,		ا ا				l	34	
or pyogenic infection	344 345	3.062	101 491	63 757	29 461	82 470	17 442	265	78 176
Paralysis agitans	350	2,240	1	9	58	169	292	687	1,024
Cerebral spastic infantile paralysis	351	555	151	127	52	87	31	50	57
Certain types of cerebral paralysis Epilepsy	352 353	143 2,528	276	30 512	24 364	16 359	336	26 386	295
Certain diseases of the brain	355	2,634	157	244	214	325	490	693	731
atrophy	356	1.086	38	60	149	90	243	227	279
including paralysis resulting from	357	1.368	405	200	155	144	103	194	167
spinal cord injuries	1 33/	1.300	1 400	200	, 133	1 144	, 103	174	: 10/

Worker Disability Allowancas, 1968

Tabla 10.--Primary diagnosis by age and sex--Continued

Diseases of mitral valve	Diagnoatic group	Inter-					Age			, -
Scientica			Total		30-39	40-44	45-49	50-54	55-59	60 4
					Total	l <u>Continu</u>	<u>ıd</u>			
retain and unspecified forms of network in control of the part of	ciatica	363					61			
neuralgia and neuritis		364	279	32	57	15	66	28	37	1
retain diseases of peripheral nerves		366	346	10	25	14	55	67	81	
					2 30	159	139	375		:
target of the eye						1	-	•		
rachment of retina								1		1
retain diseases of the eye										
1,182 139 1,24 83 112 182 221 124 139 124 83 112 182 221 124 131	UCOMA	387						1		1
the ear	ndness									
		394	111	0	17	5	29	1	28	
Series 198 623 33 49 35 83 93 211							42		80	1
Diseases of the circulatory system. 400-468 80,906 540 2,037 3,496 6,869 12,812 23,149 seases of strait valve. 410 1,730 54 189 179 201 285 488 seases of sortic valve specified as the seases of sortic valve specified as the strain the strain heart diseases specified as the strain heart diseases specified as the strain heart diseases. 420 51,473 29 774 1,668 4,353 8,110 14,819 contic endocarditis not specified as the strain heart diseases. 420 51,473 29 774 1,668 4,353 8,110 14,819 contic endocarditis not specified as the strain types of syocardial degeneration. 422 1,711 17 48 88 123 221 50 citional disease of heart. 433 331 11 8 32 5 37 121 train and unspacified diseases of heart. 433 331 11 8 32 5 37 121 train and unspacified diseases with stretical rephrosclerosis. 442 378 5 6 30 40 37 129 entrain ship specified seated and unspecified hypertensive seart disease with stretical rephrosclerosis. 442 378 5 6 30 40 37 129 entrain ship specified sential banking hypertension. 445 188 5 15 29 22 51 48 ential malignant hypertension. 445 188 5 15 29 22 51 48 ential malignant hypertension. 446 264 22 8 44 39 34 82 ential malignant hypertension. 447 7,45 9 26 72 54 153 19 32 168 29 22 51 148 entrain hypertensive disease without arteriolar enhorse learned diseases without arteriolar manurysm. 450 3,504 4 6 77 200 512 1,020 1	if mutism							1		1
Discases of the circulatory system. 400-468 80,906 540 2,037 3,406 6,869 12,812 23,149 seases of strial valve. 410 1,730 54 189 179 201 285 488 seases of sortic valve specified as themselve. 411 613 19 43 77 60 132 120 read themselve. 416 2,483 59 187 215 301 444 735 teriosclerotic heart diseases. 420 51,473 29 774 1,688 4,333 8,110 14,819 conic endocarditis not specified in rheumatic. 421 430 21 22 4 34 51 111 read themselves of system of sy										1
### ### ### ### ### ### ### ### ### ##	er		760	22		43	123	126	154	1
Reases of sortic valve specified as heuseatic	Diseases of the circulatory system	400-468	80,906	540	2,037	3,406	6,869	12,818	23,149	32
the unsatic		410	1,730	54	189	179	201	285	488	
## Actional Process 186 2,483 59 187 215 301 444 735 ## Actional Process 187 215 301	rheumatic	411	613	19	43	77	60	132	120	
including coronary disease	s rheumatic	416	2,483	59	187	215	301	444	735	
## Intermetic 421 430 21 22 4 34 51 505	including coronary disease	420	51,473	29	774	1,688	4,353	8,110	14,819	21
train types of syocardial degeneration.		421	430	21	22	4	14	l ei	1111	1
train and unspacified diseases of heart						1	1			l
## Sertemary Repairs 1.78	rtain and unspacified diseases	433	331	_	8	32	5	37	121	
reain and unspecified hypertensive least disease	ertensive heart disease with	-		, 22	81	115	210	246	498	
Sential benign hypertension	rtain and unspecifiad hypertensive				_					
Sertial malignant hypertension										3,
Sephrosclerosis 34 35 34 82	sential malignant hypertension							I .		
mention of heart	nephrosclerosis	446	264	22	8	44	√ 39	34	82	
reral arteriosclerosia		447	745	٠	26	72	54	153	199	1
189 11	eral arteriosclerosia	450		-			1			1,
reain other aneurysm, except of leart and aorta		451	189	11	0	10	12	35	40	1
ripheral vascular disease						1	l	1	1	1
tarial embolism and thrombosis						1		41	•	1
rtain diseases of arteries									1 -	1
ricose veins of lower extremitiea										1
Act	ricose veins of lower extremities							1		1
Importance Imp		463	415	0	39	35	52	53	104	1
282 25 87 40 79 282 282 282 283 284 28										1
Diseases of the respiratory system. 470-529 22,635 60 391 699 1,717 3,524 6,743 7001c bronchitis						_				
ronic bronchitis										
ronic bronchitis	Manager of the resolvations surfa-	470-520	22 475	40	201	400	١,	1 ,		-
silicatea	ronic bronchitis								6,743 573	9,
rtain chronic interstitial pneumonia 525 600 4 24 29 65 72 172 nchiactamia	illicatea	523	434	0	6	15	33	82	117	
rtain diseases of lung and pleural cavity 527 2,483 29 49 146 164 446 697	rtain chronic interstitial pneumonia					29	65	72	172	
cavity	onchiactasisrtain diseases of lunk and pleural	526	288	0	28	111	34	25	122	
physema	cavity			29	49	146	164	446		
	physemsher	528 	16,305 390	3 8	145 30	377 23	1,191 46	2,458 53	4,92ö 134	7.
Diseases of the digestive system 530-587 7,806 196 473 709 1,036 1,551 1,824	Diseases of the digestive system	530-587	7.806	196			}			2.
seases of ossophagus						1				١



Worker Disability Allowances, 1968 Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group	Inter-	7.2.2				Age	···	,	
primary diagnosis	national code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and
				Tota	lContinu	ed .			 -
Ulcer of duodenum	541	462	0	33	15	52	72	111	179
Disorders of function of stomach	544	378	10	44	28	42	53	117	84
Certain diseases of atomach and duodenum	545	144	8		111	19	۱ ،,	١.	١ ,,
dernia of abdominal cavity without mention of obstruction	560	528	0	21	24	28	92	123	240
Intestinal obstruction without			_						ļ
mention of hermia	570	133	0	4	15	5	36	18	5:
colitis	572	810	111	75	77	114	135	146	15
and peritoneum	578	353	25	35	4	43	56	83	10
irrhosis of liver	581	3,570	13	171	381	571	792	873	76
ertain diseases of liver	583	173	4	17	23	20	20	52	3
holecystitis and cholangitis without mention of calculi	585	105	0	10	12	۱ ۵	35	14	١,
Diseases of pancreas	587	294	3	27	58	54	73	31	3
Other		410	9	15	44	43	75	115	10
Diseases of the genito-urinary									
system	590-637	2,926	277	248	278	355	429	581	75
ephritis with oedema, including	591	108	12	,	12	12	26	25	1
Chronic nephritis	592	751	119	99	94	97	47	151	14
ephritis not specified as acute				1		l	ŀ	1	
or chronic	593	455	45	56	57	64	92	58	8
nfections of kidney	600 602	669 107	38 2	33	52	119	127	128	17
ertain diseases of kidney and ureter	603	189	24	10	15	11 24	26	11 54	4
ertain diseases of bladder	606	137	10	1 7	14	15	26	36	3
ther		510	27	36	28	13	80	118	20
Diseases of the skin and cellular	_								
tissue	690-716	1,358	62	144	136	237	238	256	28
ertain dermatitisrythematous conditions	703 7 05	105 289	0 23	41	26	1 1	13	32	5
soriasis and similar disorders	705 706	106	23	6	16	53 20	30 29	60 22	
ertain hypertrophic and atrophic	700	1 200	·	ľ	10	1 20	•′	"	1 1
conditions of skin	710	356	16	45	44	81	79	59] 3
hronic ulcer of skin	715	177	6	9	20	18	26	37	6
Other		325	17	36	29	64	61	46	7
Diseases of the bones and organs of movement	720-749	43,677	1,721	3,822	2 204			10 /12	12 20
Cheumatoid arthritis and allied	720-749	43,077	1,721	3,022	3,286	5,023	7,023	10,412	12,39
conditions	722	8,624	241	437	651	1,125	1,612	2,269	2,28
steo-arthritis and allied conditions	723	13,123	46	186	261	733	2,016	4,042	5,83
ertain forms of arthritis	724	421	2	20	28	55	52	125	13
rthritis, unspecified	725	1,432	15	60	53	151	229	365	55
(uscular rheumatism	726	328		29	23	39	73	83	.7
steomyelitis and periostitis	730 731	1,204 152	145 0	220	55 10	146	169	242	22
steochondrosis	732	129	5	ľ	9	35	12	46	2
ertain diseases of bone	733	2,437	89	378	283	427	361	459	44
nternal derangement of knee joint	734	185	5	25	26	37	36	24	3
displacement of intervertebral disc	735	10,051	466	1,739	1,344	1,531	1,652	1,697	1,62
ffection of sacro-iliac joint	736	225	15	13	27	44	9	65	5
nkylosis of joint	737 738	869	47	181	118	137	165	131	1 .9
ertain diseases of jointynovitis, bursitis, and tenosynovitis	736	1,304	68	191	98	197	195	278	27
origin	741	224	0	23	19	59	35	24	
ertain diseases of muscle, tendon, and fascia	744	896	114	142	104	tot	107	144	,,
urvature of spine	745	480	114	142 47	106 33	105 52	107 74	146 129	17
esidual deformities of the bones				1					1
and jointsther	74)	1,453 140	445 5	128 2	131 11	134 14	194 25	175 48	24
				ł					1
Congenital malformations	75)-759	2,670	256	426	274	437	442	452	38
nervous system and sense	753	594	64	.:4	73	106	82	78	,
				, - -	• •	200			•



Table 10. -- Primary diagnosis by age and sex--Continued

		. ———		_					
Diagnostic group	Inter- national	Total				Age			(0 1
and primary diagnosis	code		Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Tota	1Continu	ed			
Congenital malformations of -									
circulatory system	754	463	75	88	53	59	83	52	53 40
genito-urinary system	757	232	0 93	17 182	18 117	87 159	39 198	31 243	163
bone and joint	758	1,155	93	102	1 11/	159		243	10,
Certain and unspecified congenital malformations	759	165	19	11	8	15	24	39	49
Other		61	5	14	5	11	16	9	1
Symptoms, senility, and ill-defined	780-795	489	16	19	19	83	44	147	161
conditions	/60-/95	407	1 1 1	17	l **	0,			
morbidity and mortality	795	181	9	14	13	40	13	45	47
Other		308	7	5	6	43	31	102	114
Accidents, poisonings, and violence.	800-999	25,319	6,813	3,744	2,329	2,627	2,724	3,310	3,772
Late effects of - certain and unqualified skull fractures	803	402	117	78	11	30	38	74	54
multiple fractures involving skull or	""		1						
face with other bones Fracture and fracture dislocation of vertebral column -	804	144	38	28	17	10	6	23	22
without mention of spinsl cord							155	275	332
lesion	805 806	1,522	263 817	210 345	117 95	170 125	82	41	39
with spinsl cord lesion Fracture of pelvis	808	1,544	34	39	12	31	54	49	62
Multiple and ill-defined fractures	""			"	1	l			
of trunk	809	664	137	97	53	87	89	74	127
Fracture of humerus	812	417	80	50	12	57 42	38 35	88 34	92 85
Fracture of radius and uina	813	396	74	102	24	"	"	. ~	"
Certain, multiple, and ill-defined fractures of upper limb	818	109	15	19	8	15	12	3	37
Multiple fractures involving both upper limbs, and upper limb with rib and	520								ļ <u>.</u> .
sternum	819	152	35	11	4	1 13	13	22 394	54 550
Fracture of neck of femur	820	1,557	63	40 321	85 142	124 236	301 215	235	273
Certain fractures of femur	821	2,078	656	,,,,,	1	1 230]		
patella	822	158	20	12	6	40	17	29	34
tibia and fibula	823	2,331	613	334	276	311	315	282	200
ankle	824	509	83	64	48	71	47	88 72	78 68
one or more tarsal and metatarsal bones	825	427	51	60	89	40	٠,	'-	1 "
Certain, multiple, and ill-defined fractures of lower limb	827	749	212	117	86	66	105	68	95
Multiple fractures involving both lower) 02.								
limbs, lower with upper limb, and		l.							705
lower limb with rib and sternum	828	2,238	502	336	261	239	257	258 12	385
Dislocation of knee	836	171	11	36	20	18	35	1 **	"
Certain, multiple, and ill-defined dislocations	839	104	20	21	5	18	15	12	13
Sprains and strains of -	0,,,	1		}	1				١
sacro-iliac region	846	709	36	109	119	64	85	110	186
certain and unspecified parts of back	847	233	17	19 30	42	40	36 25	28	35
Concussion	852 853	242 523	276	69	48	52	32	21	25
Cerebral laceration and contusion Subarachnoid, subdural, and extradural	8,7	1 723	1	"	1			1	l
haemorrhage following injury	854	159	21	38	23	13	20	27	17
haemorrhage following injury	853	185	36	15	18	29	8	39	40
Certain head injuries including those of unspecified nature	856	600	281	86	66	57	17	62	31
Internal injury, unspecified or involving intrathoracic with	0,00								
intra-abdominal organs	869	251	120	43	35	18	14	16	5
Enucleation of eye		110	20	8	9	25	17 16	19	29
Traumatic amputation of arm and hand	888	170	52	23	22	1 2	1		
Open wound of knee and leg, and of ankle not involving tendons	891	145	80	29	0	7	9	14	6
Traumatic amputation of leg		252	120	10	1	16	35	39	31
Multiple open wounds of certain and			I				1 .		2
unspecified locations	908	374	301	24	2	21	1	23	1 '
Burn involving certain and unspecified	949	401	113	75	70	66	38	24	15
parts Spinal cord lesion without evidence	747	401	1	1 "	"	1 ""	-	1	
of spinal bone injury	958	915	390	183	87	42	57	84	72
Certain and multiple nerve injury	959	151	45	25	1	4	7	36	33
Certain and unspecified injury	996	1,459	287	211	158	152 248	173 228	231 352	300
Other		2,487	723	427	209	4**	***	""	1
All others		29		0	1 0	6	1	11	11
		,							

Worker Disability Allowances, 1968 Table 10.--Primary diagnosis by age and sex--Continued [Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group and primary diagnosis	Inter- national code	Total	Age								
			Unde r 30	30-39	40-44	45-49	50-54	55-59	60 and over		
	Male										
Tutal		246,442	16,905	21,321	17,460	25,805	36,211	55,512	73,228		
Infective and parasitic diseases	001-138	8,628	556	1,351	1,070	1,431	1,428	1,571	1,221		
Pulmonary tuberculosis	002	6,643	441	1,092	867	1,169	1,072	1,159	843		
active or unspecified	012	143	15	15	21	22	27	24	19		
Tabes dorsalis Certain ayphilis of central nervous	024	99	0	0	1	17	22	25	34		
system	026	144	1	2	15	16	27	52	31 109		
Late effects of acute poliomyelitis Certain fungus infections	081 134	626 82	23	93	95	63	113	130 18	24		
Certain infective and parasitic	***	"-	"	"	1		**	1 **			
diseases	138	156	44	59	1	12	24	7	9		
Other		735	32	90	67	106	132	156	152		
Neoplasms	140-239	25,702	792	1,185	1,643	2,639	4,170	6,725	8.548		
Malignant neoplasm of -				_							
tongue	141	330	0	5 2	1 .4	36	118	64	103		
floor of mouth	143	141	١ ،	'	14	17	26	47	"		
unspecified	144	249	0	4	10	24	62	75	74		
oral mesopharynx	145	142	0	0	25	5	25	50	37		
nasopharynx	146	140	5	2	1	24	30	39	39		
pharynx, unspecified	148	202	0	5	19	6	57	67	48		
oesophagus	150	564	.0	39	46	27	75	145	232 303		
stomachlarge intestine, except rectum	151 153	842 1,312	11 21	12 72	28 63	74 116	135	279 375	491		
rectum	154	1,085	15	29	42	116	186	312	385		
biliary passages and of liver	155	167	2	l i	32	15	34	30	63		
liver	156	270	11	10	1 7	21	51	76	94		
pancreas	157	652	0	4	56	101	118	194	179		
nose, nasal cavities, middle ear, and			١ .				1	l	l		
accessory sinuses	160	106	0	.0	6	6	14	36	44		
larynx	161	1,072	0	13	77	76	176	301	429		
bronchus and trachea, and of lung specified as primary	162	2,538	13	57	126	226	550	733	833		
lung, unspecified as to whether		-,550	1			1	1	1			
primary or secondary	163	4,395	6	112	273	466	812	1,175	1,551		
thoracic organs	165	167	0	6	7	32	25	60	37		
breast	170	95	0	1	0	1	35	48	14		
prostate	177	1,309	0	4	.0	38	116	399	752		
testis	178 180	176 652	46	83	15 29	15	70	15	323		
kidneybladder urinary organabladder and other urinary organa	181	704	1 6	1 3	23	42	97	203	335		
Malignant melanoma of skin	190	238	21	22	17	34	42	60	42		
Mslignant neopless of -	١.,,			١,,	1 .	1		1	١.,,		
skin excluding malignant melanoma	191	239	123	151	145	36 208	171	20 321	119		
brain and other parts of nervous system. thyroid gland	194	1,356	111	151	143	19	1/1	321	27		
bone (including jaw bone)	196	211	70	lí	6	23	13	52	36		
connective tissue	197	181	19	35	5	8	28	48	38		
certain and unspecified sites	199	1,771	77	1 63	191	236	247	462	495		
Lymphosarcoms and reticulosarcoma	200	701	54	32	87	79	111	112	226		
Hodgkin'a disease	201	636	122	112	86	105	60	84	67		
Lymphoma	202	128	0	6	6	11	16	32	57		
Multiple myeloma	203	478	4	24	26	62	93	134	135 286		
Leukaemia and aleukaemia	204	848	74	87	61	62	114	164	286		
Benign neoplasm of brain and other parts of nervous system	223	288	18	52	26	47	46	31	68		
Neoplasm of unspecified nature of brain	1		1	1		1	1	-	1		
and certain parts of nervous system	237	311	30	13	21	27	86	72	62		
Other		926	39	51	i 54	129	109	282	262		



Worker Disability Allowances, 1968 Table 10.--Primary diagnosis by age and sex--Continued

Disgnostic group and primary disgnosis	Inter- national code	Totel	Age						
			inder 30	30-39	40-44	45-49	50-54	55-59	60 and over
	HeleContinued								
Allergic, endocrine system,									ł
metabolic, and nutritional	240-289	7,080	224	498	448	647	1,245	1,904	2,114
diseases	240-207	7,000	124	470	110		-	-	
Thyrotoxicosis with or without goitre	252	104	11	8 5	2	6 8	34 14	26 12	17 24
Myxoedema and cretinism	253 260	76 5,309	10 174	366	338	479	899	1,429	1,624
Certain svitaminoses and nutritional	200	-	1						l
deficiency states	286	199	2 5	11 26	18 50	18 66	42 135	57 158	149
Obesity, not of an endocrine origin	287 288	589 416	٥	5	8	28	74	146	155
Certain metabolic diseases	289	183	6	39	22	22	18	40	36
Other		204	16	38	,	20	29	36	58
Diseases of the blood and			1					ļ	
blood-forming organs	290-299	648	57	56	28	80	98	132	197
Certsin ansemias	292	192	43	4	7	6	20	48	64
Ansemia of unspecified type	293	129	2	6	8 6	11 12	15 11	21 10	66
Polycythaemia	294	77 250	0 12	0 46	, ,	51	52	53	29
		-,,		-	İ			1	1
Mental, psychoneurotic, and personality disorders	300-329	29,963	4,587	6,396	3,695	4,212	3,714	3,990	3,369
Schizophrenic disorders (dementis						2.50	, ,,,	810	409
praecox)	300 301	15.082 521	3,450	4.665 84	2.264	2,150	1,334 78	138	103
Manic-depressive resction	302	637	l í	1 7	8	51	137	181	259
Peranois and peranoid states	303	127	6	10	13	18	37	20	23
Presentle psychosis	305	226	,,,	0 27	11 36	25 41	22 53	106 59	62
Alcoholic psychosis	307	260	11	- "] ~		, ,,	"	"
injury of brain	308	247	35	36	31	51	35	21	38
Mental deterioration and certain other	309	1,423	168	259	185	2 36	170	183	222
psychoses of unspecified etiology Anxiety reaction without mention of	307	1.7.7						ļ .	
somatic symptoms	310	1,595	26	177	196	315	294	382	205
Hysterical reaction without mention	311	433	22	46	62	78	96	89	40
of anxiety reaction	313	73	21	21	12	4	2	6	7
Neurotic-depressis > reaction	314	1,586	38	147	157	218	297	380	349
symptoms affecting -	315	79	1	2	5	و	35	14	13
circulatory systemdigestive system	316	99	2	5	20	25	18	10	19
certain systems	317	267	1	54	35	65	38	51	23
Certain psychoneurotic disorders, other,	318	495	35	85	59	68	96	79	73
mixed, and unspecified types	320	307	50	48	44	67	27	50	21
Personality disorders	321	187	22	37	36	24	36	23	228
Late effects of alcoholism	322	1,089	266	42 269	194	196 205	252 166	304 177	115
Mental deficiency	325 328	1,392 3,593	378	371	195	292	444	880	1,033
Other	320	245	47	ii	,	21	47	27	85
Diseases of the nervous system	330 300	21 /50	1,830	2,393	2.002	3,059	4,738	7,208	10,228
and sense organs	330-398	31.458	1.030	1,373	1,002	1,0,5	1 7,750	',200	
Subarachnoid haemorrhage		412	1	54	24	43	141	75 2,151	3,154
Cerebral haemorrhage	331	7,622 3,760	60 19	153 52	256 100	526 364	1,322 583	1,164	1.478
Cerebral embolism and thrombosis Cerebral palay	332 334	2,207	17	39	23	74	230	511	1,313
Late effects of intracranial abacess		1	1		1	1			
or pyogenic infection		345	87	61	18 215	70 251	17	17	75
Multiple sclerosis		1,554	255	378	44	144	221	483	789
Cerebral spastic infantile paralysis		406	85	102	36	69	28	45	41
Certain types of cerebral paralysis	352	121	33	30	19	16	1 246	13 296	249
Epilepsy	353	1,982	211 78	386 186	317 180	257 253	266 329	499	623



Diagnostic group	Inter-					Age			
and primary diagnosis	national code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Male	-Continued				
Motor neurone disease and muscular				.,	122	79	194	191	225
atrophy	356	900	33	56	122	"	•"	•"	
Ceitain diseases of the spinal cord including paralysis resulting from]	ł			
spinal cord injuries	357	1,195	392	185	139	112	85	148	134
Sciatica	363	167	0	10	27	55	40 22	12 37	23 37
Polynauritis and polyradiculitis	364	209	27	37	10	39	- "	"	٠,
Certain and unapecified forms of	366	265	10	19	8	51	33	53	91
neuralgia and neuritis Certain diseases of peripheral nerves	368	1,258	186	177	110	101	246	199	239
Certain diseases of peripheral netvestion.	376	184	10	8	27	31	37	35	36 16
Inflammation of optic nerve and retina	377	63	9	7	8	3	0 33	20 68	76
Refractive errors of the eye	380	286	17	39 27	23	30 30	33 84	120	225
Cataract of the eye	385	516 194	8 6	13	24	21	22	36	72
Detachment of retina	386 387	634	17	24	26	50	86	218	213
Certain diseases of the eye	388	1,157	101	119	86	141	168	219	323
Blindness	389	. 909	119	98	67	83	123	158 20	261 19
Certain inflammatory diseases of the ear.	394	88		15	5	29 17	0 53	41	67
Meniere's disease	395	197 98	12	5 12	14	• ',	25	10	23
Deaf mutism	39 7 398	386	16	18	18	44	60	128	102
Deafness Other		504	20	74	25	69	65	104	147
UCRET	į.	1	İ		1		l '		
Diseases of the circulatory system	400-468	61,836	344	1,572	2,662	5,311	9,513	17,092	25,342
Diseases of mitral valve	410	964	24	134	108	85	148	275	190
rheumatic	411	452	0	35	61	42	96	91	127
Certain heart diseases specified as rheumatic	416	1,395	36	115	1.5	166	236	402	305
Arterios clerotic heart diseasc.	420	41,599	27	668	1,482	3,649	6,433	11,656	17,684
including coronary disease	420	1 ****	1 -	1	1		'		
as Theumatic	421	339	15	22	4	24	86	68	120 573
Certain types of myocardial degeneration.	422	1,376	17	48	83	98	171	386 96	81
Functional disease of heart	433	2 36	11	5	87	170	209	307	526
of heart	434	1,380	16	65	8′	1 1/0	••	1 -~	
Hypertensive heart disease with arteriolar nephroscleroris	442	319	5	6	19	27	33	118	111
Certain and unspecified hypertensive			Į.	1		i		1	2,195
heart disease	443	5,151	32	144	227	341	779	1,433	545
Essential benign hypertension	444	1,217	16	15	28	46 22	197	42	13
Essential malignant hypertension	445	164	i •	1 1			1 "		1
Hypertension with arteriolar nephrosclerosis	446	175	12	4	15	38	22	59	25
Certain hypertensive disease without	1	1	1	1	.	l	1		170
mention of heart	447	483	4	22	63	186	65 422	116 824	1,483
General arteriosclerosis	450	2,974	4	1 6	49	100	1		1 -,
Aortic aneurysm. non-syphilitic. and dissecting aneurysm	451	156	11	0	0	2	24	38	81
Certain other aneurysm, except of	452	173	5	37	1 4	l 8	21	30	68
heart and aorta.		737	22	39	42	82	91	212	249
Peripheral vascular disease	1	234	0	10	13	22	63	64	62
Certain diseases of arteries		381	34	41	26	40	46	82	112
Varicose veins of lower extremities	460	433	0	22	24	45	80	109	15
Phlebitis and thrombophlebitis of-	1 _		0	13	15	26	36	62	89
lower extremities	463 464	241 291	0	27	23	55	56	29	10
certain Sites Pulmonary embolism and infarction	465	90	4	17	2	13	15	32	
Certain diseases of circulatory system		573		24	42	32	69	170	20
Other	•	303	18	29	43	45	57	48	6:
Diseases of the respiratory system.	t .	19,201	40	278	533	1,371	2.860	5,772	8,34
Chronic bronchitis		1,321	16	72	52	102	245	361	47
Pneumoconiosis due to silica and	ł		1	1 .	1	33	82	117	18
silicates	. 523	434	1 0	6	1 15	1 33	, 02	, 11/	1 40.



Worker Disability Allowancas, 1968

Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group	Inter-	_				Age			
and primary diagnosis	national code	Total	Under 30	30-39	40–44	45-49	50-54	55-59	60 and over
				Male	Continue	1		·	·
Certain chronic interstitial pneumonis	525	432	4	3	14	46	62	112	191
Bronchiectasis	526	178	0	17	5	24	20	76	36
Certain diseases of lung and	527	2,001	15	33	113	126	329	621	764
pleural cavity Emphysema	528	14,546	1 3	125	317	1,005	2,086	4,368	6,642
Other		289	2	22	17	35	36	117	60
Diseases of the digestive system	530-587	5,795	, 132	343	516	845	1,085	1,317	1,557
Diseases of oesophagus	539	82	13	0	0	15	18	21	15
Ulcer of atomach	540	287	0	10	7	22	34	101	113
Ulcer of duodenum	541	398	0	29	10	52	58	98	151
Disorders of function of atomach	544	282	10	32	16	41	30	93	60
Certain diseases of stomach and	6,6			0	5	19	١,,	١.	٠,,
duodenum	545	82	5	١	,	19	17	5	31
Hernis of abdominal cavity without mention of obstruction Intestinal obstruction without	560	416	0	17	19	27	76	92	185
montiful of hernia	570	77	l o	0	5	5	20	8	39
Change enteritis and ulcerative colitis. Certain diseases of intestines	572	423	65	42	34	79	63	63	77
and peritoneum	578	212	25	24	2	27	33	41	60
Cirrhosis of liver	581	2,877	7	146	325	478	608	671	642
Certain diseases of liver	583	83	0 	6	11	5	4	20	37
mention of calculi	585	80	0	10	10	4	29	7	20
Diseases of pancress	587	726	3	16	46	47	51	26	37
Other		270	4	11	26	24	44	71	90
Diseases of the genito-urinary	***								
system	590-637	2,122	230	190	225	252	277	436	512
Nephritis with oedema, including		1				1		1	1 _
nephrosis	591	81	8	7	10	12	16	25] 3
Chronic nephritis	592	628	113	85	82	86	32	121	109
Nephritis not specified as acute	593	367	43	49	43	43	75	47	67
or chronic	600	421	13	26	34	87	177	81	103
Calculi of kidney and ureter	602	71	2	1 0	ii	lii	5	lii	31
Certain diseases of kidney and ureter	603	122	14	4	-4	3	20	48	29
Certsin diseases of bladder	606	92	10	5	14	5	12	17	29
Other		340	27	14	27	5	40	86	141
Diseases of the skin and cellular				1					
tissue	690-716	817	29	92	66	132	141	135	222
Certsin dermstitis	703	86	0	7	0	1	11	19	48
Erythematous conditions	705	164	12	24	5	29	11	27	56
Psoriasis and similar disorders	706	70	0	5	5	20	19	8	13
Certain hypertrophic and atrophic conditions of skin	710	139	11	17	23	32	31	15	10
Chronic ulcer of skin	715	149	1 0	l s	20	18	26	30	50
Other		209	6	34	13	32	43	36	45
Diseases of the bones and organs of movement	720-749	29,851	1,438	3,242	2,336	3,467	4,455	6,497	8,416
Rheumatoid arthritis and allied			l						
conditions	722	4,758	135	293	338	608	815	1,223	1,346
Osteo-arthritis and sllied conditions	723	8,581	45	157	176	500	1,298	2,342	4.063
Certain forms of arthritis	724	330	2	19	25 31	48	136	220	103
Arthritis, unspecified	725	937 183	11 7	54 16	31 2	88	40	42	397
Muscular rheumstism	726 730	1,013	135	218	40	105	144	205	166
Osteitis deformans	731	140	1 6	1	100	102	1 7	62	1 69
Osteochondrosis	732	80	5	li	9	24	12	13	16
Certain diseases of bone	733	1,557	71	308	232	334	223	224	165
Internal derangement of knee joint	734	164	5	25	26	37	21	19	31
Displacement of intervertebral disc		7,833	391	1,534	1,023	1,148	1,158	1,311	1,268
Affection of sacro-iliac joint	736	179	15	1 13	25	1 44	1 4	1 50	1 28



Diagnostic group	Inter-			·		Age	-		
and primary diagnosis	national code	Totel	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
		l		Male	Continue	1			
Ankylosis of joint	737 738	723 1,001	43 64	166 171	109 90	101 156	126 138	105 204	73 178
without mention of Occupational origin	741	87	0	12	7	20	9	12	27
and fascia	744 745	617 216	62 4	100 27	47 21	71 30	64 36	126 51	147 47
Residual deformities of the bones and joints	749 	1,332 120	438 5	126 2	125 10	106 14	152 23	158 46	227 20
Congenital malformations	750-759	1,898	189	326	188	328	295	286	286
Congenital cataract and other congenital malformations of nervous									
system and sense organs	753	425	49 28	83	54	58 47	53 57	60 41	68
circulatory system	754 757	278 175	20	42 15	31 13	82	20	21	24
bone and joint	758	840	92	165	80	126	126	129	122
malformationsOther	759	126 54	15 5	11 10	6	5 10	24 15	26 9	39
Symptoms, senility, and ill-defined conditions	780-795	360	16	18	9	54	31	121	111
Ill-defined and unknown causes of morbidity and mortality	795	144 216	9 7	14 4	7 2	36 18	2 29	38 83	38 73
Accidents, poisonings, and violence.	800~999	21,056	6,441	3,381	2,039	1,972	2,160	2,316	2,747
Late offects of - certain and unqualified skull fractures	803	363	101	76	6	30	27	70	53
multiple fractures involving skull or face with other bones	804	121	36	24	15	10	6	13	17
Fracture and fracture dislocation of vertebral column -									
without mention of spinal cord lesion.	805	1,265	247	185	95	140 108	141 78	200	257 39
with spinal cord lesion Fracture of pelvis Multiple and ill-defined fractures	806 808	1,437	760	333 26	78 12	16	54	34	54
of trunk	809	536	121	82	43	65	74	47	104
Fracture of humerus	812 813	307 305	76 66	46 89	6 19	50 29	12 33	64 28	53 41
fractures of upper limb	818	89	15	19	8	. 15	10	3	19
limbs, and upper limb with rib and	819	129	35	11	4	3	12	12	52
Fracture of neck of femur	820	847	58	21	73	62	177	168	283
Certain fractures of femur	821	1,710	20	283	134	194	137	182	133
tibia and fibula	822 823	2,029	588	319	256	239	267	193	167
ankle	824	345	83	52	48	51	53	22	36
one or more tarsal and metatarsal bones Certain, multiple, and ill-defined	1 .	398	51	106	89 74	35	96	59	61
fractures of lower limb	827	654	200	100					
lower limb with rib and sternum		1,823	459	310	232	188	215	157	262 38
Dislocation of kneeCertain, multiple, and ill-defined	836 839	155 92	20	36	16	13	35	12	13
Sprains and strains of -		546	32	91	99	51	43	73	157
sacro-iliac regioncertain and unspecified parts of back		165	1 6	17	1	21	29	38	36



Table 10. -- Frimary diagnosis by age and sex--Continued

Diagnostic group	Inter-					Age			
and primary diagnosis	national code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Male	Continue	<u>d</u>			J
Concussion	852	201	51	24	31	20	24	16	35
Cerebral laceration and contusion Subarachnoid, subdural, and extradural	853	446	253	63	43	38	17	9	23
haemorrhage following injury	854	142	21	28	23	,	19	27	17
Certain and unspecified intracranial haemorrhage following injury	855	160	36		1				
Certain head injuries including those	6,0	100	36	13	17	27	8	22	37
of unspecified nature	856	544	257	77	62	40	15	62	31
Internal injury, unspecified or involving intrathoracic with									
intra-abdominal organs	869	233	120	37	24	17	14	16	5
Lnucleation of eye	871	91	17	,	9	-8	10	15	25
Traumatic amputation of arm and hand	888	165	52	23	22	25	16	- 7	20
Open wound of knee and leg, and of						* *		•	•
ankle not involving tendons	891	139	80	23	0	,	9	14	6
Traumatic amputation of leg	898	252	120	10	ĭ	16	35	39	31
Multiple open wounds of certain and unspecified locations		~			_				
Burn involving certain and unspecified	908	364	301	24	2	11	1	23	2
parts	949	340	108	7 0	50	51	26	20	15
pinal cord lesion without evidence									· · ·
of spinal bone injury	958	832	362	164	77	41	55	66	67
Certain and multiple nerve injury	959	127	43	20	1	4	ž	19	33
ertain and unspecified injury	996	1,269	251	194	155	101	153	196	219
)ther		2,127	703	393	186	165	177	279	224
All others		27	0	0	0	5	1	10	111



Table 10.--Primary diagnosis by age and sex--Continued

[Primary diagnoses relating to 100 or more workers shown separately]

Diagnostic group	Inter-				Age				
and primary diagnosis	national code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
					Penale				
Total		84,341	3,454	5,781	6,226	9,702	14,801	22,435	21,942
Infective and parasitic diseases	001-138	1,732	256	263	216	241	201	36 4	191
Pulmonary tuberculosis	002	841	184	85	109	102	105	190	66
Tuberculosis of bones and 'lints, active or unspecified	012	41	0	2	0	13 0	1 0	20 8	5 11
Tabes dorsalis	024	19	0	0	0	•	4	,	1
system	126	27	.0	0 116	73	15 46	61	110	62
Late effects of acute poliomyelitis Certain fungus infections	`81 134	48 6 28	18	2	7,	5	6	0	8
Certain infective and parasitic diseases	138	98 192	12 42	30 28	20 7	17 43	10 14	8 21	1 37
Neoplasms	140-239	10,858	234	493	800	1,389	2,115	3,011	2,816
Malignant neoplasm of -			ļ	Ì	! s			ļ <u>.</u> .	
floor of mouth,	141 143	68 18	0	ر 0	0	13 0	10 5	24	21 11
unspecified	144	25	1 0	0	0	5	2	18	0 4
oral mesopharynx	145	36	0	0	0	0	11 0	21	3
nasopharynx	146	11 12	0	0 5	0	l ő	i	ó	6
pharynx, unspecified	148 150	60	0	أ أ	l ŏ	10	17	5	28
oesophagus	151	156	Ĭ	4	29	26	17	35	45
stomachlarge intestine, except rectum	153	661	5	22	45	57	127	190	215
rectum	ک د	415	0	9	23	23	71	84	205
biliary passages and of liver	155	80	0	0	0	! ?	16	46	23
liver	156	82	0	5	4	5 9	20 18	75	30
pancreas	157	149	C	0	17	, ,	1 40	1 "] ~~
nose, nasal cavities, middle ear, and	1	,	ا ،	١ ،		۱ ،		5	2
accessory sinuses	160 161	54	0	Ö	4	12	10	15	13
bronchus and traches, and of lung specified as primary	162	268	,	2	27	59	68	53	59
lung, unspecified as to whether	163	543	0	22	43	90	114	157	117
primary or secondary	165	, ,,,,	0	1 6	0	11	23	0	1 3
thoracic organsbreast	170	2,687	10	91	233	425	598	707	62
cervix uteri	171	776	4	22	63	150	201	195	141
corpus uteri	172	106	0	0	10	4	25 31	28	69
uterus, unspecified	174	146	0	5	1	, ,	31	, ,,	\
ovary, fallopian tube, and broad	175	669	1 11	41	33	94	103	224	16
ligament	180	143	-5	1 7	10	7	17	63	3
k'ineybladder and other urinary organs	181	135	Ō	1 0	0	15	14	26	8
Malignant melacoma of skin	190	118	0	12	11	6	21	36	2
sks. exclud , malignant melanoma	191	73	36	39	36	32	45	130	3
brain and other parts of nervous system.	193 194	350 56	36	1 39	11	16	0	17	1
thyroid gland	194	130	21	25	14	20	23	16	1
bone (including jaw bone)	197	1 78	5	l	15	2	0	15	4
connective tissue	199	1,,30	5	40	67	114	189	391	37
Lymphosarcoma and reticulosarcoma	200	307	19	24	2	38	85	55	8
Hodgkin's disease	201	162	57	37	15	25	4 3	16	2
Lymphoma	202	62	0	11	4	12	32	57	4
Multiple myeloma	203	143		5	3 23	0 8	30	1 17	1 5
Leukaemia and aleukaemia	204	238	20	26	1 23	1 6	1 30	, "	,



Diagnostic group	Inter-					Age			
and primary diagnosis	national code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Ten	le <u>Conti</u>	nued		1	l
Benign neoplasm of brain and other	•							<u> </u>	T
parts of nervous system	223	158	14	2	6	7	65	44	20
Neoplasm of unspecified nature of brain	222	.,		_	١		1		
and certain parts of nervous system	237	64 396	0 17	7 23	6 41	8 61	9 44	31 54	3 156
Allergic, endocrine system,		1			ł			Ì	
metabolic, and nutritional]	l i			ì				
diseases	240-289	4,279	119	190	199	557	656	1,433	1,125
Thyrotoxicosis with or without goitre	252	125	0	5	٥	١,,	١,,		
Myxoedema and cretinism	253	52	ŏ	ó	l ĭ	17 0	12	23	68 21
Diabetes mellitus	260	2,513	74	133	66	308	332	850	750
Certain avitaminoses and nutritional							1	"	
deficiency states	286	121	.0	2	11	13	12	46	37
Gout	287 288	1,019	15 0	16 0	60	145 21	195	407	181
Certain metabolic diseases	289	172	?1	12	16	43	20 30	22 26	15 24
Other	•	199	9	22	4š	10	49	35	29
Diseases of the blood and									
blood-forming organs	290-299	389	6	49	22	35	44	126	107
Certain anaemias	292	104	0	16	11	13	2	31	31
Anaemia of unspecified type	293	104	6	10	- 3	ii	21	30	21
Polycythaemia	294	74	0	0	4	4	l ō	38	28
Other		107	0	23	2	7	21	27	27
Mental, psychoneurotic, and personality disorders	300-329	11,931	1,091	1,980	1,632	1,571	2,017	2,160	1,480
Schizophrenic disorders (dementia							Ī	1	
praecox)	300	5,442	709	1,437	1,000	815	694	564	223
Manic-depressive reaction	301	336	16	40	40	58	72	63	47
Involutional melancholia	302	872	0	5	21	93	265	301	187
Paranois and paranoid states	303	41	0	0	17	3	15	6	0
Presenile psychosis	305 307	20 21	0	0 1	0	0	, 2	14	4
Psychosis due to any disease or	307		١	•	٠	0	111	5	4
injury of brain	308	57	12	11	11	2	l o	5	16
Mental deterioration and certain other			1						
psychoses of unspecified etiology Anxiety reaction without mention of	309	555	49	106	56	64	100	100	80
somatic symptoms	310	902	12	87	75	108	167	244	209
Hysterical reaction without mention				Ψ.	"	•00		244	.,,
of anxiety reaction	311	2 39	11	21	25	19	97	44	22
Obsessive-compulsive reaction	313 314	59	0	16	7	6	1	23	6
Psychoneurosis with somatic	314	1,129	82	62	149	143	182	324	187
symptoms affecting -			i						
circulatory system	31,	31	0	0	5	0	0	20	6
digestive system	216 317	70 70	0	.9	20	4	16	. 5	16
Certain psychoneurotic disorders, other,	31/	· "	1	15	7	8	3	16	20
mixed, and unspecified types	318	285	10	33	42	34	65	75	26
Pathological personality	320	136	9	19	26	7	30	25	20
Personality disorders	321	59	0	2	1	28	14	9	5
Mental deficiency	322 325	159 441	0 120	5 79	31	28	55	28	12
Chronic brain syndrome	328	832	45	25	55 23	53 98	56 135	37 198	41 308
Other		175	15	·	21	0	37	54	41
Diseases of the nervous system and sense organs	330-398	10,300	666	944	795	1,256	1,792	2 430	2 400
_		1		Ì				2,438	2,409
Subarachnoid haemorrhage	330	215	. 1	11	43	44	40	36	40
Cerebral embolism and thrombosis	331 332	1,922 804	56	51 37	86 37	247 90	393	506	583
Cerebral palsy	334	550	ó	11	21	45	137 54	206 160	290 259
Late effectr of intracranial abscess			i	_ }					2,,
or pyogenic infection	344	59	14	2	11	12	ol	17	3

Diagnostic group	Inter-	}				Age	———	— т	60 and
and primary diagnosis	national code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	over
				Pena.	leContinu	<u>ed</u>			
Multiple sclerosis	345	1,508	2 36	379	246	219	218	128 204	82 235
Paralysis agitans	350	549	0	.0	14	25 18	71	5	16
Cerebral spastic infantile paralysis	351	149 22	66	25	18	0 1	4	13	0
Certain types of cerebral paralysis	352 353	546	65	126	47	102	70	90	46
Epilepsy Certain diseases of the brain	355	706	79	58	34	72	161	194	108
Motor neurone disease and muscular			Į		1	.,	49	36	54
atrophy	356	186	5	4	27	11	**	~	•
Certain diseases of the spinal cord	}	\	ł			1	1	1	_
including paralysis resulting from	357	173	13	15	16	32	18	46	33
spinal cord injuries	363	93	0	4	5	6	42	13	23 7
Polyneuritis and polyradiculitis	364	70	5	20	5	27	6	٠,١	•
Certain and unspecified forms of		1		6	6	4	34	28	3
neuralgia and neuritis	366	81	0 14	53	49	38	129	94	79
Certain diseases of peripheral nerves	368 376	456 77	2	3	9	11	13	22	17
Certain inflammations of uveal tract	376	37	2	13	1	2	8	23	7 30
Inflammation of optic nerve and retina Refractive errors of the eye	380	105	4	6	4	18	20 27	84	78
Cataract of the eye	385	209	3	5		11 6	12	8	15
Detachment of Tetina	386	46	3	2 5	10	18	29	114	63
Glaucoma	387 388	244 506	47	31	48	35	58	144	143
Certain diseases of the eye	389	273	20	26	16	29	59	63	60 12
Blindness Certain inflammatory diseases of the ear.	394	23	0	2	0	0	1 31	8 39	43
Meniere's disease	395	143	0	5	0 1	25 16	ii	20	'n
Deaf mutism	397	55 237	0 17	31	17	39	33	83	17
Deafness	398	256	2	13	20	54	61	50	56
Other		1	_	1	1 1		3 200		6,745
Diseases of the circulatory system	400-468	19,070	196	465	744	1,558	3,305	6,057	144
Diseases of mitral valve	410	766	30	55	71	116	137	213	
Diseases of aortic valve specified as rheumatic	411	161	19	8	16	18	36	29	35
Certain heart diseases specified	1		23	72	80	135	208	333	237
as rheumatic	416	1,088	1	\	1		ł		
Arteriosclerotic heart disease,	420	9,874	2	106	206	704	1,677	3,163	4,016
including coronary disease	1			l _	1 -	٠.,	5	43	27
as rheumatic	421	91	6		0 5	10 25	só	119	136
Certain types of myocardial degeneration.	422	335	0	0 3	111	ĺ	19	25	36
Functional disease of heart	433	95	١ ،	\		1	1		١
Certain and unspecified diseases	434	406	6	16	28	40	37	191	88
of heart	1	1	ŀ			١.,	4	111	20
arteriolar nephrosclercsis	442	59	0	0	111	13	1 "	ļ	•
Certain and unspecified hypertensive		1	0	24	69	249	518	868	1,049
heart disease	443	2,777	1 6	1 6	8	37	116	279	240
Essential benign hypertension		24	i	Ö	1	0	11	6	5
Essential malignant hypertension	' '''	1		1	1	١,	12	23	10
nephrosclerosis	. 446	89	10	4	29	1	1 12	\	1
Certain hypertensive disease without	1		5	4	وا	111	88	83	62
mention of heart	. 447	262 530		1 6	28	24	90	196	192
General arteriosclerosis	. 450	} ,,,,	1	1		1	1	١,	
Aortic aneurysm, non-syphilitic, and dissecting aneurysm	451	33	0	0	10	10	11	2	١ ،
Certain other aneurysm, except of	1	j.	İ	1	1 .	26	20	29	41
heart and sorts	. 452	148	16	15		17	61	18	48
Perinheral vascular disease	. 453	178	2 0	15	1 -	1 11] ō	13	4
Arterial embolism and thrombosis	434	220	1	49		13	43	25	20
Corrain diseases of arteries	. 4 20	354	1	4		21	70	120	124
Varicose veins of lower extremities Phlebitis and thromoophlebitis of	-1	1		1	1	1	17	42	43
lower extremities	. 463	174		26		26 16	35	80	54
nombolo #1108	.} 404	219		12	1	1 -		5	6
Pulmonary embolism and infarction	. 463	29 266			1	8	10	112	89
Carrier diseases of circulatory system.	, 407	157				26	29	29	19
Other	• 1	1	,	,	•	•			



Diagnostic group	Inter-	3				Λge	,		
and primary diagnosis	national code	lotal	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Tena	leContin	ued		·	·
Diseases of the respiratory system	470-529	3,434	2υ	11.5	166	340	664	971	1,154
Chronic bronchitis	502	814	0	37	46	82	143	212	294
Certain chronic interstitial pneumonia	525 526	168 110	0	21	15	19	10	60	43
Certain diseases of lung and	720	110	٠	11	.6	10	5	46	32
pleural cavity	527	482	14	16	33	38	117	76	188
cmpnysema	528	1,759	0	20	60	166	372	560	561
Uther		101	6	8	6	11	17	17	36
biseases of the digestive system	530-587	2,011	64	130	193	191	466	507	460
Diseases of oesophagus	539	18	U	11	0	0	υ	7	0
Ulcer of stomach	540	59	U	Ü	10	4	19	7	19
Ulcer of duodenum	541 544	64 96	U U	4	5	O .	14	13	28
Certain diseases of stomach and	,,,,	70	٠	12	12	1	23	24	24
duodenum	545	62	3	0	6	0	24	0	29
iternia of abdominal cavity without mention of obstruction	560	112	0	4	5	1	16	31	55
Intestinal obstruction without mention		***	•	,	,	•	10	31	, ,,
of hernia	570	56	U	4	10	Ú	16	10	16
colitis	572	387	46	33	43	35	72	83	75
Certain diseases of intestines						"			"
and peritoneum	576	141	0	11	2	16	23	42	47
Certain diseases of liver	581 583	693 90	6	25 11	56 12	93 15	184 16	202 32	127
Cholecystitis and cholangitis without	303	~	7	**	12	1	10	32	
mention of calculi	583	25	9	0	2	0	6	7	10
Diseases of pancreas	567	63	Ü	11	12	.7	22	5	11
other		140	5	4	18	19	31	44	19
Diseases of the genito-urlary		i							
system	590-637	804	47	58	53	103	152	145	246
ephritis with oedema, including	i								
nephrosis	591	27	4	()	2	0	10	υ	11
Caronic neparitis	592	123	6	14	12	11	15	30	35
Aephritis not specifica as acute or caronic	593	88	2	7	14	21	17	٠.,	16
Infections of kidney	600	248	25	,	18	32	50	11 47	69
Calculi of kidney and ureter	602	ا 56	0	Ü	4	Ü	ő	0	32
Certain diseases of kidney and ureter	603	67	10	6	2	21	6	6	16
Certain diseases of bladder	606	45	0	2	1)	10	14	19	١
Other		170	υ	22	1	8	40	. 32	67
biseases of the skin and									
Cellular tissue	690-716	541	33	52	70	105	97	121	63
Certain dermatitis	703	19	0	n	1	ŋ	2	13	1 3
Lrythematous conditions	705	125	11	17	21	24	19	3 3	0
Psoriasis and similar disorders Certain hypertropaic and atropaic	706	36	0	1	11	0	10	14	U
conditions of skin	710	217	5	2გ	21	49	46	44	22
Chronic ulcer of skin	715	20	Ü	4	0	ó	ν̈́	7	ii
Otner		116	11	2	16	32	18	10	27
Diseases of the bones and organs									
of movement	720-749	13,826	283	580	930	1,556	2,568	3,915	3,974
Kieumatold arthritis and allied				į					
conditions	722	3,866	106	144	313	517	797	1.046	943
Osteo-arthritis and allied conditions	723	4,542	1	29	د8	233	718	1,700	1.776
Certain forms of arturitis	724 725	91 495	0	1	3	7	3	41	36
Muscular rheumatism	725 726	145	4	6 13	22 21	63 8	93 33	145 41	162 29
Osteomyclitis and periostitis	730	191	10	2	15	41	25	37	61
Osteitis deformans	731	12	. 0	0	10	ŋ	Ü	2	0
Osteochondrosis	732	49	Ü	Ü	0	11	0	33	5
Certain diseased of bone	733	880	18	70	51	93	138	235	275



Diagnostic group	Inter-					Age			
and primary diagnosis	national code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Fema	leContinu	ied			
Internal derangement of knee joint	734	21	U	0	0	0	15	5	1
displacement of intervertebral disc	735	2,218	75	205	321	383	494	386	354
Affection of sacro-iliac joint	736	46	0 }	0	2	0	39	15 26	24 17
Ankylosis of joint	737 738	146 303	4	15 20	9 8	36 41	57	74	99
Certain diseases of joint	/36		•	20		**	, ,		
origin	741	137	0	11	12	39	26	12	37
and fascia	744	279	52	42	59	34	43	20	29
Curvature of spine	745	264	2	20	12	22	38	78	92
and joints	749	121	7	2	6	28 0	42	17 2	15
Other		20	0	0	1			_ [97
Congenital malformations	750-759	772	67	100	86	109	147	166	9,
Congenital cataract and other congenital malformations of nervous system and	İ				1				
sense Organs	753	169	15	31	19	48	29	18	9
circulatory system	754	185	47	46	22	12	26	11	21
genito-urinary system	757	57	0	2	5	5	19	10	16
bone and joint	758	315	1	17	37	33	72	114	41
Certain and unspecified congenital	759	39	4	U	2	10	0	13	10
Other		,	U	4	1	1	1	0	0
Symptoms, senility; and ill-defined conditions	780-795	129	0	1	10	29	13	26	50
Ill-defined and unknown causes of	795	37	0	0	6	4	111	,	,
morbidity and mortality		92	Ŏ	ì	4	25	2	19	41
Accidents, poisonings, and violence	800-999	4,263	372	363	290	655	564	994	1,025
Late effects of -								l .	
certain and unqualified skull fractures.,	803	39	16	2	5	0	11	4	1
multiple fractures involving skull or			2	4	2		0	10	5
face with other bones	804	23		•		ľ	ľ	."	
Fracture and fracture dislocation of vertebral column -					Ì		1		
without mention of spinal cord lesion	805	257	16	25	22	30	14	75	75
with spinal cord lesion	808	107 51	57	12	17	15	0	15	} 8
Fracture of pelvis	000	l '*	ľ		1				1
of trunk	809	128	16	15	10	22	15	27	23
Fracture of humerus	812	110	4	4	6	, ,	26	24	39
Fracture of radius and ulna	813	91	8	13	5	13	2	6	1 ""
Certain, multiple, and ill-defined	818	20	0	0	0) 0) 2	0	18
fractures of upper limb	""	-]		
sternum	819	23	0	0) 0	10	1	10	2
Fracture of neck of femur	820	715	5	19	12	62	124	226	267
Certain fractures of femurFracture of -	821	368	9	38	8	42	78	53	140
patella	822	75	0	8	0 20	31 72	0 48	20 89	16
tibia and fibula	823	302	25	15 12	20	20	24	66	42
one or more tarsal and metatarsal bones	824 825	164	0	1 6	0	5	4	13	1 7
Certain, multiple, and ill-defined	1 %	, ,,		1 "	'	ļ	ļ	1	1
fractures of lower limb	827	95	12	11	12	7	9	13	31
limbs, lower with upper limb, and				1		l	42		123
lower limb with rib and sternum	828	415	43	26	29	51		101	12
Dislocation of knee	836	16	, 0	, ,	. •	, ,		. •	•



Table 10.--Primary diagnosis by age and sex--Continued

Diagnostic group	Inter-					Age			
and primary diagnosis	national code	Total	Under 30	30-39	40-44	45-49	50-54	55-59	60 and over
				Fema	leContin	ued			
Certain, multiple, and ill-defined									
dislocations	839	12	0	0	0	12	0	0	0
sacro-iliac region	846	163	4	18	20	13	42	37	29
certain and unspecified parts of back	847	68	11	2	24	19	7	2	3
Concussion	852	41	3	6	17	2	1	12	ŏ
Cerebral laceration and contusion	853	77	23	6	5	14	15	12	2
haemorrhage following injury Certain and unspecified intracranial	854	17	0	10	0	6	1	0	0
haemorrhage following injury	855	25	0	2	1	2	0	17	3
Certain head injuries including those				_ 1				_	
of unspecified nature	856	56	24	9	4	17	2	0	0
intra-abdominal organs	869	18	0	6	11	1	0	0	0
Enuclestion of eye	871	19	3	1	0 1	0	7	4	4
Traumatic amputation of arm and hand Open wound of knee and leg. and of	888	5	0	٥	0	0	0	5	0
ankle not involving tendons	891	6	0	6	0	0	0	0	0
unspecified locations	908	10	0	0	0	10	0	0	0
parts	949	61	5	5	20	15	12	4	0
of spinal bone injury	958	83	28	19	10	1	2	18	5
Certain and multiple nerve injury	959	24	2	ŝ	ا ة	â	ō	17	ó
Certain and unspecified injury	996	190	36	17	~ i	51	20	35	28
Other		360	20	34	23	83	51	73	76
All others		2	0	0	0	1	0	1	o





Worker Disability Allowances, 1968 Table 11.--Leading diseases in rank order by sex and race

		To	tal			Mal	le		Femal			
Primary diagnosis	Total	White	Negro	Other	Total	White	Negro	Other	Total	White	Negro	Other
Arteriosclerotic heart disease	1	1	1	1	1	1	1	1	1	1	1	3
Schizophrenic disorders	2	2	3	2	2	3	2	2	2	2	3	1
Emphysema	3	3	9	10	3	2	7	12	10	8	-	-
Osteo-arthritis	4	4	6	3	4	4	6	3	3	3	4	2
Displacement of intervertebral		i '						Į.				١
disc	5	5	8	5	5	5	8	5	8	6	12	8
Cerebral haemorrhage	6	,	5	7	6	6	5	7	9	9	7	4
Kheumatoid arthritis	7	6	10	8	10	9	12	8	4	4	6	7
Hypertensive heart disease	8	11	2	9	9	13	3	9	5	11	2	10
Diabetes mellitus	9	8	7	6	8	8	9	6	7	7	5	5
Pulmonary tuberculosis	10	9	4	4	7	7	4	4	-	-	9	9
Malignant lung neoplasm	11	10	14	12	11	10	14	10	-	-	-	-
Cerebral embolism	12	12	11	-	12	11	10	13	-	-	13	14
Chronic brain syndrome	13	13	12	11	13	12	11	-	-	-	-	-
Cirrhosis ot liver	14	14	-	-	15	15	· -	-	-	-	-	-
General arteriosclerosis	15	15	15	15	14	14	-	-	-	-	-	12
Malignant breast neoplasm	-	_	Ì	-	-	-	-	-	6	5	8	15
Multiple sclerosis	-	-		-	-	-	-	1 -	11	10	-	1 -
Malignant neoplasm (unspecified	l	}	1	l		1					1	
site)	i -	-	-	-	! -	-	-	-	12	13	15	-
Neurotic-depressive	-	-	-	-	! -	-	-	, <i>-</i>	13	12	-	-
Rheumatic heart disease	-	-	-	-	1	-	-	-	14	14	-	-
Obesity, not of endocrine origin.	-	-	i -	-	_	-	-	-	15	-	10	-
Certain diseases of heart	-	-	13	-	-	-	13	-	ļ -	-	-	-
Fracture of tibia and fibula	-	-	-	13	-		-	11	-	-	-	-
Fracture of vertebral column	İ	Ì	1	1		1	1	İ	1	İ		1
with spinal cord lesion	1 -	-	-	14	-	٠.	-	1 -	-	-	-	-
Mental deterioration	-	-	-	-	-	-	-	-	-	-	-	11
Diseases of peripheral nerves	-	-	ļ <u>-</u>		-	-	-	15	-	-	-	-
Multiple fractures - lower limbs.	-	-	i -	-	-	-	-	14	-	-	-	-
Certain bone diseases	-	-	_	-	-	-	-	-	-	15	-	-
Epilepsy	-	-	-	-	-	-	15	-	-	-	-	-
Essential benign hypertension	-	-	-	j -	-	-	-	-	-	-	11	1 -
Halignant neoplasm of cervix	-	-	-	_	۱ -	-	-	-	_	-	14	13
Paralysis agitans	1 _	I	i _	l _	1 -	١.	l -	I _	١ ـ	I -	l -	6



Worker Disability Allowances, 1968 Table 12.--Fifteen primary diagnoses occurring most often by sex

	Primary diagnosis	Inter- national code	Number	Per- cent	Cumu- lative per- cent
			Total		
1.	Arteriosclerotic heart disease,				
2.	including coronary disease Schizophrenic disorders (dementia	420	51,473	15.6	15.6
••	praecox)	300	20,524	6.2	21.8
3.	Emphysema	528	16,305	4.9	26.7
4. 5.	Osteo-arthritis and allied conditions	723	13,123	4.0	30.7
6.	Displacement of intervertebral disc Cerebral haemorrhage	735 331	10,051 9,544	3.0 2.9	33.7 36.6
7.,	Rheumatoid arthritis and allied	331	7,544	•,	30.0
	conditions	722	8,624	2.6	39.2
8.	Hypertensive heart disease, with	443			.,,
9.	Clinical type unspecified	260	7,928 7,822	2.4	41.6 44.0
10.	Pulmonary tuberculosis	002	7,484	2.3	46.3
11.	Malignant neoplasm of lung and		•		
	bronchus, not specified as	163	4 020	٠.	
12.	primary or secondary	163 332	4,938 4,564	1.5	47.8 49.2
13.	Chronic brain syndrome	328	4,425	1.3	50.5
14.,	Cirrhosis of liver	581	3,570	1.1	51.6
15.	General arteriosclerosis	450	3.504	1.1	52.7
			Male		
1.	Arteriosclerotic heart disease,				
2.	including coronary disease Schizophrenic disorders (dementia praecox)	420 300	41,599	16.9	16.9 23.0
3.	Emphysema	528	15,082 14,546	5.9	28.9
4.	Osteo-arthritis and allied conditions	723	8,581	3.5	32.4
5.	Displacement of intervertebral disc	735	7,833	3.2	35.6
6.	Cerebral haemorrhage	331	7,622	3.1	38.7
7.	Pulmonary tuberculosis	002	6,643	2.7	41.4
8. 9.	Diabetes mellitus	260	5,309	2.2	43.6
10.	clinical type unspecified	443	5,151	2.1	45.7
	conditions	722	4,758	1.9	47.6
11.	Malignant neop@asm of lung and bronchus, not specified as		ł		
	Primary or secondary	163	4,395	1.8	49.4
12.	Cerebral embolism and thrombosis	332	3,760	1.5	50.9
13.	Chronic brain syndrome	328	3,593	1.5	52.4
14. 15.	General arteriosclerosis	450	2,974	1.2	53.6
15.	Ciffnosis of liver	581	2,877	1.2	54.8
			Femal	e	
1.	Arteriosclerotic heart disease,			,	
2.	including coronary disease Schizophrenic disorders (dementia	420	9,874	11.7	11.7
	praecox)	300	5,442	6.5	18.2
3.	Osteo-arthritis and allied conditions	723	4,542	5.4	23.6
4.	Rheumatoid arthritis and allied conditions	722	1	, ,	,
5.,	Hypertensive heart disease, with	122	3,866	4.6	28.2
,	clinical type unspecified	443	2,777	3.3	31.5
6. 7.	Malignant neoplasm of breast	170	2,687	3.2	34.7
%. 8.	Diabetes mellitus	260 735	2,513	3.0 2.6	37.7 40.3
9.	Cerebral haemorrhage	331	1,922	2.3	42.6
10.	Emphysema	528	1,759	2.1	44.7
11.	Multiple sclerosis	345	1,508	1.8	46.5
12.	Malignant neoplasm of certain and unspecified sites	199	1.180	1.4	47.9
13.	Neurotic depressive reaction	314	1,129	1.3	49.2
14.	Certain heart diseases specified				ŀ
15	As rheumatic	416	1,088	1.3	50.5
15.	Obesity, not specified as of endocrine origin	287	1,019	1.2	51.7
			[l	1



Morker Disability Allowances, 1968 Table 13.--Ten primary diagnoses occurring most often among workers by age and sex

Primary diagnosis Schizophrenic disorders	Inter- national code	Number	Per- cent	Cumu- lative per-	Number	Male Per- cent	Cumu- lative per-	Number	Per-	Cumu- lstive
Schizophrenic disorders	national	Number		lative per-	Number		lative	Number		lstive
				cent			cent			cent
	1				Under age	4 0				
	325	10,261	21.6	21.6	8,115	21.2	21.2	2,146	23.2	23.2
	735	2,205	4.6	26.3	1,925	5.0 4.0	26.3 30.3	280 269	3.0 2.9	26.3 29.2
Pulmonary tuberculosis	002 345	1,802 1,248	3.8 2.6	30.1 32.7	1,533 633	1.7	30.3	615	6.7	35.8
fultiple sclerosis	806	1,162	2.4	35.1	1,093	2.9	34.8	69	.7	36.6
Fracture of femur	821	977	2.1	37.2	930	2.4	37.2 39.6	47	.5	37.1 37.5
Fracture of tibia and fibula	823 828	947 838	2.0 1.8	39.2 41.0	907 769	2.4	41.6	69	.7	38.3
Multiple fractures of limbs Arteriosclerotic heart disease	420	803	1.7	42.7	695	1.8	43.4	108	1.2	39.4
Epilepsy	353	788	1.7	44.3	597	1.6	45.0	191 *	2.1	41.5
			l		Aged 40	-49		·		
	300	6,229	10.5	10.5	4,414	10.2	10.2	1.815	11.4	11.4
Schizophrenic disorders	300 420	6,041	10.3	20.7	5.131	11.9	22.1	910	5.7	17.1
Displacement of intervertebral disc	735	2,875	4.9	25.6	2.171	5.0	27.1	704	1.3	21.5
Pulmonary tuberculosis	002	2,247 1,776	3.8	29.4 32.4	2,036 946	2.2	31.8 34.0	830	5.2	28.1
Rheumatoid arthritis	722 528	1,568	2.6	35.0	1,322	3.1	37.0	246	1.5	29.6
Diabetes mellitus	260	1,191	2.0	37.0	817	1.9	38.9	374	2.3	32.0
Cerebral haemorrhage	331	1,115	1.9	38.9 40.6	782 676	1.8	40.7	333	2.0	36.0
Osteo-arthritis	723 581	994 952	1.6	42.2	803	1.9	44.1	149	.9	37.0
		.i	<u> </u>	<u> </u>	Aged 50	i)-54	ـــــــــــــــــــــــــــــــــــــ	<u> </u>	L	<u> </u>
		T	1	15.9		17.8	17.8	1,677	11.3	11.3
Arteriosclerotic heart disease Emphysena	420 528	8,110 2,458	15.9	20.7	6,433 2,086	5.8	23.5	372	2.5	13.
Schizophrenic disorders		2.028	4.0	24.7	1.334	3.7	27.2	694	4.7	18.
Osteo-arthritis	723	2,016	4.0	28.6	1,298	3.6	30.8	718	2.7	26.
Cereiral haemorrhage		1,715	3.4	32.0 35.2	1.322	3.7	37.6	494	3.3	29.
Displacement of intervertebral disc Rheumatoid arthritis		1,612	3.2	38.4	815	2.3	39.9	797	5.4	34.
Hypertensive heart disease	443	1,297	2.5	40.9	779	2.2	42.0	518 332	3.5	38.
Diabetes mellitus		1,231	2.4	43.4	899 1,072	2.5 3.0	44.5	105	1 .7	41.
Pulmonary tuberculosis	002	1,177					<u> </u>	<u> </u>		
					Aged 5		 -		T	T
Arteriosclerotic heart disease		14.819	19.0	19.0	11,656	21.0	21.0	3.163 560	14.1	14.
Emphysema		4,928	6.3 5.2	25.3	4,368	4.2	33.1	1.700	7.6	24.
Osteo-arthritis	1	2.657	3.4	33.9	2,151	3.9	37.0	506	2.3	26.
Hypertensive heart disease	1 11 2	2,301	3.0	36.9	1,433	2.6	39.5	868	3.9	30
Diabetes mellitus	260	2,279	2.9	39.8	1,429	2.6	42.1	850 1,046	3.8	38
Rheumatoid arthritis		2,269 1,697	2.9	42.7	1.311	2.4	46.7	386	1.7	40.
Displacement of intervertebral disc. Schizophrenic disorders	1	1,374	1.8	46.7	810	1.5	48.1	564	2.5	43
Cerebral embolism and thrombosis	,	1,370	1.8	48.4	1,164	2.1	50.2	206	.9	43
			<u> </u>	_ 	Aged 60 a	nd over				
Arteriosclerotic heart disease	420	21,700	22.8	22.8	17,684	24.1	24.1	4,016	18.3	18.
Emphysema	528	7,203		30.4	6.642	9.1	33.2 38.8	1,776	8.1	20.
Osteo-arthritis		5,839 3,737	6.1 3.9	36.5 40.4	4,063	5.5	43.1	583	2.7	31
Cerebral haemorrhage		3,737		43.8	2,195	3.0	46.1	1,049	4.8	36
		2,374		46.3	1,624	2.2	48.3	750	3.4	39
Diabetes mellitus	. , 200	_,_,								
Diabetes mellitus	, 722	2,289	2.4	48.7	1,346	1.8	50.1	943	4.3	
Diabetes mellitus	. 722 332		2.4 1.9	48.7 50.6 52.4	1,346 1,478 1,483	2.0	50.1 52.1 54.2	943 290 192 117	1.3	46.



Worker Disability A.lowances, 1957-68

Table 14.--Leading causes of disability by sex

Year	Worker allow- ances	Arterio- sclerotic heart	Emphy- sema	Schizo- phrenic dis- orders	Hyper- tensive heart	Osteo- arth- ritis	Pul- monary tubercu- losis	Displace- ment of interver- tebral disc	Cere- bral haemor- rhage
		(420)	(528)	(300)	(443)	(723)	(002)	(735)	(331)
		_			Total				
957	165,003	29,920	8,835	6,439	10,217	4,654	8,618	675	8,226
958	184,476	32,830	10,905	11,180	9,542	4,187	11,210	750	7,755
959	178,952	34,172	11,941	10,183	8,704	5,494	9,134	1,075	6,500
960	179,419	35,685	12,343	7,745	8,439	6,449	7,456	1,450	5,616
961	241,060	43,814	15,271	14,281	10,933	6,748	10,775	2,165	7,406
962	286,434	49,023	17,630	19,870	13,578	9,378	11,206	3,888	6,236
963	224,229	41,168	14,897	12,712	10,516	7,255	8,009	3,139	4,148
964	209,475	39,425	13,780	11,038	9,092	7,223	5,936	2,888	4,166
965	267,738	45,529	16,879	16,335	10,667	9,817	7,870	5,363	5,239
966	273,513	45,714	16,998	13,097	9,198	10,336	8,643	8,544	6,359
967	310.947	51,660	19,227	14,087	8,940	13,084	8,157	9,807	9,143
968	330,783	51,473	16,305	20,524	7,928	13,123	7,484	10,051	9,544
					Percent				
957	100.0	18.1	5.4	3.9	6.2	2.8	5.2	.4	5.0
958	100.0	17.8	5.9	6.1	5.2	2.3	6.1	.4	4.2
959	100.0	19.1	6.7	5.7	4.9	3.1	. 5.1	.6	3.6
960	100.0	19.9	6.9	4.3	4.7	3.6	4.2	.8	3.1
961	100.0	18.2	6.3	5.9	4.5	2.8	4.5	.9	3.1
962	100.0	17.1	6,2	6.9	4.7	3.3	3.9	1.4	2.2
963	100.0	18.4	6.6	5.7	4.7	3.2	3.6	1.4	1.8
964	190.0	18.8	6.6	5.3	4.3	3.4	2.8	1.4	2.0
965	100.0	17.0	6.3	6.1	4.0	3.7	2.9	2.0	2.0
966	100.0	16.7	6.2	4.8	3.4	3.8	3.2	3.1	2.3
967	100.0	16.6	6.2	4.5	2.9	4.2	2.6	3.2	2.9
968	100.0	15.6	4.9	6.2	2.4	4.0	2.3	3.0	2.9



Worker Disability Allowances, 1957-68 Table 14.--Leading causes of disability by sex--Continued

Year	Worker allow- ances	Arterio- sclerotic heart	Łmphy- sema	Schizo- phrenic dis- orders	Hyper- tensive heart	Osteo- arth- ritis	Pul- monary tubercu- losis	Displace- ment of interver- tebral disc	Cere- bral haemor- rhage
		(420)	(528)	(300)	(443)	(723)	(002)	(735)	(331)
					Male				
1957	134,621	25,666	8,291	4,958	7,459	3,605	8,011	550	6,704
1958	151,519	28,454	10,228	8,558	7,178	3,227	10,409	600	6,466
1959	146,898	29,357	11,196	7,692	6,523	4,283	8,477	900	5,344
1960	147,604	30,805	11.613	5,799	6,445	5,066	6,937	1,200	4,651
1961	193,616	37,411	14,222	10,824	8,071	5,275	9,803	1,833	6,016
1962	224.519	40,552	16,254	15,028	9,674	6,919	10,186	3,236	5,069
1963	174,186	33,682	13,656	9,427	7,473	5,212	7,263	2,604	3,313
1964	161,967	32,248	12,535	8,202	6,419	5,187	5,327	2,401	3,362
1965	201,094	36,390	15,161	11,650	7,264	6,720	7,044	4,313	4,139
1966	206,398	36,956	15,380	9,364	6,310	7,074	7,629	6,931	5,030
1967	234,352	41,722	17,354	9,954	5,846	8,927	7,349	7,762	7,263
1968	246,442	41,599	14,546	15,082	5,151	8,581	6,643	7,833	7,622
		l			Percent	<u> </u>		<u> </u>	
1957	100.0	19.1	6.2	3.7	5.5	2.7	6.0	.4	5.0
1958	100.0	18.8	6.8	5.6	4.7	2.1	6.9	.4	4.3
1959	100.0	20.0	7.6	5.2	4.4	2.9	5.8	.6	3.6
1960	100.0	20.9	7.9	3.9	4.4	3.4	4.7	.8	3.2
1961	100.0	19.3	7.3	5.6	4.2	2.7	5.1	.9	3.1
1962	100.0	18.1	7.2	6.7	4.3	3.1	4.5	1.4	2.3
1963	100.0	19.3	7.8	5.4	4.3	3.0	4.2	1.5	1.9
1964	100.0	19.9	7.7	5.1	4.0	3.2	·3.3	1.5	2.1
1965	100.0	18.1	7.5	5.8	3.6	3.3	3.5	2.1	2.1
1966	100.0	17.9	7.5	4.5	3.1	3.4	3.7	3.4	2.4
1967	100.0	17.8	7.4	4.2	2.5	3.8	3.1	3.3	3.1
1968	100.0	16.9	5.9	6.1	2.1	3.5	2.7	3.2	3.1



Worker Disability Allowances, 1957-68 Table 14.--Leading causes of disability by sex--Continued

Year	Worker allow- ances	Arterio- sclcrotic heart	Emphy- sema	Schizo- phrenic dis- orders	Hyper- tensive heart	Osteo- arth- ritis	Pul- monary tubercu- losis	Displace- ment of interver- tebral disc	Cere- bral haemor- rhage
		(420)	(528)	(300)	(443)	(723)	(002)	(735)	(331)
					Female				
1957	30,382	4,254	544	1,481	2,758	1,049	607	125	1,522
1958	32,957	4,376	677	2,622	2,364	960	801	150	1,289
1959	32,054	4,815	745	2,491	2,181	1,211	657	175	1,156
1960	31,815	4,880	730	1,946	1,994	1,383	519	250	965
1961	47,444	6,403	1,049	3,457	2,862	1,473	972	332	1,390
1962	61,915	8,471	1,376	4,842	3,904	2,459	1,020	652	1,167
1963	50,043	7,486	1,241	3,285	3,043	2,043	746	535	835
1964	47,508	7,177	1,245	2,836	2,673	2,036	609	487	804
1965	66,644	9,139	1,718	4,685	3,403	3,097	826	1,050	1,100
1966	67,115	8,758	1,618	3,733	2,888	3,262	1,014	1,613	1,329
1967	76,595	9,938	1,873	4,133	3,094	4,157	808	2,045	1,880
1968	84,341	9,874	1,759	5,442	2,777	4,542	841	2,218	1,922
				<u>. </u>	Percent				
1957	100.0	14.0	1.8	4.9	9.1	3.5	2.0	.5	5.0
1958	100.0	13.3	2.1	8.0	7.2	2.9	2.4	.5	3.9
1959	100.0	15.0	2.3	7.8	6.8	3.8	2.0	.5	3.6
1960	100.0	15.3	2.3	6.1	6.3	4.3	1.6	.7	3.0
1961	100.0	13.5	2.2	7.3	6.0	3.1	2.0	.7	.2.9
1962	100.0	13.7	2.2	7.8	6.3	4.0	1.6	1.1	1.9
1963	100.0	15.0	2.5	6.6	6.1	4.1	1.5	1.1	1.7
1964	100.0	15.1	2.6	6.0	5.6	4.3	1.3	1.0	1.7
1965	100.0	13.7	2.6	7.0	5.1	4.6	1.2	1.6	1.6
1966	100.0	13.0	2.4	5.6	4.3	4.9	1.5	2.4	2.0
1967	100.0	13.0	2.4	5.4	4.0	5.4	1.1	2.7	2.5
1968	100.0	11.7	2.1	6.5	3.3	5.4	1.0	2.6	2.3



Table 15. -Diagnostic group by race and sex

	}	Total				Perc	ent	
Diagnostic group	Total	White	Negro	Other	lotal	White	Negro	Other
Total	330,783	283,533	43,954	3,296	100.0	100.0	100.0	100.0
Infective and parasitic discases	10,360	7,208	2,931	221	3.1	2.5	6.7	6.7
Reoplasms	36,560	32,842	3,425	293	11.1	11.6	7.8	8.9
Allergic, endocrine system, metabolic, and nutritional diseases	11,359	9,298	1,913	148	3.4	3.3	4.4	4.5
Diseases of the blood and blood-forming organs	1,037	838	197	2	.3	.3	.5	.1
Mental, psychoneurotic, and personality disorders	41,894	35,998	5,418	478	12.7	12.7	12.3	14.5
Diseases of the -				.,,	12.6	12.4	14.0	13.1
vervous system and sense organs	41,758	35,170	6,157	431	24.5	24.2	27.0	16.4
Circulatory system	80,906	68,487	11,880	539 92	6.8	7.3	3.9	2.8
Respiratory system	22,635	20,827	1,716	100	2.4	2.5	1.7	3.0
Digestive system	7,806	6,963	743	63	.9	.8	1.3	1.9
Genito-urinary system	2,926	2,302	561	63	·"		1	i
Skin and cellular tissue	1,358	1,149	171	38	.4	.4	.4	1.2
Bones and organs of movement	43,677	37,831	5,331	515	13.2	13.3	12.1	15.6
Congenital malformations	2,670	2.398	259	13	.8	.8	.6	.4
Accidents, poisonings, and violence	25,319	21,778	3,183	358	7.7	7.7	7.2	10.9
Other	518	444	69	5	.2	.2	.2	} -3



Table 15.--Diagnostic group by race and sex--Continued

Diagnostic group		Male	• _			Perc	ent	
Diagnostic group	Total	White	Negro	Other	Total	White	Negro	Other
Total	246,442	212,061	31,663	2,718	100.0	100.0	100.0	100.0
Infective and parasitic diseases	8,628	6,019	2,429	180	3.5	2.8	7.7	6.6
Neoplasms	25,702	23,226	2,231	245	10.4	11.0	7.0	9.0
Ulergic, endocrine system, metabolic,		,	1 -,		2007	11.0	۰.۰	۰.۰۷
and nutritional diseases	7,080	6,057	911	112	2.9	2.9	2.9	4.1
Diseases of the blood and		•,•••			-,,	1,	•••	7
blood-forming organs	648	526	120	2	.3	.2	.4	.1
Mental, psychoneurotic, and	"	1	1 ***	-	.,	••	. •	••
personality disorders	29,963	25,449	4,129	385	12.2	12.0	13.0	14.2
,, 42000000000000000000000000000000000000	-,,,,,,	-5,447	7,227	363	12.2	12.0	13.0	14.2
Diseases of the -		l						
ervous system and sense organs	31,458	26,432	4,699	327	12.8	12.5	14.8	12.0
Circulatory system	61,836	53,486	7,891	459	25.1	25.2	24.9	16.9
Respiratory system	19,201	17,661	1,461	79	7.8	8.3	3.6	2.9
Digestive system	5.795	5.131	575	89	2.3	2.4	1.8	3.3
Genito-urinary system	2,122	1,658	414	50	.9	.8	1.3	1.8
• -•	-,	_,	7.7		.,		1.3	1.0
kin and cellular tissue	817	681	100	36	.3		.3	1.3
Sones and organs of movement	29,851	25,780	3,658	413	12.1	12.2	11.6	15.2
ongenital malformations	1,898	1,690	195	13	.8	.8	.6	
ccidents, poisonings, and violence	21,056	17,928	2,803	325	8.5	8.5		5
ther	387	337	47	323			8.9	12.0
	30/))))	4/	3	.2	.2	.1	.1



Table 15.--Diagnostic group by race and sex--Continued

		Fema	le		İ	Perc	ent	
Diagnostic group	Total	White	Negro	Other	Total	White	Negro	Other
Total	84,341	71,472	12,291	578	100.0	100.0	100.0	100.0
Infective and parasitic diseases	1,732	1,189	502	41	2.1	1.7	4.1	7.1
Neoplasms	10,858	9,616	1,194	48	12.9	13.4	9.7	8.3
Allergic, endocrine system, metabolic,	•	ł	1 .	1				
and nutritional diseases	4,279	3,241	1,002	36	5.1	4.5	8.2	6.2
Diseases of the blood and blood-forming organs	389	312	77	0	.5	.4	.6	
Mental, psychoneurotic, and personality disorders	11,931	10,549	1,289	93	14.1	14.8	10.4	16.1
Diseases of the -			[j			
Nervous system and sense organs	10,300	8,738	1,458	104	12.2	12.2	11.9	18.0
Circulatory system	19,070	15,001	3,989	80	22.6	21.0	32.4	13.8
Respiratory system	3,434	3,166	255	13	4.1	4.4	2.1	2.3
Digestive system	2,011	1,832	168	11	2.4	2.6	1.4	1.9
Genito-urinary system	804	644	147	13	1.0	.9	1.2	2.3
Skin and cellular tissue	541	468	71	2	.6	.7	.6	.3
Bones and organs of movement	13,826	12,051	1,673	102	16.4	16.9	13.6	17.6
Congenital malformations	772	708	64	0	.9	1.0	.5	
Accidents, poisonings, and violence	4,263	3,830	380	33	5.0	5.4	3.1	5.7
Other	131	107	22	2	.2	.1	.2	, 3

Worker Oisability Allorances, 1968 Table 16.--Leading causes by race and sex

Defense Manager		Numbe	r			Perc	ent	
Primary diagnosis	Total	White	Negro	Other	Total	White	Negro	Other
		·	J 	Total	·	L		L
lotal	330,783	283,533	43,954	3,296	100.0	85.7	13.3	1.0
teriosclerotic heart disease	51,473	46,441	4,727	305	100.0		 	
chizophrenic disorders	20,524	16,883	3,345	296	100.0	90.2	9.2	1.4
Łmphysema	16,305	15,247	1,013	45	100.0	93.5	6.2	1 .3
Osteo-arthritis	13,123	11,076	1,870	177	100.0	84.4	14.2	1.3
Oisplacement of intervertebral disc	10,051	8,825	1,093	133	100.0	87.8	10.9	1.3
Cerebral haemorrhage	9,544	7,459	1,978	107	100.0	78.2	20.7	1.1
Rheumatoid arthritis	8,624	7,693	848	83	100.0	89.2	9.8	1.0
Hypertensive heart disease	7,928 7,822	6,312	3,446 1,392	62	100.0	55.8	43.5	.8
Pulmonary tuberculosis	7,484	5;014	2,330	118 140	100.0	80.7 67.0	17.8 31.1	1.5
Malignant neoplasm of lung,								
unspecified	4,938	4,449	444	45	100.0	90.1	9.0	.9
Cerabral embolism	4,564	3,802	733	29	100.0	83.3	16.1	.6
Chronic brain syndrome	4,425	3,763	617	45	100.0	85.0	13.9	1.0
Cirrhosis of liver	3,570	3,298	246	26	100.0	92.4	6.9	.7
General arterioscierosis	3,504	3,108	358	38	100.0	88.7	10.2	1.1
All others	156,904	135,743	19,514	1,647	100.0	86.5	12.4	1.1
				Male		·		·
Total	246,442	212,061	31,663	2,718	100.0	86.1	12.8	1.1
Arterisoclerotic heart disease	41,599	38,073	3,255	271	100.0	91.5	7.8	.,
Schizophrenic disorders	15,082	12,292	2,535	255	100.0	81.5	16.8	1.7
Lmphysema	14,546	13,588	918	40	100.0	93.4	6.3	.3
Osteo-arthritis	8,581	7,261	1,1 (2	138	100.0	84.6	13.8	1.6
Oisplacement of intervertebral disc.	1,833	6,854	369	110	100.0	87.5	11.1	1.4
Cerebral haemorrhage	7,622	5,976	1,566	80	100.0	78.4	20.5	1.1
Rheumatoid arthritis	4,758	4,273	426	59	100.0	89.8	9.0	1.2
Hypertensive heart disease	5,151 5,309	3,018 4,470	2,088	45	100.0	58.6	40.5	9
Pulmonary tuberculosi	6,643	4,518	746 2,002	93 123	100.0	84.2 68.0	14.1 30.1	1.7
Malignant neoplasm of lung,]				
unspecified	4,395	3,967	384	44	100.0	90.3	8.7	1
Cerebral embolism	3,760	3,195	549	16	100.0	85.0	14.6	1.0
Chronic brain syndrome	3,593	3,046	508	39	100.0	84.8	14.1	1.1
Cirrhosis of liver	2,877	2,672	185	20	100.0	92.9	6.4	.7
General arteriosclerosis	2,974	2,672	279	23	100.0	89.8	9.4	.8
All others	111,719	96,186	14,171	1,362	100.0	86.1	12.7	1.2
				Femal	2			L
Total	84,341	71,472	12,291	578	100.0	84.7	14.6	.7
Arteriosclerotic heart disease	9,874	8,368	1,472	34	100.0	84.8	14.9	.3
Schizophrenic disorders	5,442	4,591	810	41	100.0	84.3	14.9	.8
Emphysema	1,759	1,659	95	5	100.0	94.3	5.4	.3
Osteo-arthritis Oisplacement of intervertebral disc	4,542 2,218	3,815 1,971	688 224	39 23	100.0 100.0	84.0 88.9	15.1 10.1	.9 1.0
Cerebral haemorrhage	1 022	1 402	,,,					
Rheumatoid arthritis	1,922 3,866	1,483 3,420	412 422	27 24	100.0	77.2 88.5	21.4 10.9	1.4
Hypertensive heart disease	2,777	1,402	1,358	17	100.0	50.5	48.9	.6 .6
Olabetes	2,513	1,842	646	25	100.0	73.3	25.7	1.0
Pulmonary tuberculosis	841	496	328	17	100.0	59.0	39.0	2.0
Malignant neoplasm of lung,			, ,					
unspecified	543 804	482 607	60 184	1 1	100.0	88.8	11.0	.2
Chronic brain syndrome	832	717	104	13 6	100.0 100.0	75.5 86.2	22.9 13.1	1.6
Cirrhosis of liter	693	626	61	6	100.0	90.3	8.8	.9
General arteriosclerosis	5 30	436	79	15	100.0	82.3	14.9	2.8
All others	45,185	39,557	5,343	285	100.0	87.6	11.8	.6
	ـــــــا			l				





....



Table 17.--Mobility status by diagnostic group

				-								
			Inertruction		Hospitalized	lized	:	-	Ampa	latory ou	Ambulatory outside the nome	ше
	Total	12	alized 1/	17	77		Housebound	puno	With help	ıelp	By St	self
Diagnostic group	Number	Per-	Number	Per-	Number	Per-	Number	Per-	Number	Per- cent	Number	Per- cent
Total	330,783	100.0	30,064	100.0	19,054	100.0	23,705	100.0	53,705	100.0	204,255	100.0
Infective and parasitic diseases	10,360	3.1	4,993	16.6	935	4.9	477 6,145	2.0	855 4,833	1.6	3,100	1.5 9.0
tem,	11,359	3.4	255	80.	717	2.5	780	3.3	2,463	4.6	7,387	3.6
Diseases of the blood and blood- forming organs.	1,037	.3	25	(<u>3</u> /)	67	7.	55	.2	127	.2	763	7.
Mental, psychoneurotic, and personality disorders	41,894	12.7	14,732	0.64	1,002	5.3	1,013	4.3	3,809	7.1	21,338	10.4
Nervous system and sense organs Circulatory system Respiratory system Respiratory system Genito-urinary system Skin and cellular tissue Bones and organs of movement Congenital malformations Accidents, poisonings, and violence.	41,758 80,906 22,635 7,806 2,926 1,358 43,677 2,670 25,319	12.6 24.5 24.5 2.4 2.4 13.2 7.7	2,433 1,486 1,486 416 1115 40 817 817	8.1 6.9 11.9 11.4 7.2 7.2 6.9	2,452 2,847 548 648 265 66 1,366 1,366	12.9 14.9 2.9 3.4 1.4 7.2 7.2 17.2 (37)	4,581 4,223 6653 574 249 77 2,012 2,753	19.3 17.8 2.4 2.4 1.1 1.1 8.5 11.6	11,493 8,566 1,202 1,016 1,016 1340 1340 9,934 659 8,190 8,190	21.4 16.0 12.2 1.9 1.9 18.5 18.5 15.2	20,799 63,784 19,661 5,152 1,053 29,548 1,865 9,023	10.2 31.2 9.6 2.5 1.0 1.5 14.5 2.9

Disabled person was confined to an institution i.e. mental, tuberculosis, or chronic disease hospital, soldier's home, etc. Disabled person was a patient in a general hospital. Less than 0.05 percent. ומוהוה

Table 18. -- Education by age and sex

Highest grade of school completed 1/	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
			_		Total				
Total	311,845	18,821	10,774	14,323	21,924	33,400	47,936	74,101	90,566
8th grade or less No schooling 1-4 5-7 8	148,532 5,523 27,638 53,719 61,652	2,697 74 269 1,198 1,156	2,673 87 432 1,106 1,048	5,016 165 890 2,154 1,807	8,193 251 1,650 3,034 3,258	14,333 508 2,948 5,407 5,470	23,076 776 4,782 8,189 9,329 21,713	40,732 1,580 7,649 14,725 16,778	51,812 2,082 9,018 17,906 22,806
9-11	70,345 65,844	5,024 8,259	3,031 3,688	3,628 3,932	6,220 5,508	8,306 7,946	11,055 10,658	15,705 12,433	17,376 13,420
College	27,124 17,388 7,577 2,159	2,841 2,266 523 52	1,382 938 379 65	1,747 1,184 460 103	2,003 1,239 582 182	2,815 1,879 704 232	3,147 2,101 819 227	5,231 3,138 1,635 458	7,958 4,643 2,475 840
					Percent	_			
Total	100.0	100.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0
8th grade or less No schooling 1-4 5-7 8	47.6 1.8 8.9 17.2 19.8	14.3 .4 1.4 6.4 6.1	24.8 .8 4.0 10.3 9.7	35.0 1.2 6.2 15.0 12.6	37.4 1.1 7.5 13.8 14.9	42.9 1.5 8.8 16.2 16.4	48.1 1.6 10.0 17.1 19.5	55.0 2.1 10.3 19.9 22.6	57.2 2.3 10.0 19.8 25.2
### ### ##############################	43.7 22.6 21.1	70.6 26.7 43.9	62.4 28.1 34.2	52.8 25.3 27.5	53.5 28.4 25.1	48.7 24.9 23.8	45.3 23.1 22.2	38.0 21.2 16.8	34.0 19.2 14.8
College	8.7 5.6 2.4 .7	15.1 12.0 2.8 .3	12.8 8.7 3.5 .6	12.2 8.3 3.2 .7	9.1 5.7 2.7 .8	8.4 5.6 2.1 .7	6.6 4.4 1.7	7.1 4.2 2.2 .6	8.8 5.1 2.7 .9

 $[\]underline{\mathbf{1}}/$ Distributed for those workers whose educational status was known.



Worker Disability Allowances, 1968 Table 18.--Education by age and aex--Continued

Highest grade of school completed <u>l</u> /	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
•					Male			, 	
Total	232,638	15,567	8,516	11,246	16,263	24,301	34,169	52,815	69,761
8th grade or less	118,202	2,373	2,363	4,441	6,844	11,507	17,766	30,823	42,085
	4,796	69	77	142	215	443	673	1,338	1,839
No schooling	23,738	2 39	387	841	1,485	2,560	4,034	6,509	7,68
1-4	42,320	1,048	980	1,921	2,596	4,322	6,232	10,716	14,50
5-7 8	47,348	1,017	919	1,537	2,548	4,182	6,827	12,260	18,05
111-b - b - 1	96,002	10,931	5,200	5,594	8,099	10,878	14,355	18,695	22,25
High school	50,968	4,395	2,470	2,774	4,704	5,647	7,546	10,652	12,780
9-11 12	45,034	6,536	2,730	2,820	3,395	5,231	6,809	8,043	9,470
College	18,434	2,263	953	1,211	1,320	1,916	2,048	3,297	5,42
1-3	11,602	1,849	626	811	803	1,279	1,306	1,912	3,01
4	5,270	380	295	317	377	495	581	1,062	1,76
Graduate school	1,562	34	32	83	140	142	161	323	64
				·	Percent	·			
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.
	50.8	15.2	27.7	39.5	42.1	47.4	52.0	58.4	60.
8th grade or less	2.1	13.2	99	1.3	1.3	1.8	2.0	2.5	2.
No schooling		1.5	4.5	7.5	9.1	10.5	11.8	12.3	11.
1-4	10.2 18.2	6.7	11.5	17.1	16.0	17.8	18.2	20.3	20.
5-7	20.4	6.5	10.8	13.7	15.7	17.2	20.0	23.2	25.
0	i		ł		l		/2.0	35.4	31.
High school	41.3	70.2	61.1	49.7	49.8	44.8	42.0	20.2	18
9-11	21.9	28.2	29.0	24.7	28.9	23.2	22.1	15.2	13.
12	19.4	42.0	32.1	25.1	20.9	21.5	20.0		13.
College	7.9	14.5	11.2	10.8	8.1	7.9	6.0	6.2	7.
1-3	5.0	11.9	7.4	7.2	4.9	5.3	3.8	3.6	. (
4	2.3	2.4	3.5	2.8	2.3	2.0	1.7	2.0	2.
Graduate school	.7	.2	.4	1 .7	1 .9	.6	.5	.6	1 .

 $[\]underline{1}/$ Distributed for those whose educational status was known.



Table 18.--Education by age and sex--Continued

Highest grade of school completed <u>1</u> /	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and
					Female	<u> </u>			
Total	79,207	3,254	2,258	3,077	5,661	9,099	13,767	21,286	20,805
8th grade or less	30,330	324	310	575	1,349	2,826	5,310	9,909	9,727
No schooling	727	5	10	23	36	65	103	242	243
1-4	3,900	30	45	49	165	388	748	1,140	1,335
5-7	11,399	150	126	233	438	1.085	1,957	4.009	3,401
8	14,304	139	129	270	710	1,288	2,502	4,518	4,748
					ŀ		1	•	<u> </u>
igh school	40,187	2,352	1,519	1,966	3,629	5,374	7,358	9,443	8,546
9-11	19,377	629	561	854	1,516	2,659	3,509	5,053	4,596
12	20,810	1,723	958	1,112	2,113	2,715	3,849	4,390	3,950
College	8,690	578	429	536	683	899	1,099	1,934	2,532
1-3	5,786	417	312	373	436	600	795	1,226	1,62
4	2,307	143	84	143	205	209	238	573	712
Graduate school	597	18	33	20	42	90	66	135	193
01000111					72	, ,	- 00	133	1
		_			Percent				
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
oth grade or less	38.3	10.0	13.7	18.7	23.8	31.1	38.6	46.6	46.8
No schooling	.9	.2	.4	.7	.6	.7	.7	1.1	1.2
1-4	5.0	.9	2.0	1.6	2.9	4.3	5.4	5.4	6.4
5-7	14.4	4.6	5.6	7.6	7.7	11.9	14.2	18.8	16.3
8	18.1	4.3	5.7	٩.8	12.5	14.2	18.2	21.2	22.
igh school	50.7	72.3	67.3	63.9	64.1	59.0	53.4	44.4	41.1
9-11	24.5	19.3	24.8	27.8	26.8	29.2	25.5	23.7	22.
12	26.3	53.0	42.4	36.1	37.3	29.8	28.0	20.6	19.0
		33.0			3,.3		20.0	20.0	1
ollege	11.0	17.8	19.0	17.4	12.1	9.9	8.0	9.1	12.2
1-3	7.3	12.8	13.8	12.1	7.7	6.6	5.8	5.8	7.8
4	2.9	4.4	3.7	4.6	3.6	2.3	1.7	2.7	3.4
Graduate school	.8	.6	1.5	1 .6	.7	1.0	.5	.6	9

 $[\]underline{1}/$ Distributed for those whose educational status was known.



Worker Disability Allowances, 1968 Table 19.--Education by race and sex

Highest grade		Number				Perce	ent	
of school completed <u>1</u> /	Total	White	Negro	Other	Total	White	Negro	Other
				Total				
Total	311,845	267,371	41,432	3,042	100.0	100.0	100.0	100.0
th grade or less	148,532	119,452	27,334	1,746	47.6	44.7	66.0	57.4
No schooling	5,523	3,125	2,157	241	1.8	1.2	5.2	7.9
1-4	27,638	17,542	9,571	525	8.9	6.6	23.1	17.
5-7	53,719	42,778	10,253	688	17.2	16.0	24.7	22.0
8	61,652	56,007	5,353	292	19.8	20.9	12.9	9.1
igh school	136,189	122,530	12,580	1,079	43.7	45.8	30.4	35.
9-11	70,345	61,846	7,987	512	22.6	23.1	19.3	16.
12	65,844	60,684	4,593	567	21.1	22.7	11.1	18.
ollege	27,124	25,389	1,518	217	8.7	9.5	3.7	7.
1-3	17,388	16,184	1,075	129	5.6	6.1	2.6	4.
4	7,577	7,147	387	43	2.4	2.7	.9	1.
Graduate school	2,159	2,058	56	45	.7	.8	.1	1.
		<u></u>		Male				
Total	232,638	200,292	29,847	2,499	100.0	100.0	100.0	100.
th grade or less	.118,202	95,991	20,718	1,493	50.8	47.9	69.4	59.
No schooling	4,796	2,700	1,878	218	2.1	1.3	6.3	8.
1-4	23,738	15,296	7,969	473	10.2	7.6	26.7	18.
5-7	42,320	34,409	7,320	591	18.2	17.2	24.5	23.
8	47,348	43,586	3,551	211	20.4	21.8	11.9	8.
igh school	96,002	86,909	8,254	839	41.3	43.4	27.7 17.5	33. 17.
9-11	50,968	45,310	5,230	428	21.9	22.6	10.1	16.
12	45,034	41,599	3,024	411	19.4	20.8	10.1	1
College	18,434	17,392	875	167 97	7.9 5.0	8.7 5.4	2.9	6.
1-3	11,602	10,860	645 209	28	2.3	2.5	.7	1.
4	5,270	5,033	209	42	1 .7	1 .7	.1	1.
Graduate school	1,562	1,499	21	42	<u></u>			J
				Female	: 			
Total	79,207	67,079	11,585	543	100.0	100.0	100.0	100
8th grade or less	30,330	23,461	6,616	253	38.3	34.9	57.1	46
No schooling	727	425	279	23	.9	.6	2.4	9
1-4	3,900	2,246	1,602	52	4.9	3.3	13.8	17
5-7	11,399	8,369	2,933	97	14.4	12.5	25.3	14
8	14,304	12,421	1,802	81	18.1	18.5	15.6	
ligh school	40,187	35,621	4,326	240	50.7	53.1	37.3	44 15
9-11	19,377	16,536	2,757	84	24.5	24.7	13.5	28
12	20,810	19,085	1,569	156	26.3	28.5	13.3	
College	8,690	7,997	643	50	11.0	11.9	5.6	9 5
1-3	5,786	5,324	430	32	7.3	7.9	3.7	2
4	2,307	2,114	178	15	2.9	3.2	1.5	4
Graduate school	597	559	35	3	.8	8.	.3	i

^{1/} Distributed for those workers whose educational status was known.





Worker Disability Allowances, 1968

Table 20. -- Visual impairments by age and sex

	C	[6		Age	Age on birthday in year	y in year	of onset of	of disability	11ty	
Category of visual			Under	r 35	35-49	67	50-59	59	60-65	65
1/	Number	Per- cent	Number	Per- cent	Number	Per- cent	Number	Per- cent	Number	Per-
					Total	al				
Total	4,932	100.0	1,124	100.0	1,355	0.001	1,701	100.0	752	100.0
Statutory blindness 2/ Industrial blindness 3/	3,019	61.2 26.6	847 239	75.4	859 356	63.4	909	53.4	404	53.7
Defective vision 4/	603	12.2	38	3.4	140	10.3	274	16.1	151	20.1
					Male	le				
Total	3,512	100.0	819	100.0	766	0.001	1,150	100.0	549	100.0
Statutory blindness	2,223	63.3	615	75.1	653	65.7	647	56.3	308	56.1
Defective vision	377	10.7	32	21.0 3.9	249 92	9.3	341 162	29.7	150 91	27.3 16.6
					Female	ıle				
Total	1,420	100.0	305	100.0	361	0.001	551	100.0	203	100.0
Statutory blindness Industrial blindness Defective vision	796 398 226	56.1 28.0 15.9	232 67 6	76.1 22.0 2.0	206 107 48	57.1 29.6 13.3	262 177 112	47.5 32.1 20.3	09 44 96	47.3 23.2 29.6

The basis for allowing a period of disability was not necessarily the worker's visual impairment, except for workers 7

त्री क्रीत्री

who were statutorily blind.

Central visual acuity of 5/200 or less, or concentric contraction of visual field to 5 degrees or less, in the better eye with the use of correcting lens.

Central visual acuity better than 5/200 but not greater than 20/200 in the better eye with the use of correcting lens.

Central visual acuity better than 20/200 but not greater than 20/60 in the better eye with the use of correcting lens.



Worker Disability Allowances, 1968

Table 21. -- Auditory impairments 1/ by age and sex

	1			Age	Age on birthday in year of onset of disability	in year	of onset c	of disabi	lity	r.
Category of	Total	- -	Under	35	35–49	61	50-59	95	9-09	55
impairment	Number	Per- cent	Number	Per- cent	Number	Per- cent	Number	Per- cent	Number	Per- cent
					Total	11				
Total	632	100.0	58	100.0	118	100.0	330	100.0	126	100.0
Totally deaf 2/	531 101	84.0 16.0	53 5	91.4	110 8	93.2	264 66	80.0	104	82.5 17.5
					Male	e				
Total	413	100.0	27	100.0	62	100.0	243	100.0	99	100.0
Totally deaf $\frac{2}{\dots}$	340	82.3	23	85.2 14.8	72	91.1 8.9	191 52	78.6	54 10	84.4 15.6
					Female	ale				
Total	219	100.0	31	100.0	39	100.0	87	100.0	62	100.0
Totally deaf 2/ Partially deaf	191 28	87.2 12.8	30	96.8 3.2	38	97.4	73	83.9	50 12	80.6 19.4

The basis for allowing a period of disability was not necessarily the worker's auditory impairment. Absence of air and bone conduction in both ears, or auditory perception of not more than I pure tone at high volume, not improvable by hearing aid. 7|7|

G

Table 22. -- Disability rates by State

Arkansas 1,108 Pennsylvania 1,102 Alabama 960 Texas 1,102 Louisiana 951 Michigan Kentucky 874 New Jersey New Mexico 862 North Dakota South Carolina 831 New York Georgia 820 Kansas Montana 816 Nevada Florida 784 Washington California 780 Wisconsin Oklahona 754 Ohio Virginia 724 Delaware Tennessee 721 Iowa Oregon 710 New Hampshire 55 Vermont 709 Hawaii 55 Maine 684 Massachusetts 55 South Dakota 673 Nebraska 55 North Carolina 666 Indiana 56 Wyoming 666 Indiana 56 Missouri 645 Utah 40	Rate per 100,000 pulation	State	Rate per $100,000$ population $\underline{1}/$	State
Arkansas 1,108 Pennsylvania West Virginia 1,102 Rhode Island Alabama 960 Texas Louisiana 951 Michigan Kentucky 874 New Jersey New Mexico 862 North Dakota South Carolina 831 New York Georgia 820 Kansas Montana 816 Nevada Florida 784 Washington California 780 Wisconsin Oklahona 754 Ohio Virginia 724 Delaware Tennessee 721 Iowa Oregon 710 New Hampshire Vermont 709 Hawaii Maine 684 Massachusetts South Dakota 673 Nebraska North Carolina 666 Indiana Wyoming 666 Indiana Missouri 646 Minnesota Colorado 645 Utah			626	United States
Arkansas. 1,108 Pennsylvania. West Virginia. 1,102 Rhode Island. Alabama. 960 Texas. Louisiana. 951 Michigan. Kentucky. 874 New Jersey. New Mexico. 862 North Dakota. South Carolina. 831 New York. Georgia. 820 Kansas. Montana. 816 Nevada. Florida. 784 Washington. California. 780 Wisconsin. Oklahona. 754 Ohio. Virginia. 724 Delaware. Tennessee. 721 Iowa. Oregon. 710 New Hampshire. Vermont. 709 Hawaii. Maine. 684 Massachusetts. South Dakota. 673 Nebraska. North Carolina. 666 Indiana. Wyoming. 666 Indiana. Missouri. 646 Minnesota. Colorado. 645 Utah.	629	Idaho	1,115	
New Mexico	621	Pennsylvania	1,108	Arkansas
Alabama. 960 Texas. 6 Louisiana. 951 Michigan. 6 Kentucky. 874 New Jersey. 6 New Mexico. 862 North Dakota. 6 South Carolina. 831 New York. 6 Georgia. 820 Kansas. 6 Montana. 816 Nevada. 6 Florida. 784 Washington. 6 California. 780 Wisconsin. 6 Oklahona. 754 Ohio. 6 Virginia. 724 Delaware. 6 Tennessee. 721 Iowa. 6 Oregon. 710 New Hampshire. 6 Vermont. 709 Hawaii. 6 Maine. 684 Massachusetts. 6 South Dakota. 673 Nebraska. 5 North Carolina. 670 Illinois. 5 Wyoming. 666 Indiana. 6 Wyoming. 666 Indiana. 6 Wisconsin.	618	Rhode Island	1,102	
Louisiana. 951 Michigan. 951 Kentucky. 874 New Jersey. 374 New Mexico. 862 North Dakota. 375 South Carolina. 831 New York. 375 Georgia. 820 Kansas. 375 Montana. 816 Nevada. 375 Florida. 784 Washington. 375 California. 780 Wisconsin. 375 Oklahona. 754 Ohio. 375 Virginia. 724 Delaware. 375 Tennessee. 721 Iowa. 375 Oregon. 710 New Hampshire. 375 Vermont. 709 Hawaii. 375 Maine. 684 Massachusetts. 375 South Dakota. 673 Nebraska. 375 North Carolina. 666 Indiana. 375 Wyoming. 666 Indiana. 375 Wyoming. 666 Indian	617	Texas	960	
New Mexico 862 North Dakota 862 South Carolina 831 New York 862 Georgia 820 Kansas 862 Montana 816 Nevada 863 Florida 784 Washington 864 California 780 Wisconsin 864 Oklahona 754 Ohio 96 Virginia 724 Delaware 96 Tennessee 721 Iowa 96 Oregon 710 New Hampshire 96 Vermont 709 Hawaii 96 Maine 684 Massachusetts 96 South Dakota 673 Nebraska 96 North Carolina 666 Indiana 96 Wyoming 666 Indiana 96 Wyoming 646 Minnesota 96 Wissouri 96 96 96 Wissouri.	598		951	Louisiana
New Mexico 862 North Dakota 831 New York 831 New York 832 831 New York 832 833 New York 833 833 New York 833 833 New York 833 833 New York 833	598	New Jersey	874	
South Carolina. 831 New York. Georgia. 820 Kansas. Montana. 816 Nevada. Florida. 784 Washington. California. 780 Wisconsin. Oklahona. 754 Ohio. Virginia. 724 Delaware. Tennessee. 721 Iowa. Oregon. 710 New Hampshire. Vermont. 709 Hawaii. Maine. 684 Massachusetts. South Dakota. 673 Nebraska. North Carolina. 670 Illinois. Wyoming. 666 Indiana. Wyoming. 666 Jistrict of Columbia. Arizona. 646 Winnesota. Colorado. 645 Utah.	588	North Dakota	862	
Georgia 820 Kansas 320 Montana 816 Nevada 320 Florida 784 Washington 320 California 780 Wisconsin 320 Oklahona 754 Ohio 320 Virginia 724 Delaware 320 Tennessee 721 Iowa 320 Oregon 710 New Hampshire 320 Vermont 709 Hawaii 320 Maine 684 Massachusetts 320 South Dakota 673 Nebraska 320 North Carolina 670 Illinois 320 Wyoming 666 Indiana 320 Minnesota 440 440 Maryland 645 Utah 440	577	New York.	831	South Carolina
Montana	577		820	
California 780 Wisconsin Oklahona 754 Ohio Virginia 724 Delaware Tennessee 721 Iowa Oregon 710 New Hampshire Vermont 709 Hawaii Maine 684 Massachusetts South Dakota 673 Nebraska North Carolina 670 Illinois Wyoming 666 Indiana Missouri 653 District of Columbia Arizona 646 Minnesota Colorado 645 Utah	568	Nevada	816	Montana
California 780 Wisconsin 55 Oklahona 754 Ohio 55 Virginia 724 Delaware 55 Tennessee 721 Iowa 55 Oregon 710 New Hampshire 55 Vermont 709 Hawaii 55 Maine 684 Massachusetts 55 South Dakota 673 Nebraska 55 North Carolina 670 Illinois 55 Wyoming 666 Indiana 55 Wyoming 653 District of Columbia 55 Arizona 646 Minnesota 44 Colorado 645 Utah 44	562	Washington.	784	
Oklahona. 754 Ohio. 55 Virginia. 724 Delaware. 55 Tennessee. 721 Iowa. 55 Oregon. 710 New Hampshire. 55 Vermont. 709 Hawaii. 55 Maine. 684 Massachusetts. 55 South Dakota. 673 Nebraska. 55 North Carolina. 670 Illinois. 55 Wyoming. 666 Indiana. 55 Missouri. 653 District of Columbia. 55 Arizona. 646 Minnesota. 44 Maryland 630 Utah. 44	561	Wisconsin	780	
Virginia. 724 Delaware. 55 Tennessee. 721 Iowa. 55 Oregon. 710 New Hampshire. 55 Vermont. 709 Hawaii. 55 Maine. 684 Massachusetts. 55 South Dakota. 673 Nebraska. 55 North Carolina. 670 Illinois. 55 Wyoming. 666 Indiana. 55 Arizona. 646 Minnesota. 54 Colorado. 645 Utah. 44	550	Ohio	754	
Tennessee	541	Delaware	724	Virginia
Vermont	539		721	Tennessee
Vermont	536	New Hampshire	710	Oregon
Maine	533	Hawaii	709	
South Dakota 673 Nebraska 5 North Carolina 670 Illinois 5 Wyoming 666 Indiana 5 Missouri 653 District of Columbia 5 Arizona 646 Minnesota 4 Colorado 645 Utah 4	523	Massachusetts	, , ,	
Wyoming 666 Indiana 5 Missouri 653 District of Columbia 5 Arizona 646 Minnesota 4 Colorado 645 Utah 4	52 <i>3</i> 518		The state of the s	
Missouri 653 District of Columbia 5 Arizona 646 Minnesota	515	Illinois	670	North Carolina
Missouri	514	Indiana	666	Wyoming
Arizona 646 Minnesota 4 Colorado 645 Utah 4	505		653	
Colorado 645 Utah 4	480			Arizona
Maruland 420	464		(1	
	464 431	Connecticut	- · - 1	
, , , , , , , , , , , , , , , , , , ,	431		1	

^{1/} Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.



Table 23.--Circulatory disease rates by State

State	Rate per 100,000 population <u>1</u> /	State	Rate per 100,000 population
United States	153		
West Virginia	299	Pennsylvania	148
Mississippi	295	Wisconsin	147
Arkansas	289	Delaware	146
South Carolina	255	Texas	146
Louisiana	248	Arizona	143
Alabama	245	Ohio	139
Kentucky	209	Michigan	137
Georgia	203	Washington	137
Maine	203	South Dakota	134
Florida	195	Wyoming	132
Vermont	194	Kansas	129
North Carolina	190	Illinois	128
Tennessee	190	New Hampshire	128
Virginia	184	Indiana	125
New Jersey	183	Massachusetts	117
Oklahoma	174	Nevada	117
Maryland	173	Iowa	115
Missouri	168	Connecticut	113
California	164	District of Columbia	113
Rhode Island	163	Minnesota	112
Montana	162	North Dakota	112
New York	156	Nebraska	111
New Mexico	151	Colorado	105
Oregon	151	Hawaii	99
Idaho	148	Utah	92
a west V V V V V V V V V V V V V V V V V V V		Alaska	72

^{1/} Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.



Worker Disability Allowances, 1968 Table 24.--Emphysema rates by State

State	Rate per 100,000 population 1/	State	Rate per 100,000 population
United States	31		
West Virginia	115	South Carolina	33
Montana	64	Tennessee	33
New Mexico	64	Colorado	32
Arkansas	63	South Dakota	32
Oklahoma	61	Texas	31
Idaho	53	Indiana	30
Kentucky	53	North Carolina	28
Alabama	50	Michigan	26
Mississippi	50	New York	26
Iowa	46	Nevada	25
Maine	46	Florida	24
Vermont	46	Wisconsin	24
Virginia	46	Illinois	22
Oregon	45	Maryland	22
Wyoming	44	New Jersey	22
Arizona	42	Delaware	21
Georgia	39	Connecticut	20
Missouri	39	Massachusetts	20
Washington	38	Nebraska	20
Louisiana	36	Alaska	18
New Hampshire	36	North Dakota	18
Pennsylvania	36	Utah	18
California	35	Minnesota	15
Ohio	35	Rhode Island	13
Kansas	34	Hawaii	6
		District of Columbia	3

^{1/} Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.



Table 25.--Schizophrenia rates by State

United States	39		
Alabama	65	Maine	34
Wyoming	65	Missouri	34
Arkansas	54	Rhode Island	34
South Dakota	54	South Carolina	34
Tennessee	54	Indiana	32
Mississippi	53	Maryland	32
Pennsylvania	50	Minnesota	32
Hawaii	49	Texas	30
Michigan	48	Connecticut	29
New Jersey	48	District of Columbia	29
North Dakota	48	Nebraska	29
Florida	47	Virginia	29
New York	47	Massachusetts	28
Kansas	44	Oregon	27
Louisiana	44	Montana	26
West Virginia	44	North Carolina	26
California	42	Alaska	2 5
Georgia	41	Utah	25
Wisconsin	41	Delaware	24
Kentucky	40	Iowa	24
Ohio	37	Vermont	24
New Mexico	36	New Hampshire	23
Oklahoma	36	Washington	21
Colorado	35	Arizona	20
Illinois	35	Nevada	20
		Idaho	18

^{1/} Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.



Table 26.--Diabetes rates by State

State	Rate per 100,000 population <u>1</u> /	State	Rate per 100,000 population
United States	15	•	
Mississippi	37	Ohio	15
West Virginia	26	Tennessee	15
South Carolina	22	Arkansas	14
Georgia	21	Iowa	14
North Carolina	21	Louisiana	14
Florida	20	Maine	14
New Mexico	19	New York	14
Vermont	19	South Dakota	14
Alabama	18	Virginia	14
Delaware	18	Connecticut	13
Wisconsin	18	Minnesota	13
California	17	Nebraska	13
District of Columbia	17	Texas	13
Missouri	17	Oregon	13
Pennsylvania	17	Colorado	12
Rhode Island	17	Kansas	12
Idaho	16	Ken tucky	12
Maryland	16	North Dakota	12
Massachusetts	16	Illinois	10
Michigan	16	Oklahoma	10
New Jersey	16	Utah	9
Wyoming	16	Washington	9
Arizona	15	New Hampshire	8
Indiana	15	Alaska	8
Montana	15	Hawaii	7
		Nevada	7

^{1/} Workers insured in event of disability. In 1967 publication, distribution was based on United States population aged 18-64.



Worker Disability Allowances, 1968
Table 27.--Diagnostic group and State

ì						Di ag	nostic group					
State	Total	Infec- tive and para- sitic dise_ser	Neo- plasms	Allergic, endocrine system, meta- bolic, and nutri- tional diseases	Hental, psycho- neurotic, and person- aitty disorders	Diseases of the nervous system and sense organs	Diseases of the circum latury system	Diseases of the respira- tory system	Diseases of the digestive system	Diseases of the bones and organs of move- ment	Acci- dents. poison- ings. and vio- lence	Other
Total co.c.	330,783	10,360	36,560	11,359	41,894	41,758	80,906	22 ,6 35	7,806	43,677	25,319	8,509
	6,967	326	669	217	928	750	1,775	553	153	873	580 26	143
Alabama	206	, ,,	29	5	25	21	35	13	3	36 381	231	56
Arizona.	2,456	88	243	71	248	289	542	246	61 106	726	372	105
Arkansas.	4,424	118	484	102	441	485	1,155 8,078	330 2,426	1,084	7,248	3,516	1,125
California.	38,338	1,023	3,744	1,235	4,334	4,52.	1 8,078	2,420	1,004	',510		
	2 0/2		315	87	422	386	477	208	92	468	356	73
Colorado	2,942 3,780	58 118	473	%	489	539	991	226	114	368	231 60	78 11
Connecticut	894	110	129	43	85	111	241	59	24	96	211	58
Dist. of Col.	1,380	33	130	70	163	182	308	50	35	1,337	752	297
Florida.	11,019	534	1,296	393	1,382	1,354	2,734	614	328	1,337	1	
		l !		344	1,059	1,298	2,190	577	161	1,153	710	274
Georgia	8,855	276	813	344	1,039	144	177	22	18	137	91	33
Havaii op vood op	950 1.077	42 16	109 123	46	87	106	253	111	27	162	129	26 400
Idahocom	15,148	668	1,860	543	1,934	2,085	3,768	826	340	1,526	1,198	176
Illinois.	7,050	177	959	258	818	938	1,717	523	164	835	485	1 ./8
21102241611,0,0,0,0	.,		[İ		802	377	81	76	257	103
Iova organia	3,754	53	480	140	430	515 385	671	240	54	348	251	79
Kansasoger	3,007	78	380	93	428 709	617	1,355	593	161	704	7.97	1 38
ken tucky	5,665	204	570 635	117 149	678	729	1,719	384	123	1,075	672	140
Louisians.	6,589	285 31	172	36	171	187	456	137	27	188	81	47
Maine	1,533	1 4	1		1	1	}	1		l	459	121
Maryland	5,519	395	579	169	657	770	1,514	273	136 242	1.084	562	166
Massachusetts	7,623	197	860	300	983	1,0 3	1,701	435 909	377	1,710	893	274
Michigan	13,774	~ 1	1,668	578	1,880	1,994	3,152 991	249	68	527	349	113
Minnesota.	4,260		580	145 227	553 530	619	1,262	304	121	688	331	124
Mississippi	4,765	120	392	***	, , , , ,	1	1	l .	ł		1) .,,
Missouri	7,828	229	935	317	1,011	1,081	2,016	627	137	908 268	389 113	178
Montana	1,274	32	114	41	112	137	254	133	35 49	273	146	5
Nebraska.	1,932	60	248	98	227	261	132	99	20	103	63	2
Nevada	640	13	86	15	43 114	86 130	240	92	34	127	71	21
New Hampshire	1,006	19	126	32	114	1 130	1	1 "	1	1		l
New Jersey.	11,257	426	1,2/5	407	1,549	1,387	3,444	575	320	1,047	578	249
New Mexico	1,568	49	113	51	154	173	274	143	27	383	2,104	75
New York	31,774	982	4,196	968	4,348	3,879	8,565	1,896	765	3,320	659	30
North Carolina	8,831	237	938	394	775	1,171	2,503	549 36	131	1,171	67	2
North Dakota	796	8	96	19	148	130	151	, ,	1 '	1	Į	1
61.4	1/ 252	350	1,485	522	1,850	1,787	3,626	1,142	332	1,903	1,053	35
Ohloren	14,353	134	509	107	582	343	971	374	69	674	319	13
Oklahoma.	3,729	48	364	95	424	467	793	385	49	2,406	1,231	53
Pennsylvania	20,170	529	2,338	783	2,985	2,546	4,797	1,540	480 53	2,408	1,232	1 4
Rhode Island	1,540	29	174	72	203	223	406	56	1 "	1 ""	1	1
	١	1	1	214	655	614	1,572	257	124	560	424	11
South Carolina	5,120 961	233 16	348 125	25	151	iii	191	73	23	133	81	3
South Dakota Tennessee	7,120	204	746	216	1,025	890	1,880	505	111	811	1,412	18
Teras	15,494	561	1,822	533	1,748	1,996	3,681	1,065	368	1,933	91	1 3
Utah	1,077	6	96	38	118	130	214	85	18	249	1 "	1 1
	ļ	1	1	,	82	93	207	69	25	100	46	1
Versont	757	14	72	31 218	894	937	1,854	611	183	899	498	18
Virginia	7,317	305 117	736 570	98	464	541	1,150	389	65	717	474	12
West Virginia	4,164	148	358	119	447	389	1,129	578	76	511	321 416	1 18
Wisconsin	6,174	139	673	255	860	884	1,613	352	93	700	50	"
Wyoning	541	1 7	43	19	87	65	107	53	15	1 "	1 3	1 '
•	1	1	1			494	570	192	80	612	231	1 15
Puerto Rico	4,119	182	254	125	1,227	63	88	18	12	45	30	1 1
Abroad	337	1 8	28	, ,	, ,,	, ,,	,		1	T .	1	1

Worker Disability Allowances, 1968
Table 28.--Diagnostic group and State

						P	ercentage d	istribution					
State	Number	Total	Infective and parasitic diseases	Neo- plasms	Allergic, endocrine system, meta- bolic, and nutri- tional diseases	Mental, psycho- neurotic, and person- ality disorders	Diseases of the nervous system and sense organs	Diseases of the circu- latory system	Discases of the respira- tory system	Diseases of the diges- tive system	Diseases of the bones and organs of move- ment	Acci- dents, poison- ings, and vio- lence	Other
Total	330,783	100.0	3.1	11.1	3.4	12.7	12.6	24.5	6.8	2.4	13.2	7.7	2.6
Alabana	6,957	100.0	4.7	9.6	3.1	13.3	10.8	25.5	7.9	2.2	12.5	8.3	2.1
Alaskagg Arizonagg	206	100.0	3.4	14.1	2.4	12.1	10.2	17.0	6.3	1.5	17.5	12.6	2.9
Arkansas	2,456 4,424	100.0	3.6 2.7	9.9	2.9	10.1	11.8	22.1	10.0	2.5	15.5	9.4	2.3
California	38,338	100.0	2.7	10.9 9.8	2.3 3.2	10.0 11.3	11.0 11.8	26.1 21.1	7.5 6.3	2.4 2.8	16.4 18.9	8.4 9.2	2.4
Colorado	2,942	100.0	2.0	10.7	3.0	14.3	13.1	16.2	7.1	3.1			
Connecticut.	3,780	100.0	3.1	12.5	4.0	12.9	14.3	26.2	6.0	3.1	15.9 9.7	12.1 6.1	2.5
Delaware	894	100.0	3.9	14.4	4.8	9.5	12.4	27.0	6.6	2.7	10.7	6.7	1.2
Dist. of Col	1,380	100.0	2.4	9.4	5.1	11.8	13.2	22.3	3.6	2.5	10.1	15.3	4.2
•	i	i .	4.8	11.8	3.5	12.5	12.3	24.8	5.6	3.0	12.1	6.8	2.7
Georgiaop.	8, 5 950	100.0	3.1	9.2	3.9	12.0	14.7	24.7	6.5	1.8	13.0	8.0	3.1
ldaho	1,077	100.0	1.5	11.5 11.4	2.4 4.3	16.2 8.1	15.2	18.6	2.3	1.9	14.4	9.6	3.5
lllinoisgg.	15,148	100.0	4.4	12.3	3.6	12.8	9.8 13.8	23.5 24.9	10.3	2.5	15.0	11.1	2.4
Indiana	7,050	100.0	2.5	13.6	3.7	11.6	13.3	24.4	7.4	2.2 2.3	10.1 11.8	7.9 6.9	2.6
lova	3,754	100.0	1.4	12.8	3.7	11.5	13.7	21.4	10.0	2.2	13.7		١.,
kansasgg	3,007	100.0	2.6	12.6	3.1	14.2	12.8	22.3	8.0	1.8	11.6	6.8 8.3	2.7
Kentucky	5,665	100.0	3.6	10.1	2.1	12.5	10.9	23.9	10.5	2.8	12.4	8.8	2.4
Louisiana	6,589 1,533	100.0	4.3 2.0	9.6 11.2	2.3	10.3	11.1	26.1 29.7	5.8	1.9	16.3	10.2	2.1
	1			Į		i		i	8.9	1.8	12.3	5.3	3.1
Marylanc Massachusetts	5,519 7,623	100.0	7.2 2.6	10.5	3.1 3.9	11.9	14.0	27.4	4.9	2.5	8.1	8.3	2.2
Michigan	13,774	100.0	2.5	12.1	4.2	12.9	14.3	22.3	5.7	3.2	14.2	7.4	2.2
Minnesota 😋 🧠	4,260	100.0	1.5	13.6	3.4	13.0	14.5	23.3	6.6 5.8	2.7	12.4 12.4	6.5 8.2	2.0
Mississippi	4,765	100.6	3.3	8.2	4.8	11.1	13.2	26.5	6.4	2.5	14.4	6.9	2.6
Missouri	7,828	100.0	2.9	11.9	4.0	12.9	13.8	25.8	8.0	1.8	11.6	5.0	2.3
Montana	1,274	100.0	2	8.9	3.2	8.8	10.8	19.9	10.4	2.7	21.0	8.9	2.7
Nebraska Nevada	1,932	100.0	3.1	12.8	5.1	11.7	13.5	21.4	5.1	2.5	14.1	7.6	3.0
New Hampshire.	1,006	100.0	2.0	13.4	2.3	11.3	13.4	20.6	8.8 9.1	3.1	16.1 12.6	9.8 7.1	3.6
New Jersag	11,257	100.0	3.8	11.3		}		İ	į.		12.0	7.1	2.1
New Mexico	1,568	100.0	3.1	7.2	3.6 3.3	13.8 9.8	12.3	30.6 17.5	5.1 9.1	2.8	9.3	5.1	2.2
New York	31,774	100.0	3.1	13.2	3.0	13.7	12.2	27.0	6.0	1.7	24.4	10.2	2.6
North C. olina	8,831	100.0	2.7	10.6	4.5	8.8	13.3	28.3	6.2	1.5	13.3	6.6 7.5	2.4 3.4
North Dakota	796	100.0	1.0	12.1	2.4	18.6	16.3	19.0	4.5	.,9	13.9	8.4	2.9
Oh1	14,353	100.0	2.1	10.3	3.6	12.9	12.5	25.3	8.0	2.3	13.3	7.3	2.5
Ok' ahona	4,215	100.0	3.2	12.1	2.5	13.8	8.1	23.0	8.9	1.6	16.0	7.6	3.2
Oregon	3,729	100.0	1.3	9.8	2.5	-1.4	12.5	21.3	10.3	1.3	17.3	10.3	2.0
Rhode Island	1,540	100.0	2.6	11.6	3.9 4.7	14.8	12.6 14.5	23.8	7.6 3.6	2.4 3.4	11.9	6.1	2.7
South Carolina	5,120	100.0	4.6				ŀ	1		1	17.1	4.2	2.7
South Dakota	961	100.0	1.7	13.0	2.6	12.8	12.0	30.7	5.0	2.4	10.9	8.3	2.3
Tannessee	7,120	100.0	2.9	10.5	3.0	15.7	11.6	19.9 26.4	7.6	2.4 1.6	13.8	8.4	3.3
Taxa	15,494	100.0	3.6	11.8	3.4	11.3	12.9	23.8	6.9	2.4	11.4	7.7 9.1	2.5
Utah	1,077	100.0	.6	8.9	3.5	11.0	12.1	19.9	7.9	1.7	23.1	8.4	3.0
Vermont	757	100.0	1.8	9.5	4.1	10.8	12.3	27.3	9.1	3.3	13.2	6.1	2.4
Virginia	7.317	100.0	4.2	10.1	3.0	12.2	12.8	25.3	8.4	2.5	12.3	6.8	2.5
West Virginia.	4,714	100.0	2.5 3.6	8.6	2.1	9.8	11.5	24.4	8.3	1.4	15.2	10.1	2.7
Wisconsin	6,174	100.0	2.3	10.9	2.9	10.7	9.3	27.1	13.9	1.8	12.3	7.7	2.1
Wyoming	541	100.0	1.3	7.9	3.5	10.1	14.3 12.0	26.1 19.8	5.7 9.8	1.6	11.3	6.7 9.2	3.0 3.0
Puerto Rico	4,119	100.0	4.4	6.2	3.0	29.8	12.0	13.8	4.7	1.9	i	1	
Abroad	337	100.0	2.4	8.3	1.5	6.8	18.7	26.1	5.3	3.6	14.9	5.6 8.9	3.7 5.0
												ا ئ	



Worker Disability Allowances, 1968

Table 29.--Ten primary diagnoses occurring most often by State

					Primary dia	gnosis				
State ,	Arterio- aclerotic heart disease including coronary disease	Schizo- phrenic disorders (dementia praecox)	Emphy- sema	Osteo- arthri- tis and allied condi- tions	Displace- ment of interver- tebral disc	Cere- bral haemor- rhage	Rheuma- toid arthri- tis and allied condi-	Certain and unspeci- fied hyper- tensive heart	Dia- betes mel- litus	Pulmo- nary tubercu- losis
	(420)	(300)	(528)	(723)	(735)	(331)	(722)	disease (443)	(260)	(002)
Total	51,473	20,524	16,305	13,123	10,051	9,544	8,624	7,928	7,822	7,484
Alabama	852	470	362	369	141	130	169	395	127	288
15ka	18	1 12) 502	14	3	6	10	í	4	2
Acizona	351	75	161	83	67	37	149	24	58	69
Arkansas	770	217	251	183	213	141	156	183	57	98
California	5,290	2,049	1,735	2,063	1,890	896	892	494	819	615
Colorado	307	160	148	153	98	59	86	12	53	28
Connecticut	647	258	174	102	124	47	65	43	114	76
Delaware	107	40	35	15	34	33	23	34	30	23
Dist. of Col	117	80	9	46	18	43	16	41	46	24
Flo _da	1,716	663	333	367	358	431	258	296	282	425
Georgia	1,277	445	422	319	238	492	273	274	230	231
llawaii	116	88	10	26	30	53	22	17	13	21
Idaho	168	31	91	54 .	42	19	36	17	27	4
Illinois	2,564	1,032	661	498	261	471	380	242	302 208	513
Indiana	1,088	433	411	288	194	332	1 39	166	200	
Iowa	525	168	322	148	116	162	140	65	99	31
Kansas	444	230	179	125	45	110	83	71	61	47
Kentucky	942	260	346	221	190 271	32 207	127 83	167 359	75 95	163 207
Louisiana	902	302 77	249 103	379 53	50	64	35	337	31	19
Maine	318	"	103	"	1 ~	į.				
Maryland	660	280	194	126	101 282	238	88 215	221 82	136 237	339 169
Massachusetts	1,096	412	289 598	270 537	271	139 484	310	144	362	282
Michigan	2,043 691	1,111	130	142	135	174	112	26	119	20
Minnesota Mississippi	661	226	214	133	197	166	171	310	156	123
Missouri	1,409	404	463	266	183	236	277	134	207	143
Montana	152	41	100	61	61	28	44	7	23	12
hebraska	264	109	73	79	35	76	61	18	50	39
Nevada	84	22	28	22	39	16	18	4	8	6
New hampshire	165	44	67	20	23	43	42	12	15	12
New Jersey	2,320	905	413	289	151	393	281	252	310	285
New Mexico	164	65	116	138	90	39	62	17	745	707
New York	5,778	2,566	1,458	1,383	531 172	817 196	573 324	646 361	279	148
North Carolina North Dakota	1,535 94	343 65	373 25	324 42	17	31	32	301	16	4
	2 430	970	903	485	495	241	376	320	380	182
OhioOklaisoma	2,430	203	343	239	186	22	124	127	55	74
Oregon	. 532	142	234	172	158	121	97	20	69	22
Pennsylvania	3,161	1,611	1.171	625	652	896	676	533	555	370
Rhode Island	253	85	33	51	55	50	44	40	43	19
South Carolina	819	209	205	180	129	158	165	354	137	193
South Dakota,	133	17	46	44	29	23	28	1 7	20	1 ,6
Tennessee	1,164	530	324	176	191	179	209	240	144	144
Texas	2,298	756	787	533	608	364 20	310 52	381	327	426
Utah	108	57	41	62	84	20	"	, ,	"	
Vermont	143	26	49	43	17	16	20	5	20	8
Virginia	1,029	291	468	267	124	237	280 123	344	141 72	246 92
Washington	830	177	319	257	196	66	96	138	99	113
West Virginia,	689	167 446	434 259	175 247	113	195	186	86	196	84
Wisconsin	1,167	53	36	18	16	10	21	5	13	3
	1	740	87	200	211	59	47	88	99	163
Puerto Rico Abroad	286 58	15	14	11	1 7	20	18	86	1 13	1 4
	1 ~~	1	I - '	i	1	1	1]	i	1



Disabled Worker Allowances, 1968 Table 30. --State distribution by sex and race

			Male				Female		
State	Total	Total	White	Negro	Other	lotal	White	Negro	Other
Total	330,783	246,442	212,061	31,663	2,718	84,341	71,472	12,291	578
Alabama	6,967	5,409	4,029	1,380	0	1,558	1,152	406	0
Alaska	206	158	117	4	37	48	36	3	6
Arizona	2,456	1,901	1,728	79	94	555	525	24 127	0
Arkansas	4,424	3,580	2,997	579	797	844 10,127	717 8,939	1,026	162
California	38,338	28,211	25,032	2,382	/7/	10,127	0,737	1,020	102
Colorado	2,942	2,250	2,136	98 179	16 7	692 1,120	656 1.037	30 83	6
Connecticut	3,780 894	2,660 654	2,474 506	144	4	240	183	56	ľ
Delaware Dist. of Col	1,380	1.064	491	569	4	316	84	230	2
Florida	11,019	8,219	6,512	1,701	6	2,800	2,176	624	0
Coometa	8,855	6,622	4,788	1,834	٥	2,233	1,560	673	0
Georgia	950	736	212	7	517	214	48	0 '	166
Idaho	1,077	820	812	2	6	257	256	i	0
Illinois	15,148	11,121	9,527	1,537	57	4,027	3,424	592	11
Indiana	7,050	5,381	4,898	471	12	1,669	1,538	131	0
Iowa	3,754	2,863	2,817	45	1	891	868	21	2
Kansas	3,007	2,315	2,139	153	23	692	637	53	2
Kentucky	5,665	4,663	4,327	331	5	1,002	870	132	0
Louisiana	6,589	5,328	3,620	1,700	8	1,261	692	559	10
Maine	1,533	1,138	1,137	0	1	395	395	0	"
Maryland	5,519	4,125	3,025	1,087	13	1,394	1,066	324	4
Massachusetts	7,623	5,338	5,135	176	27	2,285	2,201	84	0
Michigan	13,774	10,378	8,807	1,510	61	3,396	2,705 977	670 16	21
Minnesota	4,260	3,261	3,203	50	8	999 1,268	795	473	١٥
Mississippi	4,765	3,497	2,437	1,047	1	1,200	′′′	1	
Missouri	7,828	5,663	5,052	595	16	2,165	1,861 310	303	1 4
Montana	1,274	960	939	50	18	468	448	20	1 6
Nebraska	1,932	1,464	441	17	2	180	160	15	5
New Hampshire	1,006	704	702	2	ō	302	300	2	0
New Jersey	11,257	7,716	6,655	1,031	30	3,541	3,053	483	5
New Mexico	1,568	1,316	1,214	38	64	252	238	7	7
New York	31,774	21,356	18,718	2,423	215	10,418	9,019	1,363	36
North Carolina	8,831	6,348	4,814	1,497	37	2,483	1,823	660	0
North Dakota	796	614	603	0	11	182	182	0	"
Ohio	14,353	10,875	9,672	1,193	10	3,478	3,002	476	0
Oklahoma	4,215	3,233	2,934	213	86	982	902	51	29
Oregon	3,729	2,908	2,839	47	22	821	807	13	1 0
Pennsylvania	20,170	14,958	13,519	1,403	36	5,212	4,708 537	504	0
Rhode Island	1,540	997	971	20		, ,43	737	1	
South Carolina	5,120	3,680	2,530	1,145	5	1,440	1,059	381	0
South Dakota	961	780	769	2	9	181	176	346	4
Tennessee	7,120	5,458	4,613	845	16	1,662 3,310	1,312 2,679	631	0
Texas Utah	15,494	12,184 791	10,235	1,933	7	286	284	2	ő
	1	572	54.7	5	0	185	185	,	0
Vermont	757	5,512	4,200	1,297	15	1,805	1,253	552	lő
Virginia	7,317	3,815	3,670	107	38	899	877	14	8
Washington West Virginia	4,164	3,468	3,277	191	1 0	696	664	32	0
Wisconsin	6,174	4,808	4,592	205	11	1,366	1,334	32	0
Wyoming	541	420	410	5	5	121	117	3	1
Puerto Rico	4,119	3,432	2,816	309	307	687	578	47	62
I MEILU MICO	, 4,447	1 2,724							
Abroad	337	258	216	1 7	35	1 79	67] 10) 2



Worker Disability Allowances, 1968 Table 31.--State distribution by sex and race

			Perc	entage d	istributio			
-				-		Fema		
State	т	Mal	 _			White	Negro	Other
	Total	White	Negro	Other	Total		<u>`</u> _	
Total	100.0	86.0	12.8	1.1	100.0	84.7	14.6	
Alabama	100.0	74.5 74.1	25.5 2.5	23.4	100.0	73.9 75.0	26.1	18.8
Alaska	100.0	90.9	4.2	4.9	100.0	94.6	4.3	1.1
Arizona	100.0	83.7	16.2	.1	100.0	85.0	15.0	
Arkansas California	100.0	88.7	8.4	2.8	100.0	88.3	10.1	1.6
Colorado·····	100.0	94.9	4.4	.7	100.0	94.8 92.6	4.3 7.4	.9
Connecticut	100.0	93.0	6.7	.3	100.0 100.0	76.3	23.3	.4
Delaware	100.0	77.4	22.0	.4	100.0	26.6	72.8	.6
Dist. of Col	100.0	46.1	53.5 20.7	i	100.0	77.7	22.3	
Florida	100.0	79.2			1			
Georgia	100.0	72.3	27.7	70.2	100.0	69.9 22.4	30.1	77.6
Hawaii	100.0	28.8	1.0	70.2	100.0	99.6	.4	
Idaho	100.0	99.0	.2 13.8	.7	100.0	85.0	14.7	.3
Illinois	100.0 100.0	85.7 91.0	8.8	.3	100.0	92.2	7.8	
Indiana	100.0			l	1		2.4	.2
Iowa	100.0	98.4	1.6		100.0	97.4 92.0	7.7	.3
Kansas	100.0	92.4	6.6	1.0	100.0	86.8	13.2	
Kentucky	100.0	92.8	7.1	.1	100.0	54.9	44.3	.8
Louisiana	100.0	67.9	31.9	1 .1	100.0	100.0		
Maine	100.0	99.9		}	}			
Maryland	100.0	73.3	26.4	.3	100.0	76.5 96.3	23.2	.3
Massachusetts	100.0	96.2	3.3	.5	100.0	79.7	19.7	.6
Michigan	100.0	84.9 98.2	14.5	.6	100.0	97.8	1.6	.6
Minnesota Mississippi	100.0	69.7	29.9	.4	100.0	62.7	37.3	
••	100.0	89.2	10.5	.3	100.0	86.0	14.0	
Missouri	100.0	97.8	3	1.9	100.0	98.7		1.3
Montana Nebraska	100.0	96.4	3.4	.1	100.^	95.7	4.3	
Nevada	100.0	95.9	3.7	.4	100.0	88.9	8.3	2.8
New Hampshire	100.0	99.7	.3		100.0	99.3	.7	
New Jersey	100.0	86.2	13.4	.4	100.0	86.2 94.4	13.6	2.8
New Mexico	100.0	92.2	2.9	4.9	100.0	86.6	13.1	1 .3
New York	100.0	87.6	11.3	1.0	100.0	73.4	26.6	
North Carolina	100.0	75.8 98.2	23.6	1.8	100.0	100.0		
North Dakota	100 0	70.2		1	1			
Ohio	100.0	88.9	11.0	.1	100.0	86.3 91.8	13.7	3.0
Oklahoma	100.0	90.7	6.6	2.7		98.3	1.6	1 .1
Oregon	100.0	97.6	1.6	.8		90.3	9.7	
Pennsylvania Rhode Island	100.0	90.4	9.4		100.0	98.9	1.1	
	1	1	31.1	.1	100.0	73.5	26.5	
South Carolina.	100.0	68.8	31.1	1.1	1	97.2		2.8
South Dakota	100.0	98.6 84.5	15.5	ě.		78.9	20.8	.2
Tennessee Texas	100.0	84.0	15.9			80.9	19.1	
Utah	100.0	98.0	1.1		100.0	99.3	.7	
Vermont	100.0	99.1	.9			100.0		
Virginia	100.0	76.2	23.5	.3		69.4	30.6	
Washington	100.0	96.2	2.8		1	97.6	1.5	.9
West Virginia	100.0	94.5	5.5			95.4	4.6	
Wisconsin	100.0	95.5	4.3			97.7	2.3	.8
Wyoming	100.0	97.6	1.2	1.2	100.0	96.7	2.5	
Puerto Rico	100.0	82.1	9.0				6.8	9.0
Abroad	100.0	83.7	2.7	13.6	100.0	84.8	12.7	2.5
	1	1	_ L	<u> </u>	l			ــــــــــــــــــــــــــــــــــــــ



<u>Worker Disability Allowances, 1968</u> Table 32.--Occupation by age and sex

		1							
Major occupational groups	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
					Total				
Total	330,783	20,359	11,683	15,419	23,686	35,507	51,012	77,947	95,170
Professional and managerish	32,657	1,097	985	1,140	1,971	3,183	4,387	7,887	12,007
Professional	10,338	375	411	446	829	1,101	1,269	2,273	3,634
Semiprofessional	3,856	434	258	232	316	5 75	482	616	943
Managerial	18,463	288	316	462	826	1,507	2,636	4,998	7,430
Clerical and sales	40,747	2,741	1,584	1,970	3,208	4,227	6,43.	9,270	11,316
Clerical	27,196	2,254	1,248	1,526	2,256	2,938	4,330	5,775	6,869
Sales	13,551	487	336	444	952	1,289	2,101	3,495	4,447
Service	47,943	5,292	1,509	2.083	3,145	4,894	6,625	11,633	12,762
Domestic	6,201	60	100	96	276	582	984	2.068	2.035
Personal	23,547	1,211	696	855	1,707	2,589	3,598	6,360	6,531
Protecti ve	10,258	3,736	5 35	812	870	1,029	833	1,090	1,353
Building	7,937	285	178	320	292	694	1,210	2,115	2,843
Agriculture	18,470	669	348	549	794	1,668	2,743	4,831	6,868
Manufacturing	152,927	7,495	5.385	7,374	11,269	17,395	24,975	36,133	42,901
Skilled	67,099	2,376	1,878	2,727	4,284	6,845	10.854	16,566	21.569
Semiskilled	46,294	2,190	1,623	2,345	3,679	5,891	7,898	10,798	11,870
Unskilled	39,534	2,929	1,884	2,302	3,306	4,659	6,223	8,769	9,462
Unknown	38,039	3,065	1,872	2,303	3,299	4,140	5,851	8,193	9,316
					Percent			L	L
Total	100.0	6.2	3.5	4.7	7.2	10.7	15.4	23.6	28.8
Professional and managerial	100.0	3.4	3.0	3.5	6.0	9.7	13.4	24.2	36.8
Professional	100.0	3.6	4.0	4.3	8.0	10.6	12.3	22.0	35.2
Semiprofessional	100.0	11.3	6.7	6.0	8.2	14.9	12.5	16.0	24.5
Managerial	100.0	1.6	1.7	2.5	4.5	8.2	14.3	27.1	40.2
Clerical and sales	100.0	6.7	3.9	4.8	7.9	10.4	15.8	22.8	27.8
Clerical	100.0	8.3	4.6	5:6	8.3	10.8	15.9	21.2	25.3
Sales	100.0	3.6	2.5	3.3	7.0	9.5	15.5	25.8	72.8
Service	100.0	11.0	3.1	4.3	6.6	10.2	13.8	24.3	26.6
Domestic	100.0	1.0	1.6	1.5	4.5	9.4	15.9	33.3	32.8
Personal	100.0	5.1	3.0	3.6	7.2	11.0	15.3	27.0	27.7
Protective	100.0	36.4	5.2	7.9	8.5	10.0	8.1	10.6	13.2
Building	100.0	3.6	2.2	4.0	3.7	8.7	15.2	26.6	35.8
Agriculture	100.0	3.6	1.9	3.0	4.3	9.0	14.9	26.2	37.2
Manufacturing	100.0	4.9	3.5	4.8	7.4	11.4	16.3	23.6	28.1
Skilled.	100.0	3.5	2.8	4.1	6.4	10.2	16.2	24.7	32.1
Semiskiled,	100.0	4.7	3.5	5.1	7.9	12.7	17.1	23.3	25.6
Unskilled	100.0	7.4	4.8	5.8	8.4	11.8	15.7	22.2	23.9
Unknown	100.0	8.1	4.9	6.1	8.7	10.9	15.4	21.5	24.5



Table 32 .-- Occupation by age and sex--Continued

Major occupational groups	Total	Under 30	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
					Hale				
Total	246,442	16,905	9,216	12,105	17,460	25,805	36,211	55,512	73,228
Professional and managerial	23,827	848	752	819	1,402	2,237	3,037	5,565	9,167
Professional	5,368	182	241	253	463	579	590	1,022	2,038
Semiprofessional	2,968	395	223	176	210	430	323	435	776
Amagerisl	15,491	271	288	390	729	1,228	2,124	4,108	6,353
Clerical and sales	17,750	1,249	638	82 7	1,327	1,730	2,496	3,923	5,560
Clerical	9,191	879	381	507	591	899	1,275	1,817	2,842
Sales	8,559	370	257	320	736	831	1,221	2,106	2,718
Service	25,381	4,580	1,074	1,450	1,773	2,424	2,849	4,877	6,354
Domestic	384	18	10	5	17	12	30	116	176
Personal	9,005	589	356	402	678	943	1,101	2,223 1,046	2,713 1,288
Protective	10,034	3,729	535	801	821	1,000	814 904		2,177
Building	5,958	244	173	242	257	469	904	1,492	2,1//
Agriculture	17,668	656	348	531	746	1,599	2,623	4,558	6,607
Manufacturing	133,852	6,998	4,984	6,695	9,853	14,962	21,148	30,858	38,354
Skilled	63,203	2,293	1,827	2,5.9	4,040	0,463	9,991	15,502	20,508 9,555
Seminkilled	36,396	1,951	1,421	1,96%	2,925	4,531	5,984	8,034	8,29
Unskilled	34,253	2,754	1,736	2,121	2,886	3,968	5,173	7,322	0,27
Unknown	27,964	2,574	1,420	1,783	2,359	2,853	4,058	5,731	7,186
					Percent				
Total	100.0	6.9	3.7	4.9	7.1	10.5	14.7	22.5	29.7
Professional and managerial	100.0	3.6	3.2	3.4	5.9	9.4	12.7	23.4	38.
Professional	100.0	3.4	4.5	4.7	8.6	10.8	11.0	19.0	38.
Semiprofessional	100.0	13.3	7.5	5.9	7.1	14.5	10.9	14.7	26.
Managerial	100.0	1.7	1.9	2.5	4.7	7.9	13.7	26.5	41.
Clerical and sales	100.0	7.0	3.6	4.7	7.5	9.7	14.1	22.1	31.
Clerical	100.0	9.6	4.1	5.5	6.4	9.8	13.9	19.8	30.
Sales	100.0	4.3	3.0	3.7	8.6	9.7	14.3	24.6	31.
Service	100.0	18.0	4.2	5.7	7.0	9.6	11.2	19.2	25.
Domestic	100.0	4.7	2.6	1.3	4.4	3.1	7.8	30.2	45.
Personal	100.0	6.5	4.0	4.5	7.5	10.5	12.2	24.7	30.
Protective	100.0	37.2	5.3	8.0	8.2	10.0	8.1	10.4	12. 36.
Building	100.0	4.1	2.9	4.1	4.3	7.9	15.2	25.0	36.
Agriculture	100.0	3.7	2.0	3.0	4.2	9.1	14.8	25.8	37.
Manufacturing	100.0	5.2	3.7	5.0	7.4	11.2	15.8	23.1	28.
Skil led	100.0	3.6	2.9	4.1	6.4	10.2	15.8	24.5	32.
Semiskilled	100.0	5.4	3.9	5.5	8.0	12.4	16.4	22.1	26. 24.
Unskilled	100.0	8.0	5.1	6.2	8.4	11.6	15.1	21.4	l
Unknown	100.0	9.2	5.1	6.4	8.4	10.2	14.5	20.5	25.



Table 32.--Occupation by age and sex--Continued

Major occupational groups	Total	Under 30	30-34	3539	40-44	45-49	50-54	55-59	60 and Over
					Female		<u> </u>	1	1
Total	84,341	3,454	2,467	3,314	6,226	9,702	14,801	22,435	21,942
Professional and managerial	8,830	249	233	321	569	946	1,350	2,322	2,840
Professional	4,970	193	170	193	366	522	679	1,251	1,596
Semiprofessional	888	39	35	56	106	145	159	181	167
Hanagerial	2,972	17	28	72	97	279	512	890	1,077
Clerical and sales	22,997	1,492	946	1,143	1,881	2,497	3.935	5.347	5,756
Clerical	18,005	1,375	867	1.019	1,665	2,039	3,055	3,958	4,027
Sales	4,992	117	79	124	216	458	880	1,389	1,729
Service	22,562	712	435	633	1,372	2,470	3,776	6,756	6,408
Domestic	5,817	42	90	91	259	570	954	1,952	1,859
Personal	14,542	622	340	453	1,029	1.646	2,497	4,137	3,818
Protective	224	7		111	49	29	19	4,137	3,618
Building	1,979	41	5	78	35	225	306	623	666
Agriculture	802	13		18	48	69	120	273	261
Manufacturing	19,075	497	401	679	1,416	2,433	3.827	5,275	4,547
Skilled	3,896	83	51	148	244	382	863	1.064	1.061
Semiskilled	9,898	239	202	350	754	1,360	1.914	2,764	2,315
Unskilled	5,281	175	148	181	418	691	1,050	1,447	1,171
Unknown	10.075	491	452	520	940	1,287	1.793	2,462	2,130
	*				Percent				
Total	100.0	4.1	2.9	3.9	7.4	11.5	17.6	26.6	26.0
Professional and managerial	100.0	2.8	2.6	3.6	6.4	10.7	15.3	26.3	32.2
Professional	100.0	3.9	3.4	3.9	7.4	10.5	13.7	25.2	32.1
Semiprofessional	100.0	4.4	3.9	6.3	11.9	16.3	17.9	20.3	18.8
Managerial	100.0	.6	.9	2.4	3.3	9.4	17.2	29.9	36.2
Clerical and sales	100.0	6.5	4.1	5.0	8.2	10.9	17.1	23.2	25.0
Clerical	100.0	7.6	4.8	5.7	9.2	11.3	17.0	22.0	22.4
Sales	100.0	2.3	1.6	2.5	4.3	9.2	17.6	27.8	34.6
Service	100.0	3.2	1.9	2.8	6.1	10.9	16.7	29.9	28.4
Domestic	100.0	.7	1.5	1.6	4.5	9.8	16.4	33.6	32.0
Personal	100.0	4.3	2.3	3.1	7.1	11.3	17.2	28.4	26.3
Protective	100.0	3.1		4.9	21.9	12.9	8.5	19.6	29.0
Huilding	100.0	2.1	.3	3.9	1.8	11.4	15.5	31.5	33.7
Agriculture	100.0	1.6		2.2	6.0	8.6	15.0	34.0	32.5
Manufacturing	100.0	2.6	2.1	3.6	7.4	12.8	20.1	27.7	23.8
Skilled	100.0	2.1	1.3	3.8	6.3	9.8	22.2	27.3	27.2
Semiskilled	100.0	2.4	2.0	3.5	7.6	13.7	19.3	27.9	23.4
Unskilled	100.0	3.3	2.8	3.4	7.9	13.1	19.9	27.4	22.2
Unknown	100.0	4.9	4.5	5.2	9.3	12.8	17.8	24.4	21.1



Table 33. -- Occupation by sex

		Number		Н	Percent $1/$	
Major occupational	Total	Male	Female	Total	Male	Female
Total	330,783	246,442	84,341	100.0	100.0	100.0
STREET PARTY CONTRACTOR	32,657	23,799	8,858	11.2	10.9	11.9
MOIGNATOR THE THE PARTY OF THE	10,338	5,335	5,003	3.5	2.4	٠.٠
Sentorofessional	3,856	2,973	883	1.3		7.7
Managerial	18,463	15,491	2,972	7.0	:	•
-	77 07	17,760	22,987	13.9	8.1	30.9
Cier cal and sales	27,196	9,195	18,001	9.3	4.2	24.2
Sales	13,551	8,565	4,986	4.6	3.9	· · 9
		75 27	22 566	16.4	11.6	30.4
Service	47,745	786	5.817	2.1	.2	7.8
Domestic	775.0	8.986	14,561	8.0	4.1	19.6
Personal	10.258	10,049	209	3.5	9.4	۳.
Police, fire and military	7,937	5,958	1,979	2.7	2.7	2.7
Agriculture	18,470	17,667	803	6.3	8.1	1.1
	152 927	133,831	19.096	52.2	61.3	25.7
Manufacturing	640 29	63,199	3,900	22.9	28.9	5.2
Skilled	46.294	36,382	9,912	15.8	16.7	13.3
Unskilled	39,534	34,250	5,284	13.5	15.7	T:/
Unknown	38,039	28,008	io,031	!	!	-

1/ Percent distribution based on known occupational groups.



Table 34. -- Occupation by race

groups						119515	;	
	Total	White	Negro	Other	Total	White	Negro	Othe:
Total	330,783	283,533	43,954	3,296			1	
Known occupations	292,744	251,062	38,806	2,876	100.0	100.0	100.0	100.0
Professional and managerial	32,657	31,459	1,039	-	11.2	12.5	2.7	5.5
Professional	10,338	9,872	417	67	3.5	3.9	1.1	1.7
Seatprofessional	3,856	3,678	148	ຂ	1.3	1.5	4.	1.0
ranaga riation of the second	16,463	606,11	5/5	ଛ	e. 9	7.1	1.2	2.8
Clerical and sales	40,747	38,903	1,556	288	13.9	15.5	4.0	10.0
Clerical	27,196	25,699	1,303	194	9.3	10.2	3.4	6.7
Sales	13,551	13,204	253	76	4.6	5.3	.,	3.3
Service	47,943	34,530	12,674	739	16.4	13.8	32.7	25.7
Domestic	6,201	2,002	4,146	53	2.1	80.	10.7	8.1
Personal	23,547	18,853	4,277	417	8.0	7.5	11.0	14.5
Protective	10,258	9,046	1,045	167	3.5	3.6	2.7	ۍ. ه
Building	7,937	4,629	3,206	102	2.7	1.9	8.3	3.5
Agriculture	18,470	15,767	2,326	37.7	6.3	6.3	0.9	13.1
Manufacturing	152,927	130,403	21,211	1,313	52.2	51.9	54.7	45.7
Skilled	650, 79	62,756	3,882	197	22.9	25.0	10.0	16.0
Seatskilled	46,294	39,841	6,130	323	15.8	15.9	15.8	11.2
Unskilled	39,534	27,806	11,199	529	13.5	11.11	28.9	18.4
Unknown occupations	38,039	32,471	5,148	420	:	1	1	!

ERIC Full Text Provided by ERIC

Worker Disability Allowances, 1968

Table 35 . -- Occupation by education

			High	Highest grad	grade of school completed	completed 1/	
Major occupational groups	Total	Total per-	Sth grade or less	9-11	High school graduate (12th)	College 1-3 years	College graduate
Total	330,783	100.0	47.6	22.6	21.1	5.6	3.1
Professional and managerial	32,657	100.0	19.9	16.9	26.4	16.6	20.3
Professional	10,338	100.0	4.3	5.0	17.4	26.0	10.0
Semiprofessional	3,636 18,463	100.0	29.5	23.5	29.1	10.7	7.3
Clerical and sales	40.747	100.0	18.3	23.8	42.0	12.6	3.2
Clerical	27,196	100.0	15.8	22.8	45.9	13.0	2.5
Sales	13,551	100.0	23.4	25.9	34.1	11.9	4.7
	47,943	100.0	48.7	24.1	21.9	4.2	1.1
Doles tic	6,201	100.0	69.1	18.9	9.6	2.5	٦.
Personal	23,547	100.0	48.1	27.0	20.8	3.2	œ (
Protective	10,258	100.0	21.7 68.5	23.8 20.2	41.9	9.7	2.9
Agriculture	18,470	100.0	72.4	14.2	10.5	2.4	9.
Manufacturing	152,927	100.0	57.8	23.6	15.6	2.4	9.
Skilled.	64,099	100.0	49.5	26.1	20.0	3.4	۰۳,
Unskilled	39,534	100.0	69.3	18.0	10.9	1.5	<u>.</u> س
Unknown	38,039	,100.0	48.4	23.9	20.6	4.7	2.3

1/ Distributed for those workers whose educational status was known.

Table 36.-- Selective leading occupations by sex and education

			High	est gr a d	e of school	completed	
Occupation	Number	Total per- cent	8th grade or less	9-11	high school graduate (12th)	College 1-3 years	College graduate
			<u> </u>	Mal	e	<u> </u>	·
Salesmen	4,479	100.0	20.6	21.9	33.6	16.6	7.2
Retail managers	4,114	100.0	38.0	25.4	25.7	7.9	2.9
laiters	727	100.0	50.8	27.1	16.9	3.3	1.8
oldiers	4,867	100.0	13.1	22.9	48.9	11.9	3.4
Janitors	3,725	100.0	68.3	19.0	10.2	1.6	.8
armers	8,384	100.0	63.9	17.5	14.4	3.3	.9
arm hands	6,128	100.0	86.3	7.8	4.7	1.0	.3
lachinists	2,944	100.0	36.8	29.2	28.2	4.6	1.2
elders	3,171	100.0	58.0	27.6	15.6	1.5	
liners	2,214	100.0	79.8	14.4	5.3	1.4	.1
arpenters	6,499	100.0	54.5	26.6	15.5	2.4	1.0
ainters	3,040	100.0	61.5	22.1	13.8	2.4	.2
onstruction, other	6,459	100.0	74.5	16.4	7.8	1.3	
lumbers	2,476	100.0	51.6	26.9	19.3	2.2	
ruck drivers	14,827	100.0	56.9	26.3	12.7	2.0	.1
utomobile mechanics	4,029	100.0	52.9	26.5	18.1	2.0	.5
echanics and repairmen	9,147	100.0	47.0	27.0	21.2	4.0	.8
oremen	6,423	100.0	40.6	27.6	23.2	5.3	3.2
		L <u>-</u>		Fema	le		
Ceachers	1,858	100.0	1.8	1.2	4.7	19.6	72.8
urses, registered	1,824	100.0	3.6	3.6	27.0	51.9	13.9
ookkeepers	3,800	100.0	13.2	24.8	48.0	12.6	1.4
eneral office clerks	3,487	100.0	7.1	27.4	53.6	10.2	1.5
ecretaries	3,342	100.0	2.2	9.4	61.9	22.3	4.2
tenographers and							
typists	1,556	100.0	5.0	16.9	60.2	16.1	1.8
elephone operators	1,352	100.0	17.2	32.8	41.6	8.0	.3
alespersons	4,117	100.0	28.5	34.0	31.3	5.0	1.1
aids, general	5,099	100.0	71.0	18.6	8.2	2.1	
ooks	2,990	100.0	59.3	25.2	13.4	1.1	1.1
aitresses	3,517	100.0	43.5	31.8	23.1	1.5	.1
itchen workers	1,223	100.0	62.7	18.9	15.9	1.3	1.2
ractical nurses	1,506	100.0	29.0	28.9	28.4	12.0	1.7
ospital attendants	2,069	100.0	41.9	33.2	20.4	3.7	.8
ospital attendants							



Worker Disability Allowances, 1968

Table 37 .-- Occupation by diagnostic group

Diagnostic group	Total	Profes- sional	Cleri- cal	Sales	Domes- tic ser- vice	Per- sonal ser- vice	Folice, fire- men and mili- tary	build- ing ser- vice	Agri- culture	Skilled	Semi- skilled	Un- skilled	Lnknown
							Number						
Total	330,783	32,657	27,196	13,551	6,201	23,547	10,258	7,937	18,470	64,099	46,294	39,534	38,039
•					90,	21.6	cor	783	835	1 986	1.684	1.730	1,352
Infective and parasitic	10,360	642	761	276	138	2,416	767	751	1,957	7,421	4,454	2,927	4,515
Neoplasms	11,359	1,110	939	206	213	1,206	115	473	~	1,849	1,621	1,203	1,236
Diseases of the blood	1,037	3,585	80	1,449	43 542	124 2,951	1,844	1,026	1,903	5,365	4,427	600.9	7,821
					ç	,	1 26.5	1 266	2 298	7.503	5.157	4,754	7,690
Nerwous system	41,758	5,003	4,039	3.756	1.978	5,837	1,666	2,063	4,838	18,124	11,805	8,982	7,848
Circulatory system	22,635	1,880	1,171	636	175	1,273	361	508	1,599	6,602	3,659	2,774	7,997
Ligestive system	7,806	932	747	70e 81	82	193	7,0	83	154	602	525	305	289
			071	.,	1,0	901	25	20	97	260	180	149	173
Skin and cellular tissue	1,358	3.226	3.424	1.563	961	3,423	1,006	920	2,740	9,393	7,038	5,633	4,350
Consenital malformations.	2,670	250	305	ī	24	231	51	62		529	372	7 200	2.639
Accidents	25,319 518	1,594	1,484		214	1,396	2,715	g	1,169	101	4,022	87	888
							Percent						
Total	100.0	0.11	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	130.0	100.0
Infective and parasitic	3.1	2.0	2.8	2.0	2.2	3.0	1.9	3.6	3.2	3.0	3.6	7.4	3.6
Neoplasms	11.1	15.4	13.6	14.9	10.8	5.1	1:1	6.0	3.2	2.8	3.5	3.0	3.2
Allergic, endocrine, etc	; ;	ָרָיָ. יִּרָיִ	; ::	<u>.</u>	.,	٠.	'n.		. ;	•	<u>.</u> .	2. 2.	70.6
Mental disorders	12.7	11.0	18.3	10.7	8.7	12.5	18.0	12.9	7.01	ċ			
Ed Lynn Billian	12.6	15.3	14.8	15.0	12.8	12.8	12.1	15.7	12.4	11.2	11.1	12.0	12.3
Circulatory system	24.5	27.1	19.0	27.7	31.9	24° CE	16.2	26.0	2.07	2,0	7.9		5.2
Respiratory system	۰ م م	, v	2.7	3.6		. 9.	1.7	1.9	1.5	2.5	2:5		6:
Centro-urinary system		0	·.	9.	1.3	ж. -	••	1.0	æ.	<u>۔</u> و		·:	e.
Skin and cellular tissue	4.	۳.	٠,	۳.	7.	٠.	4.	~ :	.;;	4.	4. 2	4.	÷. 11
Bones and organs	13.2	0.0	12.6	11.5	15.5	14.5	و ي ي	4.II. 8.		<u> </u>		<u> </u>	9.
Congenital malformations.	»·′	× •	1 .2	. 4	3.5	6.5	26.5	4.2	4.9	8.2	8.7	9.1	6.9
Other	.7	-	:	:	7	.2	-: 	!	3	~			·



Worker Disability Allowances, 1968

Table 38.--Leading causes of disability by major occupational groups and sex

Frimary diagnosis	Totel	Profes-	Clerical	Service	Agri- culture	Skilled	Semi- skilled	Un- skilled	Unknown
					Total			_	
Total	330,783	32,657	40,747	47,943	18,470	64,099	46,294	39,534	33,039
Arteriosclerotic heart disease	61 673	000 7	376 3		,				
Schizophrenic disorders	20,524	1.285	3,252	3.572	3,275	12,710 2,065		3,778	5,079
Emphysema	16,305	1,393	1,190	1,589	1,210	4,914	2,692	1,929	1,388
Osteo-arthritis	13,123	853	1,267	2,163	1,045	2,574	2,182	1,805	1,234
Displacement of intervertebral disc	10.051	553	75.8	663	525	119 6	2004	1 550	1 057
Cerebral haemorrhage	9,544	1,096	1,089	1,344	550	1,948	1,220	1,085	1,037
Rheumatoid arthritis	8,624	805	1,615	1,184	493	1,648	1,253	710	916
hypertensive heart disease	7,928	587	487	1,868	511	1,138	1,254	1,447	929
Diabetes mellitus	7,822	861	939	1,516	432	1,339	1,141	777	817
Pulmonary tuberculosis	7,484	380	247	953	426	1,447	1,317	1,404	980
bronchus	4.938	612	552	663	202	1 349	662	547	885
Cerebral embolism and thrombosis	4.564	638	565	586	226	987	625	412	525
All others	168,403	17,366	22,741	25,365	8,910	32,369	122,22	20,068	18,807
					Percent				
Total	100.0	0.0υ.	100.0	100.0	100.0	100.0	100.C	100.0	100.0
Arteriosclerofic heart disease									
including coronary disease	15.6	19.1	14.1	13.2	17.7	18.9	15.9	12.1	13.4
Schizophrenic disorders	6.2	3.9	8.0	7.5	3.4	3.1	3.9	7.8	12.6
Nepply seed of the	6.4	4. u	2.9	e .	9.9	7.3	8.0	6'.	3.7
	÷	0.7	3.1	4.5	```	χ. Σ	4.7	4.0	3.2
Displacement of intervertebral disc	3.0	1.7	1.9	2.1	2.8	3.9	4.3	3.9	2.8
Cerebral naemorrhage	2.9	4.6	2.7	2.8	0,0	2.9	2.6	2.7	5.2
Hypertensive heart disease	2.4	1.8	1.2	3.9	2.8	1.7	2.7	3.7	2.4
		ı				i I			i
Disperes mellitus	2.4	1.2	2.3	3.2	2.3	2.0	2.5	3.6	2.1 2.6
Malignant neoplasm of lung and						•		1	
Cerebral embolism and thrombosis	1.5	2.0	1.4	1.0	1.1	2.0	7.7	1.2	1.5
All others	50.9	53.2	55.8	52.9	48.2	48.2	49.2	50.8	7.67

Worker Disability Allowances, 1968

Table 38 .-- Leading causes of disability by major occupational groups and sex -- Continued

Primary diagnosis	Total	Profes- sional	Clerical and sales	Service	Agri- culture	Skilled	Semi- skilled	Un- skilled	Unknown
					Male				and the state of t
Total	246,442	23,799	17,760	25,377	17,667	63,199	36,382	34,250	28,008
Artericsclerotic heart 'sease				3			000		700 6
including coronary disease	41,599	5,190	3,376	3,394	3,13/	12,274	1 399	2.846	3,593
Emphysems	14,546	245	7,720	1,083	1,188	4,825	2,418	1,828	1,199
Osteo-arthritis	8,581	75	767	294	1,017	2,296	1,488	1,431	846
Displacement of intervertebral disc.	7,833	370	229	378	567	2,464	1,684	1,362	851
Cerebr 1 haemorrhage	7,622	848	631	742	522	1,858	266	966	1,028
Pulmor iry tuberculosis	6,643	311	321	733	447	1,407	1,219	1,356	849
Diabeles mellitus	5,309	665	1/7		6/6	0071	200		2
Eusertessave heart disease	5,151	370	195	595	877	1,027	831	1,262	423
Pheuritoid arthritis	4,758	067	384	312	757	1,435	692	867	9/7
Mailgnast neoplasm of lung and						300.1	713	7.50	075
bronchus	4,395	532	307	411	221	935	535	380	470
All others	1,163	11,386	8,953	13,769	8,535	30,188	17,512	17,063	13,157
					Percent				
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Arteriosclerotic heart disease	;				17.8	7 01	16.7	12.1	14.3
including coronary disease	19°9	3.9	7.4	* 8° 6	3.5	3.0	3.8	8.3	12.8
EBD1::	8.9	5.2	4.3	4.3	6.7	7.6	9.9	5.3	4.3
Osteo- arthritis	3.5	2.0	٠	2.3	٠. د	3.6	4.1	4.2	3.0
Displacement of intervertebral disc	3.2	1.6	1.3	1.5	2.8	3.9	4.6	0.4	3.0
Cerebral haemorrhage	3.1	3.6	3.6	2.9	3.0	2.9	7.7	7.9	3.0
Pulmonary tuberculosis	7.2	2.5	2.7	2.2	2.1	2.0	2.3	1.8	2.1
discont an home and	2		1-1	2.3	2.5	1.6	2.3		1.5
Rheumatoid arthritis	1.9	1:8	2.2	1.2	2.6	2.3	2.1	1.5	1.7
Malignant neoplasm of lung and bronchus	1,8	2.2	1.7	1.6	1.2	2.1	1.7	1.3	6.1
Cerebral embolism and thrombosis	1.5	2.2	2.1	1.2	1.3	1.5	1.5	1.1	47.0
All others	7.64	7.00	7.00						

Table 38 .- Leading causes of disability by major occupational groups and sex -- Continued

Primary diagnosis	Total	Profes- sional	Clerical and sales	Service	Agri- culture	Skilled	Semi- skilled	Un- skilled	Unknown
		/3			Female				
Total	84,341	858,8	22,987	22,566	803	3,900	9,912	5,284	10,031
Arteriosclerotic heart disease	728 6	1 030	0% 6	, 017	101	667	0,70		
Schizophrenic disorders	5,442	318	1,927	1,062	13	161	421	622 238	1,157
Osteo-arthritis	4,542	378	836	1,568	24	278	691	374	393
Kneumacold arthritis	3,866	3/5	1,231	872	6£	213	411	212	447
Hypertensive heart disease	2,777	217	303	1,264	61	106	421	185	220
Malignant neoplasm of breast	2,687	423	854	518	97	949	313	182	305
Displacement of intervertebral disc.	2,218	172	529	619	28	145	302	179	244
Cerebral haemorrhage	1,922	248	458	602	28	06	221	89	186
Luphysema	1,759	148	430	507	21	06	266	101	196
Multiple sclerosis	1,508	224	762	204	:	19	72	87	179
unspecified sites	1,180	173	527	11.6	ď	17	6	7.7	ONL
All others	44,053	4,915	12,415	11,244	382	2,201	5,100	2.847	4,949
· ·					Percent				
Total	0.001	100.0	100.0	100.0	0.001	100.0	100.0	100.0	100.0
Arteriosclerotic heart disease									
Including coronary disease	6.5	3.6	10.2 8.4	12.9	13.3	10.8	12.7	11.8	11.5
Osteo-arthritis	5.4	4.3	3.6	6.9	3.0	7.1	7.0	7.1	3.9
Rheumatoid arthritis	9.7	4.2	5.4	3.9	6.4	5.5	8.4	4.0	4.5
Hypertensive heart disease	3.3	4.0	1.3	5.6	7.6	2.7	4.2	3.5	2.2
Malignant neoplasm of breast	3.5	20.0	3.7	2.3	5.7	1.2	3.2	3.4	3.0
Displacement of intervertebral disc.	2.6	1.9	2.3	4.2	3.5	3.7	3.0	9.0 7.0	2.7
Cerebral haemorrhage	2.3	2.8	2.0	2.7	3,5	2.3	2.2	1.7	6.
Emphysema	2.1	1.7	1.9	2.2	2.6	2.3	2.7	1.9	2.0
Multiple sclerosis	1.8	2.5	3.3	6.	!	٠ <u>.</u>		6.	1.8
unspecified sitesAll others.	1.4	9.45	1.8	0.1	9.	1.6	6. 13	6.	1.8
			,		?			73.7	47.5

Table 39 .-- Occupation by State

State	Total	Profes- sional and mana- gerial *	Cleri- cal and sales	Service	Agri- culture, fishery, forestry	Skilled	Semi- skilled	l'n- skilled	Unknown
Total	330,783	32,657	40,747	47,943	18,4/3	67,099	46,294	39,534	38,039
Alabama	6,967	611	632	886	383	1,491	1,149	1,222	593
Alaska	206	19	18	28	16	44	11	28	42 174
Arizona	2,456	411	350	391	159	488	272 540	211 663	407
Arkansas	4,424	535	329	569	571	810 8,335	4,708	4,052	3,435
California	38,338	4,111	5,416	6,377	1,904	0,000	4,7//0		-
Colorado	2,942	270	421	608	197	651	288	302	205 830
Connecticut	3,780	345	516	413	57	849	447	323 113	97
Delaware	894	102	106	144	36	184 153	112 118	199	57
Dist. of Col	1,380	93	132	622	6 712	2,136	1,191	1,214	897
Florida	11,019	1,366	1,615	1,888	/12	2,130	·		
Georgia	8,855	704	860	1,432	662	1,711	1,357 113	1,268 125	861 53
Hawaii	950	112	120	166	78 167	183 205	140	126	72
Idaho	1,077	114	105	148 2,128	167 615	3,059	2,036	1,787	2,108
Illinois	15,148	1,267 683	2,148 759	908	264	1,471	927	838	1,200
Indiana	7,050	003	'''	7,70		1			
Iowa	3,714	422	433	476	643	615	409	491	765
Kansas	3,	315	375	455	258	613	304	331 815	356 532
Kentucky	5,665	324	500	694	55º	1,363	879 888	1,263	429
Louisiana	6,589	556	593	1,102	435 80	329	269	191	229
Maine	1,533	144	133	158	0"	,,,,		ł	
Maryland	5,519	542	777	870	127	1,239	735 1,133	766 739	463 1,259
Massachusetts	7,623	725	1,138	1,035	132	1,462 3,025	1,650	1,322	3,062
Michigan	13,774	1,121	1.446	1,794 506	354 545	818	486	455	443
Minnesota Mississippi	4,260 4,765	447 396	560 359	672	583	857	786	715	397
	l	772	1,017	1,184	655	1,452	1,039	880	829
Missouri	7,828 1,274	133	144	186	163	272	157	128	91
Montana Nebraska	1,932	184	248	296	298	306	194	225	181
Nevada	640	71	81	158	24	148	67	40	51
New Hampshire	1,006	108	105	128	13	239	187	100	126
New Jersey	11,257	1,253	1,765	1,217	181	2,131	1,644	989	2,077
New Mexico	1,568	156	153	238	93	354	197	239	138
New York	31,774	3,586	5,599	4,691	447	5,251	4,667	2,703	4,830 687
North Carolina	8,831	854	/ .3	1,171	822	1,762	1,675	1,147	32
North Dakota	796	98	90	106	244	112	, ,,,	"	
Ohio	14,353	1,146	1,655	1,754	373	3,315	2,233	1,867	2,010
Oklahoma	4,215	486	490	689	346	837	568	517 446	370
Oregon	3,729	365	448	479	223	789 4,418	609 3,613	2,621	2,632
Pennsylvania	20,170	1,821	2,419	2,451	" 195 14	322	254	147	324
Rhode Island	1,540	119	197	163	1 14	ļ	1		l
South Carolina	5,120	459 .	387	691	379	1,021	1,054	795	334
South Dakota	961	104	81	127	258	155	76 941	1,002	870
Tennessee	7,120	611	718	1,007	1,220	3,115	2,032	1,893	948
Texas	15,494	1,787	1,802	2,697	59	287	142	98	84
Utah	1,077	147	125	I		i		ļ	90
Vermont	757	81	68	118	61	150	1 114	76 940	622
Virginia	7,317	741	652	1,277	433	1,523	1,129	643	313
Washington	4,714	506	514	568	312	1,129	709	680	413
West Virginia	4,164	296	297	481	100 491	1,294	810	864	623
Wisconsin	6,174	641	695	756 93	64	115	59	54	41
Wyoming	"		1 "	1 "		ı	1	101	502
Puerto Rico	4,119	274	361	542	793	602	361	684	502
Abroad	337	59	31	70	40	54	1 "	1	



Norker Disability Allowances, 1968 Table 40.--Occupation by leading cause of disease

						Pe	rcentage di	atribution					
Occupation	Number	Total	Arterio- sclerotic heart disease (420)	Schito- phrenic dis- orders (300)	imphy- sema (526)	Osteo- arth- ritis (723)	Inter- verte- pral disc (735)	Cere- bral haemor- rhage (331)	Rheuma- toid arthri- tis (722)	Hyper- tensive heart disease (443)	Dia- betes mel- litus (260)	Pulmo- narv tuber- culo- sis (002)	All others
						7000	Total		2.e.u +	An		·	·
Total	330,783	106.0	15.6	6.2	4.9	4.0	3.0	2.9	2.6	2 4	2.4	2.3	5) 7
Professionalpp Semiskilledpp	10,338	100.0	13.8	5.9	2.9	2.5	1.5	4.0	3.0	1.7	2.7	1.2	60.8
Managerial	3,856 18,463	100.0	15.8 22.8	9.9 1.4	3.7 5.2	2.4	1.5	2.5 3.2	2.5	1.9	1.3	1.8	56.4
Clerical contractor.	27,196	100.0	11.4	10.0	2.7	3.0	1.8	2.3	2.2	1.8	2.9	1.7	55.1 59.9
Sales	13.551	100.0	19 4	3.9	3.4	3.4	1.9	3.4	3.3	1.8	2.4	1.2	\$5.9
Domestic. 00 0000 .	6,201	100.0	12 2	4.2	1.6	7.3	1.~	3.0	4.0	10.8	5.4	1.1	49.0
Personal 5.	23,547	100.0	13.5	6.2	3.5	5.2	2.9	2.9	2.7	3 1	3.2	2.3	54.5
Protective	10,258	100.0	11.2	13.3	2.8	.9	1.1	2.2	1.2	i.i	9.	l i.i	64.2
Building service and . Farming a contraction	7.937 17.953	100.0	15.3 17.8	6.1	4.8	5.1	1.5	3.3	2.2	4.5	4.3	30	49.9
	17.777	100.0	17.0	3.5	6.6	5.7	2.9	3.0	2.7	2.8	2.3	2.4	50.3
Fishery	370	100.0	11.1	1.6	6.5	4.6		3.0		1.4	3.5	5.4	62.9
Food products	26 3.271	100.0	35.7 13.4	5.3	5.0	6.3				•			64.3
Tobacco products	350	100.0	5.1	6.3	1.4	2.0	6.0	3.7 3.1	2.2	3.5	3.0	1.9	51.7
Textiles	10,087	100.0	13.3	4.8	3.5	6.9	2.5	2.6	4.6	10.0 2.9	5.7 2.2	4.0 1.0	56.4
Lumber and lumber							1						
Paper and paper	4.415	106.0	14.2	2.5	4.8	6.8	2.4	2.1	2.4	5.4	1.9	2.1	55.4
goods. opensneeds. Printing.op . opens	746 1,281	100.0 100.0	15.1	1.2	5.6	6.0	3.5	2.4	4.6	2.7	6.2	1.9	50.8
Chemicals.	690	100.0	17.0 16.7	3 0 5.1	3.6 5.4	2.6 6.2	1.8 3.6	3.8	2.7		.7	2.7	62.1
Petroleum and coal	• • • • • • • • • • • • • • • • • • • •		10.7	, <u>.</u>	,.•	0.2] ^{3.8}	2.5	2.3	4.3	6.1	6.5	41.3
products	137	100.0	23.4	9.5	10.9	2.2	15.3		2.2		•••,	.7	35.6
Rubber goods	438	100.0	33.3	2.7		• •							
Leather and leather	133	100.0	,,,,	4.7	3.7	3.9	5.0	1.4	5.7	3.0	3.9		37.4
products	1,041	100.0	13.7	5.9	3.7	4.8	5.4	4.3	.9	5.0	4.0	.9	51.4
glass products	1,013 17,413	100.0	17.3 17.4	5.4	8.4	3.1	1.6	4.8	2.7	2.5	1.1	2.1	51.0
Electricians and	.,,,,,	100.0	17.4	4.3	6.6	4.1	4.0	2.5	2.0	1.6	1.6	1.9	53.7
electrical equip	3,014	100.0	15.4	5.8	4.4	3.7	3.0	1.3	3.8	2.6	2.9	3.8	53.3
Transportation equipment A	1,121	100.0	17.5	5.2	7.4	3.8	3.7	2.8	3.4	3.6	2.8	3.7	46.1
scientific equip Miscellaneous	482	100.0	13.1	4.4	2.3	1.9	6.2		1.2	2.5	2.5	3.3	62.6
manufacturing	1,060	100.0	20.8	6.5	6.2	2.3	3.1	3.3	5.1	1.9	2.5	1.0	47.3
Mineral extraction Construction	3,746 24,692	100.0	13.7 15.3	2.6 3.4	18.2	4.5 4.3	5.1 5.0	1.3 2.6	2.0 1.9	1.7	.4 1.8	1.8	48.7
Transportation	20,521	100.0	17.6	3.5	6.9	4.1	4.7	3.3	2.1	2.4	2.3	3.3 3.6	53.0 49.6
Communication and utility	931	100.υ	19.9	3.7	, ,	١,, ١	,					_	
Trade and service	6,239	100.0	13.8	5.8	3.9 5.6	2.3 4.7	3.0 2.0	3.5	2.0	1.9	1.0	.8	58.0
Public service	1,039	100.0	15.6	4.5	7.1	4.4	2.5	4.2	3.3 1.7	4.8 3.6	2.5	3.1 3.0	51.3 52.7
Miscelianeous non-	26,996		1					ľ					
Mechanics and	40,770	100.0	14.5	8.2	4.8	3.9	3.9	2.5	2.0	2.8	2.2	3.5	51.7
repairmen	14,444	100.0	17.9	34	6.6	3.2	4.9	2.5	2.3	1.6	2.2	2.6	52.8
Foremen	7,336	100.0	25.0	.7	7.4	3.2	3.2	4.0	2.1	1.6	2.4	1.0	49.4
Other	78 38,504	100.0	21.8	24.4	:						-	2.6	51.2
	,,,,,,,	100.0	13,3	.2.6	3.6	3.2	2.8	3.1	2.4	1.7	2,2	2.6	52,5
L													L



worser Disability /llowances, 1908 Table 40. -- Occupation by leading cause of disease -- Continued

				,		Per	centage di	stribution	. 			•	·
Occupation	humber	lotsl	Arterio- sclerotic heart disease (420)	Schizo- phrenic dis- orders (300)	Empny- sema (528)	Osteo- arth- ritis (72))	inter- verte- bral disc (735)	(331) haemor: thage (331)	Rheuma- toid arthri- tis (722)	Hyper- tensive heart disease (443)	Dia- betes mel- litum (260)	Pulmo- nary tuber- culo sis (102)	All others
		ا۔ ــــــــــــــــــــــــــــــــــــ		l			Male			.,	~		
iotal 😞 😞 .	246,442	100.0	16.9	6.1	5.9	3.5	3.2	3.1	1.9	2.1	2.2	2.7	52.4
Professional	5,335	100.0	16 5	7,0	4.0	٠, ١	1.3	4.2	1.4	17	2.6	1.5	58.9
Samiskilled	2,973	100.0	17.5	11 1	4.2 5.9	1.9	1,8	2.5	1.7	1.2	2.7	lii	52.9
Managerial	15.491 9.195	100.0	24.6 16.0	10.2	4.5	2.2	1.4	3.4	2.2	.9	2.2	2.0	55.0
Sales	8,565	100.0	22.3	4.5	4.1	2.7	1.2	3.7	2.1	1.3	3.1	1.6	53.4
Domestic	384	100.0	10.5	4.0	6.5	8.3	5.9	.6	3.0	6.2	.8	1.1	52.6
Personal	8,986	100.0	14.5	5.7	4.8	2.5	1.6	3.5		2.5	2.9	1.1	64.4
Protective	10,049	100.0	41.1	13.1	2.6	1.0	1.2	3.5	1.1	3.9	3.5	3.6	50.8
Building service	5,956	100.0	33	6.1	5.7 6.8	3 9 5.8	1.4	3.0	2.6	2.5	2 1	2.5	50.1
Farming.	17.191	100.0	18 0	3.0	1		[i	1	1			1
Fishery	336	100.0	10.7	.6	7.1	5.1	·	1.8		1.5	3.9	5.7	61.5
Forestry	26	100.0	18.5	-	5.7	4.6	4.4	4.0	1.5	2.1	1.8	2.5	52.3
Food products	2,166	100.3	14.1	7.0	3.7	1.4	9.0	6.9	1 :::	13.9	1 .5	9.7	50.0
Tobacco products	144 2.350	100.0	4.9 19.2	3.8	8.1	3.3	1.4	3.4	2.4	2.6	2.3	2.0	51.5
Textiles	2,350	100.5	1	1	1	1			1	1	1	1	1 1
Lumber and lumber	. 120	100.0	14.3	2.6	5.0	6.8	2.2	2.1	2.5	5.2	2.0	2.2	55.1
Paper and paper	4,229	100.0	14.3	1 *.0	1 3.0	1 ""	1	1	1		i	ŀ	1
products	627	100.5	18.0		6.7	3.5	4.1	2.9	5.3	3.2	3.2	2.2	50.3
Printing	1.045	100.0	17.4	3.0	4.4	2.1	2.1	3.6	2.0			2.3	61.8
Chemicals	625	100.0	16.0	5.6	5.9	6.9	3.8	2.7	1.6	4.0	4.8	1	1 ****
retroleum and coal products	137	100.0	23.4	9.5	10.9	2.2	15.3		2.2	•		.7	35.8
Rubber goods	1					١	3.8	1.6	5,2	3.0	4.7		40.3
Leather and leather	365	100.0	31.8	3.0	3.3	3.3	7.0	1.0	1 "	1	1		1
products	674	100.0	10.5	6.5	5.0	5.9	6.4	6.4		2.4	4.3	1.0	51.6
Stone, clay, and		i	1	1		١	1	5.1	2.4	2.9	ا . ا	2.4	50.1
glass products	877	100.0	18.8	6.3	6.9	1.3	1.8	2.9	1.9	1.7	1.7	2.0	52.7
Hersi working	16,139	100.0	17.8	4.3	1 ".7	1 7	1 ""		1	1	l l	1	
Electricians and electrical equip	2,364	100.0	17.1	5.5	5.5	···	2.5	1.6	2.3	2.2	2.8	4.6	53.7
Transportation equipment	955	100.0	19.2	4.5	8.7	4.5	3.2	3.2	4.0	3.1	2.8	3,4	43.4
Miscellaneous products	271	100.0	17.3	2.2	4.1	3.0	5.9		.4		.4	5.9	60.8
Miscellaneous manufacturing	969	100.0	21.4	7.1	6.1	2.1	3.4	3.6	5.0	2.1	.6	7-7-	47.5
Mineral, extraction	3,726	100.0	13.8	2.6	18.0	4.5	5.1	1.3	1.9	1.7	1.8	1.9	45.8 53.0
Construction	24,475	100.0	15.3	3.5	7.0	4.3	5.0	2.6	1.9	2.4	1.8		ļ
Ttansportation	20.301	100.0	17.7	3.5	6.9	4.1	4.7	3.3	2.1	2.3	2.3	3.6	49.5 57.9
utility	90-	100.0	20.5	3.8	4.0	2.3	3.1	3.7	2.1	.8 2.8	1.0	4.0	50.2
Trate and service	4,114	100.0	15.8	6.8	6.8	1 / 4	1.3	3.4	1.7	3.6	2:5	3.0	52.7
Public service	1,039	100.0	15.6	4.5	7.1	4.4	""	7	1	1 "	l l		
Miscellaneous non- memufacturing	23,988	100.0	14.4	8.7	5.2	3.5	3.9	2.7	1.7	2.9	2.3	3.9	50.8
Hechanics and	1	1.	1	1	6.6	3.2	5.0	2.6	2.3	1.7	2.2	2.7	52.3
repairmen	14,298	100.0	18.0 26.2	3.4	7.9	3.2	3.2	4.1	2.0	1.5	2.5	1.1	47.7
Foremen	6,679	100.0	21.8	24.4		3.1		1 :::				2.6	51.2
Other	28.411	100.0	14.0	12.6	4.2	3.0	3.C	3.6	1.7	1.5	2.0	3.0	51.4
voire 6 * * * * * * * * * * * * * * * * * *	1	1	1	1	1	1	1						



worker pisability Aliemances, 1990 Table w0.--Occupation by leading cause of disease--Continued

	1	:	·								-		
	1	I					frentage s	istribution					
	i	į.	Afterio-	1	1	1	1	:	• - •	1	1	I	Ī
Vcc upation	Summer		scierotic	Scalze-		Usteo-	Inter-	(ete-	theusa-	Hepes-)	7471	į
wer operion		lotas	heart	; fifenic	tep'iv-	arth-	verte-	· ral	toto	! Censive	telex	tuter	i I a ³
	;	10121	Gisease		4ema	Fitte	bra:	Darmor-	affr.fi	, heatt	-ei	•	,
	1	1		orders	(528)	(723)	disc	Frage	114	disease	itus	care	0176.15
	l	:	(420)	(330)	1	1	(731)	1 (3:1)	(72)	(4-5)	1 1.63)	3:3	(
		•	I	<u>-</u>		L	<u> </u>	L	i	1	į	1 1 10 2 1	ŧ
	į						Female						
_		T		7	·	,	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·				
Totalgg	754.541	,000	11.7	6.,	2.1	5.4	1.0	2.5	4.6		3	1 ,	, ,
		·	 	 	}			l			1	i	1 ' '
Protessional	3,063	100.0	13 9	4.7	1.7	4.3 ,	17	3.8	4.7	1 7	3 8	, , , , , , ,	02.5
Semiskilled	(56	130.0	16.5	4.4	1.8	3.9	5.3	2.5	5.5	• 0	1	1	32.3
Managerial	2,972	100.0	13.7	1.2	1.6	4.5	1.4	1 13	3.2	1 11		1	55.5
Clerical	18,001	150.0	9.1	9.4	1.7	3,4	2.5	1.7	5.4	1 1		1 ; 1	1 23.4
Sales	4.700	100.0	14.5	1.5	2.4	4.5	3.2	2.8	5 4	2.7			60.
				1	1	!	ŀ	•	i	1			
Page 2	5.817	.00.0	12.3	4 2	1.2	7.2	1.1	! 12	4	::1	i ,;	1:	-8-
Personal of	14.)61	100.0	12. 9	4.5	21	0.0	3.5	1 .,	i .,	, , ,	. , ,		
fullding service,	201	130.0	17	21 4		<u></u>		2.	٠:	-			47
Farming service,	1,979	100.0	400	6.0	4.4	0.4	4.8	2.6	2.3		, ,		
- Hermands	762	100.9	43.4	1	a).1	3.7	, , ,	5.1		4,4		1 32.6
Fishery	34	1.00.00	.,,	l		ł	1	1	i	į	Ì	:	
Food products	1,16,	100.0	14.7	11.5	1 77	•		1- 7		· _		2. •	15.4
Iobacco products.	206	100.0	12.0	2.0	3.5	9.0	3.3	3	3.~	6.2	5	,	>4.3
Textiles	7,737	100.0	5.3 11.6	10.7	·	2.4	3.7	1 5		7.3	1.2]	6.1.7
Lumber and lumber			11.0	5.1	2-1	8.0	2.5	2.4	5.3	3.0	2.2	.;	36.6
products	100	100.0	12.4	.5	1.1				1		İ		ì
***************************************		100.00	14	, .,	1.1	7.0	7.4	2.7	-	9.1			59.1
Paper and paper		i i		1	1					1	Í		1
Products	119	100.0		5.9		17.6		l			l		1
Printing	233	100.0	15.5	,,, 	•	4.7					24. 4		53.9
Chemicals	65	100.6	23.1			4.7	1.5	4. 5	5.6			. 7	615
Rubber goods		1	•//-	_		•••	1.,		9.2	7.3	15.5	- 45-	44.0
producta	73	100.0	41.1	1.4	5.5	6.8	11 0						ļ
Leatner and leatner	_			•	7.7	9.6	11.0		3.2	.;			23.3
products	367	100.3	19.6	4.6	1.4	2.7	3.5	.5					
1					•	•••	i	',	2.5	9.8) >	5	51.4
Stone, clay, and													!
glass products.pg	136	100.0	7.4		5.8	14.7		2.9	4.4		4.4	- • -	
Metal working	1,274	190.0	12.5	4.5	3.4	5.0	3.3	2.0	3.3	1.6	.9		57.4
L'ectricians and						***	,,,,	•••	,.,	1,	.,		62.4
electrical equip	650	100.0	9.1	6.9	.6	9.2	4.9		9.4	4.7	3, 3	.9	51.5
Transportation									/		4.	. 7	' ^{1.} "
equipment	166	100.0	7.8	9.0			6.0			6)	4.	6.0	52.0
Professional and			. i							7	• •	V	77
scientific equip	211	100.0	7.6	7.1		.5	6.6		2.4	5.7	5.2		54.7
Miscellaneous				j			l						1
manufacturing,					4		1						
Mineral extraction	91	100.0	14.3	·	7.7	4.4			6.6		23.1	4.4	39.5
Construction	20 217	100.0			55.0	10.9			25.0			-,	16.0
Transportation	220	100.0	14.7	.5	12.4	12.0	5.1	3.2				5.1	47.0
Communication and	220	100.0	14.1	5.9	5.9	4.5	3.2	.9	3.2		1.4		60.9
utility. or or or or	27	100.0	0	•		1	-			l	i		
*****************	, "	100.0				•			•••	46.7		***	59.3
Trade and service	2,125	100.0	10.0	. , , 1	1	1	1		1	1	- 1		
Manufacturing	3,006	100.0	14.6	V 4.0	3 2	5.3	3.2	2.5	5.2	8.8	3.0	1.3	53.5
Mechanics and	,,	200.0	14.0	3.9	1.4	7.1	3.9	1.5	5.1	2.1	1.9	1.0	57.5
tepai men	140	100.0	11 0	 .	٠,, ١		1		1	ŀ	- 1		
Forenen	657	100.0	13.1	.6	3.4 2.1	2.7	1.4		3.4		.7	1.4	76.0
Other	10.095	100.0	11.3	12.8	1.9	3.5	3.0	2.4	3.3	2.4	.8		67.4
			••••	****	1.7	3,5	2.4	1.8	4.4	2.2	2.7	1.5	55.2
		—		<u>-</u> -	~	I					1	<u> </u>	



ERIC*

Worker Disability Denials, 1968

Table 41. -- Reason for denials by age

Reason for denial	Total	Under 30	30-39	77-07	45-49	50-54	55-59	60 and over
				Num	Number			:
Total	191,866	14,056	20,764	19,306	25,653	32,602	39,659	39,826
Medical alone - impairment is slight or minimal	9,132	721	1,049	833	1,171	1,396	1,862	2,150
Capacity to engage in former work	90,540	216,5	066,4		210,21			
than before	4,392 10,418 6,872	357 740 565	628 1,182 982	519 1,156 711	734 1,276 701	911 1,590 969	812 2,207 1,467	2,267
No 20/40 at alleged date of onset	1,198	85	126	105	188	166	236	292
Not disabled at time earnings requirement last met	38,778	1,423	3,304	3,210	5,019	7,145	9,437	9,240
Impairment not expected to last 12 months	18,435	3,499	3,088	2,353	2,517	2,641 1,766	2,533	1,804
				Percent	ent			
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Medical alone - impairment is slight or minimal	4.8	5.1	5.1	4.3	4.6	4.3	4.7	5.4
Capacity to engage in work other than before	. 4. 6. u	2.5	3.0	2.7	2.9	3.0	3.7	1.1 5.7 3.7
No 20/40 at alleged date of onset	9.	9.	• <u>•</u>	ş.	.,	· .	<u>ب</u>	٠.
Not disabled at time earnings requirement last met	20.2	10.1	15.9	16.6	19.6	21.9	23.8	23.2
Impairment not expected to last 12 months	9.6	24.9	14.9	12.2	9.8	8.1	6.5	8.2
						-		

Norker Disar lity Dentals, 1966 Table 42.--Reason for dental by race and sex

Total	mber Percent	er	N umb e		Reason for
Total	begro Other lotal Wh. 'e begro Other	\hegro	White	lotal	
Medical alone. Impairment is slight or sinor	Total	*			
Silght or minor Capacity to engage in former work Capacity to engage in work other than before So 20/40 at alleged date of onset Total	6 32,748 2,262 100.0 100.0 100.0 100.0	32,748	156,856	191,866	Total
Capacity to engage in former work. Capacity to engage in work other than before			7 (01	9 102	
Capacity to engage in work other than before	4.3	1	,	1	Capacity to engage in former
Working although severely impaired	40.5	1		ł	Capacity to engage in work
Failure to furnish sufficient evidence			Ţ		Working although severely
So 20/40 at alleged date of onset	7.7		-	1	Failure to furnish sufficient
1,198 832 355 11 .6 .5 1.1	5 1,337 40 3.6 3.5 4.1 1.8	1,337	5,495	6,872	
Sequirement last met 128,919 105,308 21,853 1,758 100.0	355 11 .6 .5 1.1 .5	355	832	1,198	onset
18,435 14,990 3,139 306 9.6 9.6 5.1 3 3 3 3 3 3 3 3 3		7,212	31,044	38,778	requirement last met
12,051 10,285 1,686 80 6.3 6.6 5.1 3	3,139 306 9.6 9.6 9.6 13.5	3,139			last 12 months
Total		1,686	10,285	12,051	Other
Medical alone. Impairment is slight or minor. 5,618 4,548 983 87 4.4 4.3 4.5 4.5 Lapacity to engage in former work. 59 024 48,469 9,719 840 45.8 46.0 44.5 47. Capacity to engage in work other than before. 3,479 2,890 526 63 2.7 2.7 2.4 3. Working although severely impaired. 8,399 7,293 1,044 62 6.5 6.9 4.8 3. Failure to furnish sufficient evidence. 5,098 4,069 1,009 20 4.5 3.9 4.6 1. Xo 20/40 at alleged date of onset. 693 495 187 11 .5 .5 .9 No* disabled at time earnings requirement last met. 22,914 17,858 4,630 426 17.6 17.0 21.2 24. Impairment not expected to last 12 months. 14,632 11,376 2,557 199 11.3 11.3 11.7 11. Other. 62,947 51,548 10,895 504 100.0 100.0 100	Nale				
Sight or minor	21,853 1,758 100.0 100.0 100.0 100.0	21,853	105,308	128,919	Total
Capacity to engage in former work	(M2)		, 5,4	5.618	
Capacity to engage in work other than before			1		Capacity to engage in former
Solution Solution	47.3				Capacity to engage in work
Failure to furnish sufficient evidence	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	· i		Working although severely
Xo 20/40 at alleged date of onset	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	_	Failure to furnish sufficient
187 11 .5 .5 .9	1,009 20 4.5 3.9 4.6 1.1	1,009	4,069	5,098	
Total	187 11 .5 .5 .9 .6	187	495	693	onset
Total. 14,632 9,062 7,814 11,876 7,814 1,198 50 7.0 7.4 5.5 2. Female Total. 62,947 51,548 10,895 504 100.0 100.0 100.0 100.0 100.0	4,630 426 17.6 17.0 21.2 24.2	4,630	17,858	22,914	requirement last met
Total 62,947 '51,548 10,895 504 100.0 100.0 100.0 100.0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				last 12 months
Total 62,947 '51,548 10,895 504 100.0 100.0 100.0 100.	1,198 30 7.0 7.4 5.5 2.8	1,196		7,002	
21,240 10,093 304 100.0 100.0 100.0 100.0	Female				
Medical alone. Impairment (a.) [[[]] []	10,895 504 100.0 100.0 100.0 100.0	10,895	51,548	62,947	
Slight or minor	611 10 5.7 5.7 5.6 2.0	611	2,943	3,564	Capacity to engage in former
Work	5,524 206 50.1 50.0 50.7 41.3	5,524	25,784	31,516	Capacity to engage in work
other than before 915 703 199 11 1.5 1.4 1.8 2.		1	1		other than before
raixure to rumian autricient 1 () 1 1 1 1	413 22 3.2 3.1 3.8 4.4	413	1,584	}	Failure to furnish sufficient
	328 20 2.8 2.8 3.0 4.0	328	1,426	1,774	I I
No 20/40 at alleged date of onset	168 0 .8 .7 1.5 0	168	337	505	onset
Not disabled at time earnings requirement last met	2602		13,186	15,864	requirement last met
last 12 months		582	3,114		last 12 months
Uther	1 (00) 50) 51	488	2,471	2,989	oule:



Worker Disability Denials, 1968

Table 43. -- Race and mobility status

		Number	1			Percent	ent	
Mobility status	Total	White	Negro	Other	Total	White	Negro	Other
Total	191,866	156,856	32,748	2,262	100.0	100.0	100.0	100.0
Institutionalized	14,620	11,837	2,559	224	7.6	7.5	7.8	6.6
Hospitalized	4,905	4,083	718	104	2.6	2.6	2.2	9.4
Housebound	3,308	2,949	348	ជ	1.7	1.9	1.1	λ.
Ambulatory outside the home:								
With help	15,763	12,836	2,792	135	8.2	8.2	8.5	0.9
By self	153,270	125,151	26,331	1,788	79.9	79.8	80.4	79.0

Worker Disability Denials, 1968 Table 44.—Age by sex and race

Age	Total	Male	Female	White	Negro	Other
			Numb	er		<u> </u>
Total	191,866	128,919	62,947	156,856	32,748	2,262
Under 25	6,361	5,446	915	5,137	1,114	110
25-29	7,695	6,294	1,401	5,873	1,665	157
30-34	8,642	6,875	1,767	6,405	2,126	111
35-39	12,122	9,106	3,016	9,252	2,751	119
40-44	19,306	14,081	5,225	15,166	3,809	331
45-49	25,653	17,483	8,170	20,346	5,036	271
50-54	32,602	20,377	12,225	26,996	5,274	332
55-59	39,659	24,041	13,618	33,222	6,030	407
60 and over	39,826	25,216	14,610	34,459	4,943	424
,			Perc	ent		
Todal	100.0	100.0	100.0	100.0	100.0	100.0
linder 25	3.3	4.2	1.5	3.3	3.4	4.9
25-29	4.0	4.9	2.2	3.7	5.1	6.9
30-34	4.5	5.3	2.8	4.1	6.5	4.9
35-39	6.3	7.1	4.8	5.9	8.4	5.3
40-44	10.1	10.9	8.3	9.7	11.6	14.6
45-49	13.4	13.6	13.0	13.0	15.4	·12.0
50-54	17.0	15.8	19.4	17.2	16.1	14.7
55-59	20.7	18.6	24.8	21.2	18.4	18.0
60 and over	20.8	19.6	23.2	22.0	15.1	18.7



Worker Disability Denials, 1968

Table 45.--Diagnostic group by race and sex

Diagnostic group	Total	White	Negro	Other
		Hun	ber	
Total	191,866	156,856	32,748	2,262
infective and parasitic diseases	8,134	5,538	2,293	303
eoplasms	4,771	3,937	784	50
llergic, endocrine system	9,341	7,205	1,985	151
ental, psychoneurotic disorders	32,367	27,509	4,630	228
iseases of nervous system and sense			•	
organs	12,900	10,645	2,094	161
irculatory system	24,351	19,147	4,965	239
espiratory system	10,132	8,847	1,247	38
igestive system	10,265	8,444	1,731	90
enito-urinary system	3,381	2,671	671	39
kin and cellular tissues	1,610	1,218	361	31
ones and organs of movement	26,746	22,760	3,695	291
ongenital malformations	1,183	1,038	135	1.0
ymptoms	2,036	1,748	269	19
ccidents	21,280	17,104	3,813	363
ther	714	593	112	9
nknown	22,655	18,452	3,963	240
		Per	cent	
Total	100.0	81.8	17.1	1.2
nfective and parasitic diseases	100.0	68.1	28.2	3.7
eoplasms	100.0	92.5	16.4	1.1
llergic, endocrine system	100.0	77.1	21.3	1.6
ental, psychoneurotic disorders	100.0	85.0	14.3	.7
dseases of nervous system and sense organs	100.0	82.5	16.2	1.3
		,		-
irculatory system	100.0	78.6	20.4	.9
espiratory system	100.0	87.3	12.3	.4
igestive system	100.0	82.3	16.9	•9
enito-urinary system	100.0	79.0	19.8	1.2
kin and cellular tissues	100.0	75•7	22.4	1.9
ones and organs of movement	100.0	85.1	13.8	1.1
ongenital malformations	100.0	87.7	11.4	•9
ymptoms	100.0	85.9	13.2	•9
ccidents	100.0	80.4	17.9	1.7
thernknown	100.0	83.0 81.4	15.7 17.5	1.3 1.1
CKNOWN	100.0	- X1 A I	17.5	



Table 46.--Age and sex

	Tot	:al	Mal	e	Fena	le
Age	Number	Per- cent	Number	Per- cent	Number	Per- cent
Total	22,063	100.0	12,295	100.0	9,768	100.0
Under 25	10,590	48.0	6,030	49.0	4,560	46.7
25-29	3,046	13.8	1,742	14.2	1,304	13.3
30-34	2,675	12.1	1,447	11.8	1,228	12.6
35-39	2,348	10.6	1,264	10.3	1,084	11.1
40-44	1,552	7.0	808	6.6	744	7.6
45-49	823	3.7	442	3.6	381	3.9
50 and over	1,029	4.7	562	4.6	467	4.8



Table 47. -- Education and sex

	Tota	1	Male		Fema	le
Highest grade of school completed	Number	Per- cent	Number	Per- cent	Number	Per- cent
Total	22,063		12,295		9,768	
Unknown education	3,813		2,214		1,599	
Known education	18,250	100.0	10,081	100.0	8,169	100.0
No schooling	6,968	38.2	3,977	39.5	2,991	36.6
4th grade or less	2,307	12.6	1,277	12.7	1,030	12.6
5th-7th	2,174	11.9	1,185	11.8	989	12.1
8th	1,194	6.5	645	6.4	549	6.7
9th-11th	2,040	11.2	1,132	11.2	908	11.1
High school (12th)	1,285	7.0	615	6.1	670	8.2
1 or more years college	208	1.1	124	1.2	84	1.0
Ungraded 1/	2,074	- 11.4	1,126	11.2	948	11.6

^{1/} Special classes.



Childhood Disability Allowances, 1968

Table 48. -- Mobility status and age

				Age	Age on birthday in 1968	ay in 196	80			
Mobility status	Total	al	Un de	Under 25	25-34	34	35-44	17.7	45 and over	over
	Number	Per- cent	Number	Per- cent	Number	Per- cent	Number	Per- cent	Number	Per-
Total	22,063	100.0	10,590	0.001	5,749	100.0	3,872	100.0	1,852	100.0
Institutionalized 1/	5,958	27.0	2,644	25.0	1,475	25.7	1,143	29.5	969	37.6
Hospitalized 2/	174	8.0	113	1.1	23	4.	20	٥,	18	1.0
Housebound	1,648	7.5	713	6.7	525	9.1	300	7.7	110	5.9
Ambulatory outside the home:										
With help	2,485	24.9	2,730	25.8	1,434	24.9	984	25.4	337	18.2
By self	8,798	39.9	4,390	41.5	2,292	39.9	1,425	36.8	691	37.3

Disabled person was confined to an institution; i.e., mental, tuberculosis, or chronic disease hospital, soldiers' home, etc. Bisabled person was a patient in a general hospital. 7

17

Childhood visability Allowances, 1968 Table 49.--Diagnostic group by age and sex

		Numbe	r			Perce	ent	
Diagnostic group	Total	18-24	25-44	45 and over	Total	18-24	25-44	45 and over
				Total				
Total	22,063	10,590	9,621	1,852	100.0	100.0	100.0	100.0
nfective and parasitic diseases	4 39	189	184	66	2.0	1.8	1.9	3.6
leoplasms	97	69	25	3	.4	.7	.3	, 2
llergic, endocrine system, metabolic and nurritional diseases	142	56	74	12	٠.6	.5	.8	.6
Header of the blood and blood forming organs	78	61	16	1	.4	.6 67.9	.2 68.7	.1 74.5
dental, psychoneurotic and personality disorders	15,185	7,193	6,613	1,379	68.8	67.9	08.7	,4.,
Diseases of the -				21.5	21.5	20.7	23.4	17.0
nervous system and sense organs	4,753 83	2,187 47	2,251 32	315 4	.4	20.7	/ //	.2
circulatory system	373	206	140	27	1.7	1.9	٠ ا	1.5
bones and organs of movement				29	2.4	3.1	1.9	1.6
Congenital malformations	540 246	329 171	182 63	12	1.1	1.6	1 7.7	.6
Accidents, poisonings and violence	127	82	41	-4	.6	.8	.4	. 2
Others						l	L	
				Male				
Total	12,295	6,030	5,261	1,004	100.0	100.0	100.0	100.0
Infective and parasitic diseases	241	115	89	37	2.0	1.9	1.7	3.7
Neoplasms	48	37	9	2	.4	.6		••
Allergic, endocrine system, metabolic and	59	24	32	3	.5	.4	.6	.:
nutritional diseases Diseases of the blood and blood forming organs	58	48	10		.5	₹8*	.2	7.
Mental, psychoneurotic and personality disorders	8,450	4,035	3,649	766	68.7	66.9	69.4	76.3
Diseases of the -					21.4	20.7	23.2	16.4
nervous system and sense organs	2,634	1,250	1,219	165	.3	20.7	3	1
circulatory system	227	132	85	10	1.8	2.2	1.6	1.
bones and organs of movement	İ		1	١		١,,	1.7	1.
Congenital malformations	286	184	90	12	2.3	3.1	1.6	1
Accidents, poisonings and violence	187	43	17	3	1.5	.7	.3	
Others		.		<u> </u>		1	<u></u>	L
				Female			,	
Total	9,768	4,560	4,360	848	100.0	100.C	100.0	100.
Infective and parasitic diseases	198	74	95	29	2.0	1.6	2.2	3.
Neoplasms	49	32	16	1	,,	''	'7	1
Allergic, endocrine system, metabolic and nutritional diseases	83	32	42	و٠ إ	.8	.7	1.0	1.
Diseases of the blood and blood forming organs	20	13		1	.2	.3	68.0	72.
Mental, psychoneurotic and personality disorders	6,735	3,158	2,964	613	68.9	69.3	****	/*:
Diseases of the -				150	21.7	20.5	23.7	17.
nervous system and sense organs	2,119 41	937	1,032	150	1 .4	20.5	.4	-
circulatory systembones and organs of movement	146	74	55	17	1.5	1.6	1.3	2.
	1	1		١	,,	3.2	2.1	2.
Congenital malformations	254	145 34	92 18	17	2.6	3.2	2:1	1 ":
Accidents, poisonings and violence	59		24	i	.7	.9	.6	.
Others	"	"		L				



Table 50.-- Diagnostic group and primary diagnosis by sex

Diagnostic group and	Inter- national		Number		-	Percent	
primary diagnosis	code	Total	Male	Female	Total	Male	Female
Total		22,063	12,295	9,768	100.0	100.0	100.0
Infective and parasitic diseases	001-138	439	241	198	2.0	2.0	2.0
Late effects of acute poliomyelitis	081	323	174	149	1.5	1.4	1.5
		116	- 67	49	.5	.5	.5
Neoplasms	140-239	97	48	49	.4	.4	.5
Allergic, endocrine system, metabolic,	1		ĺ			ĺ	
and nutritional diseases	240-289	142	59	83	.6	.5	.8
Diseases of the blood and blood-forming	1	l]			1]
organs	290-299	78	58	20	.4	.5	١,
Certain anaemias	292	50	34	16	.2	3	.2
Other		28	24	4	.ī	.2	
Mental, psychoneurotic, and							
personality disorders	300-329	15,185	8,450	6,735	68.8	68.7	68.9
Mental deficiency	325	12,113	6,599	5,514	54.9	53.7	56.4
Schizophrenic disorders	300	1,457	881	576	6.6	7.2	5.9
Pental deterioration	309	734	417	317	3.3	3.4	3.2
Chronic brain syndrome	328	522	344	178	2.4	2.8	1.8
Psychosis due to disease or injury		l]				
to brain	308	105	73	32	.5	.6	.3
Pathological personality	320	60	40	20	.3	.3	.2
vinet		194	96	98	.9	.8	1.0
Diseases of the nervous system	}						
and sense organs	330-398	4,753	2,634	2,119	21.5	21.4	21.7
Cerebral spastic infantile paralysis	351	2,042	1,169	873	9.3	9.5	8.9
Epilepsy	353	1,432	- 773	659	6.5	6.3	6.7
Deafness	398	188	76	112	·	.6	1.1
Late effects of intracranial abscess				J			
or pyogenic infection	344	168	97	71	.8	.8	.7
Blindness	355	167	102	65	.8	.8	.7
Deaf mutism	389	164	89	75	.7	.7	.8
Certain diseases of the eye	397	134	81	53	.6	.7	.5
Certain diseases of the spinal cord	388	133	71	62	.6	.6	.6
Refractive errors of the eye	357	53	29	24	.2	.2	.2
Other	380	50	37	13	.2	.3	.1
		222	110	112	1.0	.9	1.1
Diseases of the circulatory system	400-468	83	42	41	.4	.3	.4
Diseases of the bones and organs	j 1			-	í	- 1	
of movement	720-749	373	227	146	1.7	1.8	1.5
Diseases of muscle, tendon and fascia	744	169	131	38	.8	1.1	.4
Rheumatoid arthritis and allied conditions	722	64	20	44	.3	1.2	.5
Other		140	76	64	.6	.6	.7
Congenital malformations	750-759	540	286	254	2.4	2.3	2.4
Cataract and anomalies of nervous			-00	-54	2.7	2.3	2.6
system and sense organs	753	190	99	91	.9	.8	.9
Circulatory system	754	109	63	46	.ś	.\$.5
pina bifida and meningocele	751	72	38	34	.3	.3	.3
Other congenital malformations	759	68	37	31	.3	.3	.3
Malformations of bone and joint	758	65	26	39	.3	.2	.4
Other		36	23	13	.2	.2	
Alternative classification of					1	- 1	
accidents, poisonings, and	•	- 1	1	- 1	i	1	
violence	800-999	246	187	59	1.1	1.5	.6
Other		127	63	64	ا	.]	
	1		0.0	04	.6	.5	.7

Table 51.--Ten primary diagnoses occurring most often by sex

	Primary diagnosis	Inter- national code	Number	Per- cent	Cumu- lative per- cent
	ı.	. /	Total		
1.	Mental deficiency	325	12,113	54.9	54.9
2.	Cerebral spastic infantile paralysis	351	2,042	9.3	64.2
3.	Schizophrenic disorders (dementia				70.0
	praecox)	300	1,457	6.6	70.8
4.	Epilepsy	353	1,432	6.5	77.3
5.	Mental deterioration and certain other	1		3.3	80.6
	psychoses of unspecified etiology	309	734	2.4	82.9
6.	Chronic brain syndrome	328	522	1.5	84.4
7.	Late effects of acute poliomyelitis	081	323	1.5	04.4
8.	Congenital cataract and other congenital		1		
	malformations of nervous system and	763	100	.9	85.3
	sense organs	753	190 188	9	86.1
9.	Deafness	398	100	.,	30.1
10.	Certain diseases of muscle, tendon,	7//	169	.8	86.9
	and fascia	744	109		30.9
			Male		
		205	(500	53.7	53.7
1.	Mental deficiency	325	6,599	9.5	63.2
2.	Cerebral spastic infantile paralysis	351	1,169	7.3	03.2
3.	Schizophrenic disorders (dementia	200	881	7.2	70.3
	praecox)	300	773	6.3	76.6
4.	Epilepsy	353	1//3	0.3	/0.0
5.	Mental deterioration and certain other	200	4,17	3.4	80.0
	psychoses of unspecified etiology	309	417 344	2.8	82.8
6.	Chronic brain syndrome	328	1	1.4	84.2
7.	Late effects of acute poliomyelitis	081	174	1.4	04.2
8.	Certain diseases of muscle, tendon,	744	131	1.1	85.3
	and fascia	355	102	1 .8	86.1
9.	Certain diseases of the brain	333	102	1	1 50.1
10.	Congenital cataract and other congenital	1			}
	malformations of nervous system and sense organs	753	99	.8	86.9
			Fema	le	<u> </u>
			1	1	T
1.	Mental deficiency	325	5,514	56.4	56.4
2.	Cerebral spastic infantile paralysis	351	873	8.9	65.4
3.	Enilepsy	353	659	6.7	72.1
4.	Schizophrenic disorders (dementia			1	70.0
	praecox)	300	576	5.9	78.0
5.	Mental deterioration and certain other	1		1	01 .
	psychoses of unspecified etiology	309	317	3.2	81.3
6.	Chronic brain syndrome	328	178	1.8	84.6
7.	Late effects of acute poliomyelitis	081	149	1.5	85.8
8.	Deafness	398	112	1.1	65.6
9.	Congenital cataract and other congenital	1			
	malformations of nervous system and		١	1 ^	86.7
	sense organs	753	91	.9	87.5
10.	Blindness	389	75	.8	1 0/

Table 52. -- Ten primary diagnoses occurring most often by age

	Primary diagnosis	Inter- national code	Number	Per- cent [Cumu- lative per- cent
			Aged 18-	24	
1.	Mental deficiency	325	5,847	55.2	55.2
2. 3.	Cerebral spastic infantile paralysis Schizophrenic disorders (dementia	351	905	8.5	63.8
٦.	praecox)	300	625	6.0	40.7
4.	Epilepsy	1	585	5.9	69.7 75.2
5.	Mental deterioration and certain other	353	262	3.3	13.2
٠.	psychoses of unspecified etiology	309	250	2.4	77.6
6.	• • • • • • • • • • • • • • • • • • • •	328	259	2.4	77.6 80.1
7.	Chronic brain syndrome		259		81.5
8.	Deafness	081	150	1.4	
		398	125	1.2	82.7
9. 10.	Blindness	389	109	1.0	83.7
10.	and fascia	744	104	1.0	84.7
	•		Aged 25-	44	L
					
1.	Mental deficiency	325	5,291	55.0	55.0
2.	Cerebral spastic infantile paralysis	351	1,036	10.8	65.8
3.	Epilepsy	353	733	7.6	73.4
4.	Schizophrenic disorder3 (dementia				
	praecox)	300	639	6.6	80.0
5.	Mental deterioration and certain other				ļ
	psychoses of unspecified etiology	309	353	3.7	83.7
6.	Chronic brain syndrome	328	214	2.2	85.9
7.	Late effects of acute poliomyelitis	081	134	1.4	87.3
8.	Late effects of intracranial abscess		1		ł
	or pyogenic infection	344	84	.9	88.2
9.	Certain diseases of muscle, tendon,				1
	and fascia	744	77	.8	89.0
10.	Congenital cataract and other congenical				Ì
	malformations of nervous system and		J		1
	sense organs	753	75	.8	89.8
		Ag	ed 45 and	over	
1.	Mental deficiency	325	075	52.6	52.6
2.	Schizophrenic disorders (dementia	343	975	32.6	32.0
	praecox)	300	193	10.4	63.1
3.	Mental deterioration and certain other		}		
	psychoses of unspecified etiology	309	122	6.6	69.7
4.	Epilepsy	353	114	6.2	75.8
5.	Cerebral spastic infantile paralysis	351	101	5.5	81.3
6.	Chronic brain syndrome	328	49	2.6	83.9
7.	Late effects of acute poliomyelitis	081	39	2.1	86.0
8.	Deaf mutism	397	24	1.3	87.3
9.	Psychosis due to any disease or injury		1		
	to brain	308	22	1.2	88.5
10.	Late effects of intracranial abscess				
	or pyogenic infection	344	17	.9	89.4
	or pyogenic infection	344	17	.9	89.



Childhood Disability Allowances, 1968 Table 53.--Diagnostic group by State

		_		Diagnos	stic group			
State	Total	.Infec- tive and para- sitic diseases	Mental, psycho- neurotic, and person- ality disorders	Diseases of the nervous system and sense organs	Diseases of the bones and organs of move- ment	Congen- ital malfor- mations	Acci- dents, poison- ings, and vio- lence	Other
Total	22,063	439	15,185	4,753	373	540	246	527
Alabana	559	9	393	119	6	14	7	11
Alaska	18	0	12	6	0	0 1	0	0 5
Arizona	141	2	77	35 70	5 2	13 6	5	12
Arkansas California	272 1,529	6 38	171 1,024	342	28	40	21	36
		_		l ,, ;	1	5	1	6
Colorado	168	5	105 202	46 48	0	7	4	7
Connecticut	274 52	2 1	33	12	1 4	1 2	ŏ	Ö
Dist. of Col	56	î	40	10	1 2	l . ō	0	3
Florida	572	وَ	396	121	8	15	9	14
Georgia	573	12	394	122	12	13	8	12
lavaii	91	3	65	20	2	0	0	1
Idaho	73	0	51	18	2	1	,1	0 38
Illinois	944	20	615	211	20	29 14	11 9	9
Indiana	491	8	329	118	'	1		
Iowa	336	9	248	60	5	6 5	3	5
Kansas	231	12	155	50 112	3	15	1 4	17
Kentucky	487	14 1t	321 306	1 111	14	14		22
Louisians	487 121	4	86	1 26	i	1 i	ĺ	3
Maine			!	ł	ł	1 :		3
Maryland	348	6	247	80 119	6 9	15	4 3	7
Massachusetts	547	14	390 776	230	30	38	ıí	25
Michigan	1,124 366	12	254	84	3	8	3	2
Minnesota Mississippi	412	19	259	91	10	7	7	19
Missouri	523	6	369	112	11	9	9	7
Montana	81	2	49	25	3	1	0	1
Nebraska	182	3	112	47	5	3	3	9
Nevada	26	0	15	7	0	2	1 2	1 2
New Hampshire	55	1	34	15	0	1	1	
New Jersey	576	14	425	101	2 4	14	4 2	16
New Mexico	98	5 32	1.420	20 313	27	38	21	41
New York Horth Carolina	1,892 754	13	531	154	14	19	3	20
North Dakota	101	0	80	14	2	2	0	3
Ohio	1.040	23	735	227	9	21	13	12
Oklahoma	369	8	270	63	4	10	4	10
Oregon	209	2	151	39	.5	1 .4	3 8	37
Pennsylvania Whode Island	1,232 80	14	831	308	18 2	16	0	34
					1	5	4	,
South Carolina	317	4 0	217 78	70 18	10	3	li	2
South Dakota	106 511	8	350	114	6	11	10	12
Tennessee	1,095	31	764	233	19	17	14	17
Utah	87	3	50	23	3	1 7	0	1
Vermont	48	O	28	15	1	2	2	0
Virginia	549	10	389	111	11	14	4	10
Washington	253	3	171	62	6	4	10	5 7
West Virginia	358	9	223	95	5	19	5	ۇ ا
Wisconsin Wyoming	479	0	322 23	117	0	2	Ó	ó
		1	435	129	8	26	1	19
Puerto Rico Abrosd	630 102	12 8	433	27	5	7	ō	6
	1		_i	L	⅃	_1	<u> </u>	<u> </u>

Childhood Disability Allowances, 1968

Table 54.--Diagnostic group by State

	T								
		L		Percentage o	distribution	by disgnost:	ic group		
State	Number	Total	Infective and parasitic diseases	Mental, psycho- neurotic, and person- ality disorders	Diseases of the nervous system and sense organs	Diseases of the bones and organs of move- ment	Congen- ital malfor- mations	Acci- dents, poison- ings, and vio- lence	Other
Total	22,063	100.0	2.0	68.8	21.5	1.7	2.4	1.1	2.4
Alabama	559	100.0	1.6	70.3	21.3	1.1	2.5	1.3	2.0
Alaska	18	100.		66.7	33.3				
Arizona	141 272	100.0	1.4	54.6	24.8	3.5	9.2	2.8	3.5
California	1,529	100.0	2.2	62.9 67.0	25.7 22.4	.7 1.8	2.2	1.8	2.4
Colorado	168	100.0	3.0	62.5	27.4		3.0	.6	3.6
Connécticut	274	100.0	.7	73.7	17.5	1.5	2.6	1.5	2.6
Delaware	52	100.0	1.9	63.5	23.1	7.7	3.8		
Dist. of Col	56	100.0	1.8	71.4	17.9	3.6			5.4
Florida	572	100.0	1.6	69.2	21.2	1.4	2.6	1.6	2.4
Georgia	573	100.0	2.1	68.8	21.3	2.1	2.3	1.4	2.1
Hawaii	91 73	100.0	3.3	71.4	22.0	2.2			1.1
Illinois	944	100.0	2.1	69.9 65.1	24.7 22.4	2.7 2.1	1.4	1.4	
Indiana	491	100.0	1.6	67.0	24.0	.8	2.9	1.8	4.0 1.8
lowa	336	100.0	2.7	73.8	17.9	1.5	1.8	.9	1.5
Kansas	231	100.0	5.2	67.1	21.6	1.3	2.2	.4	2.2
Ken ucky	487	100.0	2.9	65.9	23.0	.8	3.1	.8	3.5
Louisiana Maine	487 121	100.0	3.3 3.3	62.8 71.1	22.8 21.5	2.9	2.9	.8	4.5 2.5
Maryland	348	100.0	1.7	71.0		1.7	ļ		
Massachusetts	547	100.0	1:7	71.0	23.0 21.8	1.6	.6 2.7	1.1 .5	.9 1.3
Michigan	1,124	100.0	1.2	69.0	20.5	2.7	3.4	1.0	2.2
Minnesota	366	100.0	2.7	69.4	23.0	1.4	2.2	.8	.5
Mississippi	412	100.0	4.6	62.9	22.1	2.4	1.7	1.7	4.6
Missouri	523	100.0	1.1	70.6	21.4	2.1	1.7	1.7	1.3
Montana Nebraska	81 182	100.0	2.5 1.6	60.5 61.5	30.9 25.8	3.7	1.2 1.6	1.6	1.2
Nevada	26	100.0	1.0	57.7	26.9	2.7	7.7	3.8	4.9 3.8
New Hampshire	55	100.0	1.8	61.8	27.3		1.8	3.6	3.6
New Jersey	576	100.0	2.4	73.8	17.5	:3	2.4	.7	2.8
New Mexico	98	100.0	5.1	63.3	20.4	4.1	3.1	2.0	2.0
New York North Carolina	1,892 754	100.0	1.7	75.1	16.5	1.4	2.0	1.1	2.2
North Dakots	101	100.0	1.7	70.4 79.2	20.4 13.9	1.9 2.0	2.5 2.0		2.7 3.0
Ohio	1,040	100.0	2.2	70.7	21.8	.9	2.0	1.2	1.2
Oklahoma	369	100.0	2.2	73.2	17.1	1.1	2.7	1.1	2.7
Oregon	209	100.0	1.0	72.2	18.7	2.4	1.9	1.4	2.4
Pennsylvania Rhode Island	1,232 80	100.0 100.0	1.1	67.5 66.3	25.0 25.0	1.5 2.5	1.3 1.3	.6 	3.0 5.0
South Carolina	317	100.0	1.3	68.5	22.1	3.2	1.6	1.3	2.2
South Dakota	106	100.0		73.6	17.0	3.8	2.8	1.9	1.9
Tennessee	511	100.0	1.6	68.5	22.3	1.2	2.2	2.0	2.3
Texas	1,095 87	100.0	2.8 3.4	69.8 57.5	21.3 26.4	1.7 3.4	1.6 8.0	1.3	1.6 1.1
Vermont	48	100.0		58.3	31.2	2.1	4.2	4.2	
Virginia	549	100.0	1.8	70.9	20.2	2.1	2.6	4.2	1.8
Washington	253	100.0	1.2	67.6	24.5	2.4	1.6	.8	2.0
West Virginia	358	100.0	2.5	62.3	26.5	1.4	2.5	2.8	2.0
Wisconsin	479 38	100.0	.8	67.2	24.4	.6	4.0	1.0	1.9
Wyoming		100.0		60.5	34.2		5.3		
Puerto Rico Abroad	630 102	100.0 100.0	1.9 7.8	69.0 48.0	20.5 26.5	1.3 4.9	4.1 6.9	.2	3.0 5.9
					L		3	I	ı

Child Disability Denials, 1968

Table 55 .-- Reason for denial by age and sex

			Number	•				Percent		
Reason for dental	Total	18-24	25-34	35-44	45 and over	Total	18-24	25-34	35-44	45 and cver
					Total					
Total	5,965	3,849	734	178	, 604	100.0	100.0	100.0	100.0	100.0
Medical alone-impairment is alight or minimal.	1,566	887	185 373	253 361	241	26.3 57.2	23.0	25.2 50.8	32.5	39.9
	187 263 538	132 132 263	24 4 8 78 4 4 4	11 88 88	255		448	6.0 7.4 10.6	1.4	3.6
					Met					
Total	3,354	2,160	406	470	318	100.0	100.0	100.0	100.0	100.0
	896	502	220	165	153	26.7	23.2	18.7	35.1	48.1
Capacity to engage in former work	25. 27.	88 55	38	122	1 =	4.6	2.5	10.8	2.3	18.5
	319	143	34	87	55	9.5	9.9	4.60	18.5	17.3
					Fenale	ie				
Total	2,611	1,689	328	308	286	100.0	100.0	100.0	100.0	100.0
Medical alone-impairment is slight or minimal Capacity to engage in former work	670	385 1,063	109 153	88 176	88 143	25.7 58.8	22.8 62.9	33.2	28.6	30.8 50.0
Working although severely impaired	143	77	-22	33	=	1.7 5.5	. 4 . 4 . 6	6.7	10.7	3.8
Other	219	120	44	=	74	4 .	7.1	13.4	3.0	13.4

Childhood Disability Denials, 1968

Table 56., -- Reason for denial by race and sex

Reason for dental	[Baol ·	18	ea FuM	ţ.	Negro	ıro	Other	er
	Number	Per- cent	Number	Per- cent	Number	Per- cent	Number	Per-
				To	Total			
Total	5,965	100.0	5,218	100.0	681	100.0	99	100.0
Medical alone-impairment is slight or minimal	1,566	26.3	1,412	27.1	132	19.4	.22	33.3
Capacity to engage in former work	3,411	27.2	7,961	. e.	/1/	61.2	£ !	20.0
Working although severely impaired	187	3.1	154	3.0	33	4.8	:	-
Failure to furnish sufficient evidence	263 494	4.00 4.00	219 428	8.2	55	8. 1.	=	16.7
-				×	Male			
Total	3,354	100.0	2,903	100.0	407	100.0	77	100.0
Medical alone-impairment is slight or minimal	896	26.7	98 <i>t</i>	27.1	88	21.6	22	50.0
Capacity to engage in work other than before	•		•	3.4.	: i	: I	1 1	: 1
Working although severely impaired	143	4.3	011	ლ ი ი	8	8.1	!	
Failure to furnish sufficient evidence	308	9 6	253	3.8 8.7	13	10.8	=	25.0
				Fen	Female			
Total	2,611	100.0	2,315	100.0	274	100.0	22	100.0
Medical alone-impairment is slight or minimal Capacity to engage in former work	670	25.7	626	27.0	44	16.1 67.9	22	100.0
a:	33	1.3	33	1.4	!	!	!	
Working although severely impaired	44	1.7	110	6.1	=	1 5	1 1	1 1
Other	186	7.1	175	2.6	3 #	4.0		

Widow (er) Disability Allowances, 1968

Table 57.--Diagnostic group by age and race

		_	Age			Race	
Diagnostic group	Total	50-54	55-59	60 and over	White	Negro	Other
				Number			
Total	28,285	7,457	17,696	3,132	24,469	3,627	189
Infective and parasitic diseases	812	249	485	78	734	67	11
eoplasms	1,373	391	844	138	1,262	108	3
llergic, endocrine system, meta- bolic and nutritional diseases	2,395	581	1,552	262	1,932	442	21
forming organs	85	17	58	10	. , 66	19	0
Mental, psychoneurotic, and personality disorders	4,187	1,434	2,408	345	3,730	431	26
Diseases of the	4,533	1,223	2.736	574	3,974	527	32
dervous system and sense organs	7,723	1,700	5,117	906	6,265	1,406	52
Respiratory system	1,497	385	946	166	1,367	122	8
Digestive system	451 198	135 46	283 128	33 24	426 168	24 25	5
Diseases of the -			_			1	
Skin and cellular tissue	118	26	81	11	108	10 371	22
iones and organs of movement	3,939 295 ·	973 104	2,485 166	481 25	3,546 275	18	2
Symptoms, senility and ill-defined conditions	58	13	37 \	8	. 49	8	1
Accidents, poisonings, and violence	621	180	370	71	567	-49	5
		<u> </u>	L	Percent	<u> </u>	<u>.</u>	L
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Infective and parasitic diseases	2.9	3.3	2.7	2.5	3.0	1.8	5.8
Neoplasms	4.9	5.2	4.8	4.4	5.2	3.0	1.6
Allergic, endocrine system, meta- bolic and nutritional diseases Diseases of the blood and blood-	8.5	7.8	8.8	8.4	7.9	12.2	11.1
forming organs	.3	.2	.3	.3	.3	.5	
Mental, psychoneurotic, and personality disorders	14.8	19.2	13.6	11.0	15.2	11.9	13.8
Diseases of the -						,,,	16.9
Nervous system and sense organs	16.0 27.3	16.4	15.5 28.9	18.3 28.9	16.2 25.6	14.5	27.5
Circulatory system	5.3	5.2	5.3	5.3	5.6	3.4	4.2
Digestive system	1.6	1.8	1.6	1.1	1.7	.7	.5
Genito-urinary system	.7	.6	.7	.8	.7	.7	2.6
Diseases of the Skin and cellular tissue	.4	.3	.5	.4	.4	.3	
Bones and organs of movement	13.9	13.0	14.0	15.4	14.5	10.2	11.6
Congenital malformations	1.0	1.4	.9	.8	1.1	.5	1.1
Symptoms, senility and ill-defined conditions	.2	.2	.2	.3	.2	.2	.5
Accidents, poisonings, and violence	2.2	2.4	2.1	2.3	2.3	1.4	2.6

Widow(er) Disability Allowances, 1968

Table 58 .-- Race and mobility status

		Number	e r			Percent	ent	
Mobility status	Total	White	Negro	Other	Totel	White	Negro	Other
Total	28,285	54,469	3,627	189	100.0	0.001	0.001	100.0
Institutionalized	1,556	197'1	*37	11	5.5	0.9	2.3	5.8
Hospitalized	349	327	20	7	1.2	1.3	9.	1.1
Housebound	2,305	2,089	203	13		8.5	5.6	6.9
Ambulatory outside the home:								
With help	5,894	5,148	702	77	20.8	21.0	19.4	23.3
By self	18,181	15,444	2,618	119	64.3	63.1	72.2	63.0